



1B

英管外螺纹60°内锥或六角端面用组合垫密封

BSP MALE DOUBLE USE FOR 60°
CONE SEAT OR BONDED SEAL

代 号	螺 纹 THREAD		尺 寸 DIMENSIONS			
PART NO.	E	F	A	B	L	S1
1B-02	G1/8"X28	G1/8"X28	10	10	26	14
1B-02-04	G1/8"X28	G1/4"X19	10	12	28	19
1B-02-06	G1/8"X28	G3/8"X19	10	13.5	31.5	22
1B-02-08	G1/8"X28	G1/2"X14	10	16	36	27
1B-04	G1/4"X19	G1/4"X19	12	12	30	19
1B-04-06	G1/4"X19	G3/8"X19	12	13.5	33.5	22
1B-04-08	G1/4"X19	G1/2"X14	12	16	38	27
1B-04-10	G1/4"X19	G5/8"X14	12	17.5	39.5	30
1B-06	G3/8"X19	G3/8"X19	13.5	13.5	35	22
1B-06-08	G3/8"X19	G1/2"X14	13.5	16	39.5	27
1B-06-10	G3/8"X19	G5/8"X14	13.5	17.5	42	30
1B-06-12	G3/8"X19	G3/4"X14	13.5	18.5	43	32
1B-08	G1/2"X14	G1/2"X14	16	16	42	27
1B-08-10	G1/2"X14	G5/8"X14	16	17.5	43.5	30
1B-08-12	G1/2"X14	G3/4"X14	16	18.5	45.5	32
1B-10	G5/8"X14	G5/8"X14	17.5	17.5	45	30
1B-10-12	G5/8"X14	G3/4"X14	17.5	18.5	47	32
1B-10-16	G5/8"X14	G1"X11	17.5	20.5	51.5	41
1B-12	G3/4"X14	G3/4"X14	18.5	18.5	48	32
1B-12-16	G3/4"X14	G1"X11	18.5	20.5	52.5	41
1B-12-20	G3/4"X14	G1.1/4"X11	18.5	20.5	56	50
1B-16	G1"X11	G1"X11	20.5	20.5	54	41
1B-16-20	G1"X11	G1.1/4"X11	20.5	20.5	58	50
1B-16-24	G1"X11	G1.1/2"X11	20.5	23	60.5	55
1B-20	G1.1/4"X11	G1.1/4"X11	20.5	20.5	58	50
1B-20-24	G1.1/4"X11	G1.1/2"X11	20.5	23	60.5	55
1B-24	G1.1/2"X11	G1.1/2"X11	23	23	63	55
1B-24-32	G1.1/2"X11	G2"X11	23	25.5	66.5	70
1B-32	G2"X11	G2"X11	25.5	25.5	68	70
1B-40	G2.1/2"X11	G2.1/2"X11	32	32	81	90
1B-48	G3"X11	G3"X11	36	36	92	100

www.fitsch.cn




1B-2WD

英管外螺纹60°内锥胶垫密封

BSP MALE 60° SEAT CAPTIVE SEAL

代 号 PART NO.	螺 纹 THREAD		胶 垫CAPTIVE		尺 寸 DIMENSIONS			
	E	F	E端	F端	A	B	L	S1
1B－02/2WD	G1/8"X28	G1/8"X28	WD-B02	WD-B02	8	8	25	14
1B-02-04/2WD	G1/8"X28	G1/4"X19	WD-B02	WD-B04	8	12	29.5	19
1B－04/2WD	G1/4"X19	G1/4"X19	WD-B04	WD-B04	12	12	34	19
1B－04-06/2WD	G1/4"X19	G3/8"X19	WD-B04	WD-B06	12	12	36.5	22
1B－06/2WD	G3/8"X19	G3/8"X19	WD-B06	WD-B06	12	12	37	22
1B－06-08/2WD	G3/8"X19	G1/2"X14	WD-B06	WD-B08	12	14	41.5	27
1B－08/2WD	G1/2"X14	G1/2"X14	WD-B08	WD-B08	14	14	44	27
1B－08-12/2WD	G1/2"X14	G3/4"X14	WD-B08	WD-B12	14	16	46	32
1B－12/2WD	G3/4"X14	G3/4"X14	WD-B12	WD-B12	16	16	47	32
1B－12-16/2WD	G3/4"X14	G1"X11	WD-B12	WD-B16	16	18	52	41
1B－16/2WD	G1"X11	G1"X11	WD-B16	WD-B16	18	18	55	41
1B－16-20/2WD	G1"X11	G1.1/4"X11	WD-B16	WD-B20	18	20	57	50
1B－20/2WD	G1.1/4"X11	G1.1/4"X11	WD-B20	WD-B20	20	20	61	50
1B－20-24/2WD	G1.1/4"X11	G1.1/2"X11	WD-B20	WD-B24	20	22	63	55
1B－24/2WD	G1.1/2"X11	G1.1/2"X11	WD-B24	WD-B24	22	22	65	55
1B－24-32/2WD	G1.1/2"X11	G2"X11	WD-B24	WD-B32	22	20	66	75
1B－32/2WD	G2"X11	G2"X11	WD-B32	WD-B32	20	20	65	75

www.fitsch.cn




1B4

45°英管外螺纹60°内锥

45° BSP MALE 60° SEAT

代 号 PART NO.	螺 纹 THREAD				尺寸 DIMENSIONS			
	E	F			A	B	S1	
1B4-02	G1/8"X28	G1/8"X28			17	17	11	
1B4-04	G1/4"X19	G1/4"X19			20.3	20.3	14	
1B4-04-06	G1/4"X19	G3/8"X19			20.5	22	16	
1B4-06	G3/8"X19	G3/8"X19			22	22	16	
1B4-06-08	G3/8"X19	G1/2"X14			24	27	22	
1B4-08	G1/2"X14	G1/2"X14			27	27	22	
1B4-08-12	G1/2"X14	G3/4"X14			28.5	31	27	
1B4-10	G5/8"X14	G5/8"X14			28.5	28.5	22	
1B4-10-12	G5/8"X14	G3/4"X14			30	31	27	
1B4-12	G3/4"X14	G3/4"X14			31	31	27	
1B4-12-16	G3/4"X14	G1"X11			32.5	35	33	
1B4-16	G1"X11	G1"X11			35	35	33	
1B4-16-20	G1"X11	G1.1/4"X11			38.5	38.5	41	
1B4-20	G1.1/4"X11	G1.1/4"X11			38.5	38.5	41	
1B4-20-24	G1.1/4"X11	G1.1/2"X11			41.5	44	48	
1B4-24	G1.1/2"X11	G1.1/2"X11			44	44	48	
1B4-32	G2"X11	G2"X11			51	51	63	

www.fitsch.cn




1B9

90°弯英管外螺纹60°内锥

90° ELBOW BSP MALE 60° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
1B9-02	G1/8"X28	G1/8"X28			19.8	19.8	11		
1B9-02-04	G1/8"X28	G1/4"X19			23	25	14		
1B9-04	G1/4"X19	G1/4"X19			24.5	24.5	14		
1B9-04-06	G1/4"X19	G3/8"X19			26.5	27.5	16		
1B9-06	G3/8"X19	G3/8"X19			27.5	27.5	16		
1B9-06-08	G3/8"X19	G1/2"X14			31	34.5	22		
1B9-08	G1/2"X14	G1/2"X14			34.5	34.5	22		
1B9-08-12	G1/2"X14	G3/4"X14			37.5	40	27		
1B9-10	G5/8"X14	G5/8"X14			35	35	22		
1B9-10-12	G5/8"X14	G3/4"X14			37.5	39	30		
1B9-12	G3/4"X14	G3/4"X14			40	40	27		
1B9-12-16	G3/4"X14	G1"X11			43.5	46	33		
1B9-16	G1"X11	G1"X11			46	46	33		
1B9-16-20	G1"X11	G1.1/4"X11			50.5	50.5	41		
1B9-20	G1.1/4"X11	G1.1/4"X11			50.5	50.5	41		
1B9-20-24	G1.1/4"X11	G1.1/2"X11			54.5	57.5	48		
1B9-24	G1.1/2"X11	G1.1/2"X11			57.5	57.5	48		
1B9-32	G2"X11	G2"X11			68	68	63		

www.fitsch.cn



1BE

英管外螺纹60° 内锥/公制外螺纹O形圈


BSP MALE 60° SEAT/METRIC MALE O-RING

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	L	S1	
1BE-04-14	G1/4"X19	M14X1.5		10X1.9	12	11	29	19	
1BE-04-16	G1/4"X19	M16X1.5		11X1.9	12	11	29	19	
1BE-06-16	G3/8"X19	M16X1.5		11X1.9	13.5	11	32.5	22	
1BE-06-18	G3/8"X19	M18X1.5		13X1.9	13.5	11	32.5	22	
1BE-08-18	G1/2"X14	M18X1.5		13X1.9	16	11	37	27	
1BE-08-22	G1/2"X14	M22X1.5		16X2.4	16	12	38	27	
1BE-12-22	G3/4"X12	M22X1.5		16X2.4	18.5	12	41.5	32	
1BE-12-27	G3/4"X12	M27X1.5		20X2.4	18.5	13	42.5	32	
1BE-12-30	G3/4"X12	M30X1.5		24X2.4	18.5	14	43.5	32	
1BE-16-36	G1"X11	M36X2		30X3.1	20.5	16	49.5	41	
1BE-16-39	G1"X11	M39X2		32X3.1	20.5	18	51.5	41	
1BE-20-39	G1.1/4"X11	M39X2		32X3.1	20.5	18	53.5	50	
1BE-20-42	G1.1/4"X11	M42X2		35X3.1	20.5	20	55.5	50	
1BE-20-45	G1.1/4"X11	M45X2		38X3.1	20.5	21	56.5	50	
1BE-24-52	G1.1/2"X11	M52X2		40X3.1	23	22	60	55	
1BE-32-52	G2"X11	M52X2		40X3.1	25.5	22	64.5	70	
1BE-32-60	G2"X11	M60X2		45X3.1	25.5	24	66.5	70	

注：F端O形圈参数为外径与线径。

Note:The parameter of F end O-Ring is ring outside diameter and ring width.

www.fitsch.cn




1BF

英管外螺纹60°内锥/美制ORFS外螺纹

BSP MALE 60° SEAT/ORFS MALE

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	L	S1	
1BF-02-06	G1/8"X28	11/16"X16		9.25X1.78	10	11.2	27.5	19	
1BF-04	G1/4"X19	9/16"X18		7.65X1.78	12	10	28	19	
1BF-04-06	G1/4"X19	11/16"X16		9.25X1.78	12	11.2	29.5	19	
1BF-04-08	G1/4"X19	13/16"X16		12.42X1.78	12	12.8	33	22	
1BF-06	G3/8"X19	11/16"X16		9.25X1.78	13.5	11.2	32.7	22	
1BF-06-04	G3/8"X19	9/16"X18		7.65X1.78	13.5	10	31.5	22	
1BF-06-08	G3/8"X19	13/16"X16		12.42X1.78	13.5	12.8	34.5	22	
1BF-06-10	G3/8"X19	1"X14		15.6X1.78	13.5	15.5	39	27	
1BF-08	G1/2"X14	13/16"X16		12.42X1.78	16	12.8	38.8	27	
1BF-08-06	G1/2"X14	11/16"X16		9.25X1.78	16	11.2	37	27	
1BF-08-10	G1/2"X14	1"X14		15.6X1.78	16	15.5	41.5	27	
1BF-08-12	G1/2"X14	1.3/16"X12		18.77X1.78	16	17	44	32	
1BF-12-08	G3/4"X14	13/16"X16		12.42X1.78	18.5	12.8	42	32	
1BF-12	G3/4"X14	1.3/16"X12		18.77X1.78	18.5	17	46.5	32	
1BF-16	G1"X11	1.7/16"X12		23.52X1.78	20.5	17.5	51	41	
1BF-16-12	G1"X11	1.3/16"X12		18.77X1.78	20.5	17	50.5	41	
1BF-20-16	G1.1/4"X11	1.7/16"X12		23.52X1.78	20.5	17.5	53	50	
1BF-20	G1.1/4"X11	1.11/16"X12		29.87X1.78	20.5	17.5	53	50	
1BF-24	G1.1/2"X11	2"X12		37.82X1.78	23	17.5	55.5	55	

www.fitsch.cn



1B-F

英管外螺纹端面密封


BSP MALE FLAT SEAL

代 号 PART NO.	螺 纹 THREAD		紫 铜 片 COPPER SEAL	尺 寸 DIMENSIONS				
	E	F		A	B	L	S1	
1B-02F	G1/8"X28	G1/8"X28	DP-B02F	9.5	9.5	25	12	
1B-04F	G1/4"X19	G1/4"X19	DP-B04F	10	10	26	14	
1B-06F	G3/8"X19	G3/8"X19	DP-B06F	11.5	11.5	29	19	
1B-08F	G1/2"X14	G1/2"X14	DP-B08F	14	14	36	22	
1B-12F	G3/4"X14	G3/4"X14	DP-B12F	15.5	15.5	41	30	
1B-16F	G1"X11	G1"X11	DP-B16F	18	18	47	36	
1B-20F	G1.1/4"X11	G1.1/4"X11	DP-B20F	20	20	53	46	
1B-24F	G1.1/2"X11	G1.1/2"X11	DP-B24F	21.5	21.5	58	50	
1B-32F	G2"X11	G2"X11	DP-B32F	24.5	24.5	66	65	

注：紫铜片需另订，不随接头一起发货。 Note: Coper seal need ordered another .

www.fitsch.cn

过渡接头 ADAPTER




90° 英管外螺纹60° 内锥面/美制ORFS外螺纹

90°BSPP MALE 60° SEAT/ORFS MALE

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	S1		
1BF9-04	G1/4"X19	9/16"X18		O011	24.5	23	14		
1BF9-06-04	G3/8"X19	9/16"X19		O011	27.5	24	16		
1BF9-06	G3/8"X19	11/16"X16		O012	28.5	27	19		
1BF9-06-08	G3/8"X19	13/16"X16		O014	31	31	22		
1BF9-08	G1/2"X14	13/16"X16		O014	34.5	31	22		
1BF9-08-10	G1/2"X14	1"X14		O016	37.5	36.5	27		
1BF9-10	G5/8"X14	1"X14		O016	39	36.5	27		
1BF9-10-12	G5/8"X14	1.3/16"X12		O018	39.5	40.5	30		
1BF9-12	G3/4"X14	1.3/16"X12		O018	41	40.5	30		
1BF9-12-16	G3/4"X14	1.7/16"X12		O021	43.5	44.5	36		
1BF9-16	G1"X11	1.7/16"X12		O021	47.5	44.5	36		
1BF9-20	G1.1/4"X11	1.11/16"X12		O025	50.5	47.5	41		
1BF9-20-24	G1.1/4"X11	2"X12		O029	55.5	53.5	50		
1BF9-24	G1.1/2"X11	2"X12		O029	58.5	53.5	50		

www.fitsch.cn



1BG


英管外螺纹60° 内锥或六角端面用组合垫密封 / 英管外螺纹0形圈

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / BSP MALE O-RING

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	L	S1	
1BG-02	G1/8"X28	G1/8"X28		O011	10	9.5	27	14	
1BG-04	G1/4"X19	G1/4"X19		O111	12	11	31	19	
1BG-04-06	G1/4"X19	G3/8"X19		O113	12	11.5	32	22	
1BG-06	G3/8"X19	G3/8"X19		O113	13.5	11.5	33	22	
1BG-06-04	G3/8"X19	G1/4"X19		O111	13.5	11	32.5	22	
1BG-06-08	G3/8"X19	G1/2"X14		O115	13.5	14	38.5	27	
1BG-08	G1/2"X14	G1/2"X14		O115	16	14	41	27	
1BG-08-06	G1/2"X14	G3/8"X19		O113	16	11.5	36	27	
1BG-08-12	G1/2"X14	G3/4"X14		O119	16	15.5	45.5	32	
1BG-10-08	G5/8"X14	G1/2"X14		O115	17.5	14	44.5	30	
1BG-12	G3/4"X14	G3/4"X14		O119	18.5	15.5	46	32	
1BG-12-08	G3/4"X14	G1/2"X14		O115	18.5	14	45.5	32	
1BG-16-08	G1"X11	G1/2"X14		O115	20.5	14	50.5	41	
1BG-16	G1"X11	G1"X11		O217	20.5	18	53	41	
1BG-16-12	G1"X11	G3/4"X14		O119	20.5	15.5	52	41	
1BG-20	G1.1/4"X11	G1.1/4"X11		O222	20.5	20	58.5	50	
1BG-24	G1.1/2"X11	G1.1/2"X11		O224	23	21.5	62.5	55	

注： F端与DIN 3852油口相配。 F end is connected with DIN 3852 port.

www.fitsch.cn



1BG4-OG


45°弯英管外螺纹60°内锥 / 英管外螺纹0形圈

45° ELBOW BSP MALE 60° SEAT / BSP MALE O-RING

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	S1	S2	
1BG4-04OG	G1/4"X19	G1/4"X19		O111	22	28	14	19	
1BG4-04-06OG	G1/4"X19	G3/8"X19		O113	21	30	16	22	
1BG4-04-08OG	G1/4"X19	G1/2"X14		O115	22.5	36	22	27	
1BG4-06OG	G3/8"X19	G3/8"X19		O113	21	30	16	22	
1BG4-06-08OG	G3/8"X19	G1/2"X14		O115	23.5	36	22	27	
1BG4-08OG	G1/2"X14	G1/2"X14		O115	27	36	22	27	
1BG4-12OG	G3/4"X14	G3/4"X14		O119	32	42	27	32	
1BG4-12-16OG	G3/4"X14	G1"X11		O217	32.5	44	33	41	
1BG4-16OG	G1"X11	G1"X11		O217	34	44	33	41	
1BG4-20OG	G1.1/4"X11	G1.1/4"X11		O222	38.5	47.5	41	50	
1BG4-24OG	G1.1/2"X11	G1.1/2"X11		O224	44	51.5	48	55	

注： F端与DIN 3852油口相配。 Note： F end is connected with DIN 3852 port.

www.fitsch.cn



1BG9-OG


90° 弯英管外螺纹60°内锥 / 英管外螺纹0形圈

90° ELBOW BSP MALE 60° SEAT / BSP MALE O-RING

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	S1	S2	
1BG9-04OG	G1/4"X19	G1/4"X19		O111	25	31.5	14	19	
1BG9-04-06OG	G1/4"X19	G3/8"X19		O113	26.5	36.8	16	22	
1BG9-06OG	G3/8"X19	G3/8"X19		O113	28	36.8	16	22	
1BG9-06-08OG	G3/8"X19	G1/2"X14		O115	31	43.2	22	27	
1BG9-08OG	G1/2"X14	G1/2"X14		O115	34.5	43.2	22	27	
1BG9-08-12OG	G1/2"X14	G3/4"X14		O119	40	49.3	27	32	
1BG9-12OG	G3/4"X14	G3/4"X14		O119	40	49.3	27	32	
1BG9-12-16OG	G3/4"X14	G1"X11		O217	45	53	33	41	
1BG9-16OG	G1"X11	G1"X11		O217	46	53	33	41	
1BG9-20-16OG	G1.1/4"X11	G1"X11		O217	50.5	58	41	41	
1BG9-20OG	G1.1/4"X11	G1.1/4"X11		O222	51.5	58	41	50	
1BG9-24OG	G1.1/2"X11	G1.1/2"X11		O224	58.5	63	48	55	

注：F端与DIN 3852油口相配。 Note：F end is connected with DIN 3852 port.

www.fitsch.cn



1BG-OG


英管外螺纹60° 内锥或六角端面用组合垫密封 /
英管外螺纹O形圈

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR
BONDED SEAL / BSP MALE O-RING

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	L	S1	S2
1BG-04OG	G1/4"X19	G1/4"X19		O111	12	21	39	19	19
1BG-04-06OG	G1/4"X19	G3/8"X19		O113	12	24	42	19	22
1BG-06-04OG	G3/8"X19	G1/4"X19		O111	13.5	21	42.5	22	19
1BG-06OG	G3/8"X19	G3/8"X19		O113	13.5	24	45.5	22	22
1BG-06-08OG	G3/8"X19	G1/2"X14		O115	13.5	28	49.5	22	27
1BG-08-06OG	G1/2"X14	G3/8"X19		O113	16	24	50	27	22
1BG-08OG	G1/2"X14	G1/2"X14		O115	16	28	54	27	27
1BG-12OG	G3/4"X14	G3/4"X14		O119	18.5	32.5	62	32	32
1BG-16-08OG	G1"X11	G1/2"X14		O115	20.5	28	61.5	41	27
1BG-16-12OG	G1"X11	G3/4"X14		O119	20.5	32.5	66	41	32
1BG-16OG	G1"X11	G1"X11		O217	20.5	32.5	66	41	41
1BG-20-08OG	G1.1/4"X11	G1/2"X14		O115	20.5	33	63.5	50	27
1BG-20OG	G1.1/4"X11	G1.1/4"X11		O222	20.5	30	68.5	50	50
1BG-24OG	G1.1/2"X11	G1.1/2"X11		O224	23	34	72	55	55

注： F端与DIN 3852油口相配。 F end is connected with DIN 3852 port.

www.fitsch.cn



1BH


英管外螺纹60° 内锥或六角端面用组合垫密封/
公制外螺纹轻系列ISO 6149-3

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL /
METRIC MALE L-SERIES ISO 6149-3

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	S1	L	
1BH-02-10	G1/8"X28	M10X1		O08.1X1.6	10	8.5	14	25	
1BH-02-12	G1/8"X28	M12X1.5		O09.3X2.4	10	11	17	28	
1BH-04-12	G1/4"X19	M12X1.5		O09.3X2.4	12	11	19	30	
1BH-04-14	G1/4"X19	M14X1.5		O11.3X2.4	12	11	19	31.5	
1BH-04-16	G1/4"X19	M16X1.5		O13.3X2.4	12	11.5	22	31.5	
1BH-06-14	G3/8"X19	M14X1.5		O11.3X2.4	13.5	11	22	35	
1BH-06-16	G3/8"X19	M16X1.5		O13.3X2.4	13.5	11.5	22	33	
1BH-06-18	G3/8"X19	M18X1.5		O15.3X2.4	13.5	12.5	24	36.5	
1BH-08-18	G1/2"X14	M18X1.5		O15.3X2.4	16	12.5	27	41	
1BH-08-22	G1/2"X14	M22X1.5		O19.3X2.4	16	13	27	41.5	
1BH-10-22	G5/8"X14	M22X1.5		O19.3X2.4	17.5	13	30	43	
1BH-12-16	G3/4"X14	M16X1.5		O13.3X2.4	18.5	11.5	32	43.5	
1BH-12-22	G3/4"X14	M22X1.5		O19.3X2.4	18.5	13	32	45	
1BH-12-27	G3/4"X14	M27X2		O23.5X3.0	18.5	16	32	45.5	
1BH-16-27	G1"X11	M27X2		O23.5X3.0	20.5	16	41	49	
1BH-16-33	G1"X11	M33X2		O29.5X3.0	20.5	16	41	49.5	
1BH-20-42	G1.1/4"X11	M42X2		O38.5X3.0	20.5	16	50	51.5	
1BH-24-48	G1.1/2"X11	M48X2		O44.5X3.0	23	17.5	55	55.5	

注：可与ISO 9974-1油口相配，去掉挡圈与ISO 6149-1油口相配。Note: fit for ISO 9974-1 port or ISO 6149-1 port when useless of retaining ring.

www.fitsch.cn



1BH4-OG


45°弯英管外螺纹60°内锥/
公制外螺纹轻系列ISO 6149-3

45° ELBOW BSP MALE 60° SEAT /
METRIC MALE L-SERIES ISO 6149-3

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	S1	S2	
1BH4-02-10OG	G1/8"X28	M10X1		O08.1X1.6	17	23.5	11	14	
1BH4-02-12OG	G1/8"X28	M12X1.5		O09.3X2.4	17	27.5	11	17	
1BH4-04-12OG	G1/4"X19	M12X1.5		O09.3X2.4	20.3	28.3	14	17	
1BH4-04-14OG	G1/4"X19	M14X1.5		O11.3X2.4	20.3	28.3	14	19	
1BH4-04-16OG	G1/4"X19	M16X1.5		O13.3X2.4	20.8	29.3	16	22	
1BH4-06-14OG	G3/8"X19	M14X1.5		O11.3X2.4	22.3	28.8	16	19	
1BH4-06-16OG	G3/8"X19	M16X1.5		O13.3X2.4	22.3	29.3	16	22	
1BH4-06-18OG	G3/8"X19	M18X1.5		O15.3X2.4	23	31	19	24	
1BH4-08-18OG	G1/2"X14	M18X1.5		O15.3X2.4	27.3	33.3	22	24	
1BH4-08-22OG	G1/2"X14	M22X1.5		O19.3X2.4	27.3	33.3	22	27	
1BH4-10-22OG	G5/8"X14	M22X1.5		O19.3X2.4	27.8	33.3	22	27	
1BH4-12-22OG	G3/4"X14	M22X1.5		O19.3X2.4	31	34.5	27	27	
1BH4-12-27OG	G3/4"X14	M27X2		O23.5X3.0	31	39.5	27	32	
1BH4-16-27OG	G1"X11	M27X2		O23.5X3.0	34.5	40.5	33	32	
1BH4-16-33OG	G1"X11	M33X2		O29.5X3.0	34.5	41	33	41	
1BH4-20-42OG	G1.1/4"X11	M42X2		O38.5X3.0	39	45.5	41	50	
1BH4-24-48OG	G1.1/2"X11	M48X2		O44.5X3.0	44	49.5	48	55	

注：可与ISO 9974-1油口相配，去掉挡圈与ISO 6149-1油口相配。Note: fit for ISO 9974-1 port or ISO 6149-1 port when useless of retaining ring.

www.fitsch.cn



1BH9-OG


90° 弯英管外螺纹60°内锥/公制外螺纹轻系列ISO 6149-3

90° ELBOW BSP MALE 60° SEAT /
METRIC MALE L-SERIES ISO 6149-3

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	S1	S2	
1BH9-02-10OG	G1/8"X28	M10X1		O08.1X1.6	20	26.5	11	14	
1BH9-02-12OG	G1/8"X28	M12X1.5		O09.3X2.4	20	30.5	11	17	
1BH9-04-12OG	G1/4"X19	M12X1.5		O09.3X2.4	24.5	32	14	17	
1BH9-04-14OG	G1/4"X19	M14X1.5		O11.3X2.4	24.5	32.5	14	19	
1BH9-04-16OG	G1/4"X19	M16X1.5		O13.3X2.4	26.5	34.8	16	22	
1BH9-06-14OG	G3/8"X19	M14X1.5		O11.3X2.4	27.5	34	16	19	
1BH9-06-16OG	G3/8"X19	M16X1.5		O13.3X2.4	27.5	34.8	16	22	
1BH9-06-18OG	G3/8"X19	M18X1.5		O15.3X2.4	28.5	37	19	24	
1BH9-08-18OG	G1/2"X14	M18X1.5		O15.3X2.4	34.5	39.5	22	24	
1BH9-08-22OG	G1/2"X14	M22X1.5		O19.3X2.4	34.5	40.2	22	27	
1BH9-10-22OG	G5/8"X14	M22X1.5		O19.3X2.4	35	40.2	22	27	
1BH9-12-22OG	G3/4"X14	M22X1.5		O19.3X2.4	40	43.5	27	27	
1BH9-12-27OG	G3/4"X14	M27X2		O23.5X3.0	40	48.5	27	32	
1BH9-16-27OG	G1"X11	M27X2		O23.5X3.0	46	52	33	32	
1BH9-16-33OG	G1"X11	M33X2		O29.5X3.0	46	52.5	33	41	
1BH9-20-42OG	G1.1/4"X11	M42X2		O38.5X3.0	50.5	57.2	41	50	
1BH9-24-48OG	G1.1/2"X11	M48X2		O44.5X3.0	57.5	62.5	48	55	

注：可与ISO 9974-1油口相配，去掉挡圈与ISO 6149-1油口相配。Note: fit for ISO 9974-1 port or ISO 6149-1 port when useless of retaining ring.

www.fitsch.cn



1B-HS


英管外螺纹60°内锥或六角端面用组合垫密封

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL

代 号	螺 纹 THREAD		尺 寸 DIMENSIONS			
PART NO.	E	F	A	B	L	S1
1B-02HS	G1/8"X28	G1/8"X28	10.2	10.2	27.9	14
1B-02-04HS	G1/8"X28	G1/4"X19	10.2	11	30.2	19
1B-02-06HS	G1/8"X28	G3/8"X19	10.2	12.7	32.7	22
1B-02-08HS	G1/8"X28	G1/2"X14	10.2	15.2	38.1	27
1B-04HS	G1/4"X19	G1/4"X19	11	11	31.1	19
1B-04-06HS	G1/4"X19	G3/8"X19	11	12.7	33.5	22
1B-04-08HS	G1/4"X19	G1/2"X14	11	15.2	39.4	27
1B-04-12HS	G1/4"X19	G3/4"X14	11	16	42.7	32
1B-06HS	G3/8"X19	G3/8"X19	12.7	12.7	35.3	22
1B-06-08HS	G3/8"X19	G1/2"X14	12.7	15.2	41.1	27
1B-06-10HS	G3/8"X19	G5/8"X14	12.7	16	41.9	30
1B-06-12HS	G3/8"X19	G3/4"X14	12.7	16	44.5	32
1B-06-16HS	G3/8"X19	G1"X11	12.7	19.1	47.5	41
1B-08HS	G1/2"X14	G1/2"X14	15.2	15.2	43.2	27
1B-08-10HS	G1/2"X14	G5/8"X14	15.2	16	44.5	30
1B-08-12HS	G1/2"X14	G3/4"X14	15.2	16	47	32
1B-08-16HS	G1/2"X14	G1"X11	15.2	19.1	50.3	41
1B-10HS	G5/8"X14	G5/8"X14	16	16	45.2	30
1B-10-12HS	G5/8"X14	G3/4"X14	16	16	47.6	32
1B-12HS	G3/4"X14	G3/4"X14	16	16	47.6	32
1B-12-16HS	G3/4"X14	G1"X11	16	19.1	50.8	41
1B-12-20HS	G3/4"X14	G1.1/4"X11	16	20.3	55.6	50
1B-16HS	G1"X11	G1"X11	19.1	19.1	53.8	41
1B-16-20HS	G1"X11	G1.1/4"X11	19.1	20.3	58.7	50
1B-16-24HS	G1"X11	G1.1/2"X11	19.1	22.9	61.2	55
1B-16-32HS	G1"X11	G2"X11	19.1	26	67	70
1B-20HS	G1.1/4"X11	G1.1/4"X11	20.3	20.3	59.9	50
1B-20-24HS	G1.1/4"X11	G1.1/2"X11	20.3	22.9	62.5	55
1B-20-32HS	G1.1/4"X11	G2"X11	20.3	26	68.4	70
1B-24HS	G1.1/2"X11	G1.1/2"X11	22.9	22.9	60	55
1B-24-32HS	G1.1/2"X11	G2"X11	22.9	26	70.9	70
1B-32HS	G2"X11	G2"X11	26	26	70.1	70

www.fitsch.cn

过渡接头 ADAPTER



1BJ


英管外螺纹60°内锥或六角端面用组合垫密封 /
美制JIC外螺纹74°外锥


BSP MALE DOUBLE USE FOR 60° CONE SEAT
OR BONDED SEAL / JIC MALE 74° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	
1BJ-02-04	G1/8"X28	7/16"X20			10	14	30	14	
1BJ-02-05	G1/8"X28	1/2"X20			10	14	30	14	
1BJ-02-06	G1/8"X28	9/16"X18			10	14.1	30	17	
1BJ-04	G1/4"X19	7/16"X20			12	14	32	19	
1BJ-04-05	G1/4"X19	1/2"X20			12	14	32	19	
1BJ-04-06	G1/4"X19	9/16"X18			12	14.1	32	19	
1BJ-04-08	G1/4"X19	3/4"X16			12	16.7	36.5	22	
1BJ-04-10	G1/4"X19	7/8"X14			12	19.3	39	24	
1BJ-06	G3/8"X19	9/16"X18			13.5	14.1	35.5	22	
1BJ-06-04	G3/8"X19	7/16"X20			13.5	14	35.5	22	
1BJ-06-05	G3/8"X19	1/2"X20			13.5	14	35.5	22	
1BJ-06-08	G3/8"X19	3/4"X16			13.5	16.7	38.5	22	
1BJ-06-10	G3/8"X19	7/8"X14			13.5	19.3	41	24	
1BJ-06-12	G3/8"X19	1.1/16"X12			13.5	21.9	45	30	
1BJ-08	G1/2"X14	3/4"X16			16	16.7	43	27	
1BJ-08-04	G1/2"X14	7/16"X20			16	14	40	27	
1BJ-08-05	G1/2"X14	1/2"X20			16	14	40	27	
1BJ-08-06	G1/2"X14	9/16"X18			16	14.1	40	27	
1BJ-08-10	G1/2"X14	7/8"X14			16	19.3	45.5	27	
1BJ-08-12	G1/2"X14	1.1/16"X12			16	21.9	48	30	
1BJ-08-14	G1/2"X14	1.3/16"X12			16	22.6	49.5	32	
1BJ-08-16	G1/2"X14	1.5/16"X12			16	23.1	50	36	
1BJ-10	G5/8"X14	7/8"X14			17.5	19.3	47	30	
1BJ-10-08	G5/8"X14	3/4"X16			17.5	16.7	44	30	
1BJ-10-12	G5/8"X14	1.1/16"X12			17.5	21.9	49.5	30	
1BJ-10-16	G5/8"X14	1.5/16"X12			17.5	23.1	51.5	36	
1BJ-12	G3/4"X14	1.1/16"X12			18.5	21.9	51.5	32	
1BJ-12-06	G3/4"X14	9/16"X18			18.5	14.1	43.5	32	
1BJ-12-08	G3/4"X14	3/4"X16			18.5	16.7	46.5	32	
1BJ-12-10	G3/4"X14	7/8"X14			18.5	19.3	49	32	
1BJ-12-14	G3/4"X14	1.3/16"X12			18.5	22.6	52	32	
1BJ-12-16	G3/4"X14	1.5/16"X12			18.5	23.1	52.5	34	
1BJ-12-20	G3/4"X14	1.5/8"X12			18.5	24.3	55.5	46	
1BJ-16	G1"X11	1.5/16"X12			20.5	23.1	57	41	
1BJ-16-08	G1"X11	3/4"X16			20.5	16.7	50	41	
1BJ-16-10	G1"X11	7/8"X14			20.5	19.3	53	41	
1BJ-16-12	G1"X11	1.1/16"X12			20.5	21.9	55.5	41	
1BJ-16-14	G1"X11	1.3/16"X12			20.5	22.6	56	41	
1BJ-16-20	G1"X11	1.5/8"X12			20.5	24.3	58	46	
1BJ-20	G1.1/4"X11	1.5/8"X12			20.5	24.3	62	50	
1BJ-20-12	G1.1/4"X11	1.1/16"X12			20.5	21.9	57.5	50	
1BJ-20-16	G1.1/4"X11	1.5/16"X12			20.5	23.1	60.5	50	
1BJ-20-24	G1.1/4"X11	1.7/8"X12			20.5	27.5	63	50	
1BJ-24-16	G1.1/2"X11	1.5/16"X12			23	23.1	61	55	
1BJ-24-20	G1.1/2"X11	1.5/8"X12			23	24.3	62.5	55	
1BJ-24	G1.1/2"X11	1.7/8"X12			23	27.5	67.5	55	
1BJ-24-32	G1.1/2"X11	2.1/2"X12			23	33.9	74	65	
1BJ-32	G2"X11	2.1/2"X12			25.5	33.9	77.5	70	
1BJ-32-24	G2"X11	1.7/8"X12			25.5	27.5	70	70	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。
Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn





1BJ4

45°英管外螺纹60°内锥/美制JIC外螺纹74°外锥


45° BSP MALE 60° SEAT/ JIC MALE 74° CONE


代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
1BJ4-04	G1/4"X19	7/16"X20			20.3	22.3	14		
1BJ4-04-05	G1/4"X19	1/2"X20			20.5	22.5	14		
1BJ4-06	G3/8"X19	9/16"X18			21	23	16		
1BJ4-06-08	G3/8"X19	3/4"X16			23	26.8	19		
1BJ4-08	G1/2"X14	3/4"X16			27	28	22		
1BJ4-08-10	G1/2"X14	7/8"X14			27	32	22		
1BJ4-10	G5/8"X14	7/8"X14			28.5	31	22		
1BJ4-12	G3/4"X14	1.1/16"X12			31	35.5	27		
1BJ4-16	G1"X11	1.5/16"X12			35	38.5	33		

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn

过渡接头 ADAPTER






90°弯英管外螺纹60°内锥 / 美制JIC外螺纹74°外锥
90° ELBOW BSP MALE 60° SEAT /
JIC MALE 74° CONE

1BJ9

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
1BJ9-04	G1/4"X19	7/16"X20			24.5	26.5	14		
1BJ9-04-05	G1/4"X19	1/2"X20			23.5	28	14		
1BJ9-04-06	G1/4"X19	9/16"X18			24.5	26.9	14		
1BJ9-06	G3/8"X19	9/16"X18			27.5	28.5	16		
1BJ9-06-08	G3/8"X19	3/4"X16			28.5	32	19		
1BJ9-08	G1/2"X14	3/4"X16			32.5	35	22		
1BJ9-08-10	G1/2"X14	7/8"X14			34.5	37.8	22		
1BJ9-10	G5/8"X14	7/8"X14			32.7	38.1	22		
1BJ9-12	G3/4"X14	1.1/16"X12			37	44.2	27		
1BJ9-16	G1"X11	1.5/16"X12			46	49	33		
1BJ9-16-20	G1"X11	1.5/8"X12			50.5	55.5	41		

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn




1BK

英管外螺纹60° 内锥/日本公制外螺纹60° 外锥

BSP MALE 60° SEAT/JIS METRIC MALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	
1BK-04-14	G1/4"X19	M14X1.5			12	15.5	33.5	19	
1BK-04-18	G1/4"X19	M18X1.5			12	18	38	22	
1BK-06-18	G3/8"X19	M18X1.5			13.5	18	39.5	22	
1BK-06-22	G3/8"X19	M22X1.5			13.5	20	41.5	24	
1BK-08-18	G1/2"X14	M18X1.5			16	18	44	27	
1BK-08-20	G1/2"X14	M20X1.5			16	20	46	27	
1BK-08-22	G1/2"X14	M22X1.5			16	20	46	27	
1BK-08-24	G1/2"X14	M24X1.5			16	22	48	27	
1BK-10-24	G5/8"X14	M24X1.5			17.5	22	49.5	30	
1BK-12-30	G3/4"X14	M30X1.5			18.5	23	52.5	32	
1BK-16-33	G1"X11	M33X1.5			20.5	27	60.5	41	
1BK-20-36	G1.1/4"X11	M36X1.5			20.5	28	63.5	50	

www.fitsch.cn




1BL

英管外螺纹60°内锥或六角端面用组合垫密封 /
公制外螺纹组合垫圈

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / METRIC MALE WITH BONDED SEAL

代 号	螺 纹 THREAD		密形圈 SEAL		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	L	S1	
1BL-02-10	G1/8"X28	M10x1		ZHD-10	10	8	25	17	
1BL-04-10	G1/4"X19	M10x1		ZHD-10	12	8	27	19	
1BL-04-14	G1/4"X19	M14x1.5		ZHD-14	12	12	31	19	
1BL-06-14	G3/8"X19	M14x1.5		ZHD-14	13.5	12	35	22	
1BL-06-16	G3/8"X19	M16x1.5		ZHD-16	13.5	12	34	22	
1BL-06-18	G3/8"X19	M18x1.5		ZHD-18	13.5	12	33.5	24	
1BL-08-16	G1/2"X14	M16x1.5		ZHD-16	16	12	38	27	
1BL-08-18	G1/2"X14	M18x1.5		ZHD-18	16	12	38	27	
1BL-08-22	G1/2"X14	M22x1.5		ZHD-22	16	14	41.5	30	
1BL-10-33	G5/8"X14	M33x2		ZHD-33	17.5	18	48.5	41	
1BL-12-16	G3/4"X14	M16X1.5		ZHD-16	18.5	12	41.5	32	
1BL-12-22	G3/4"X14	M22x1.5		ZHD-22	18.5	14	43.5	30	
1BL-12-27	G3/4"X14	M27x2		ZHD-27	18.5	16	45.5	36	
1BL-12-33	G3/4"X14	M33x2		ZHD-33	18.5	18	49.5	41	
1BL-16-27	G1"X11	M27x2		ZHD-27	20.5	16	51.5	41	
1BL-16-33	G1"X11	M33x2		ZHD-33	20.5	18	53.5	41	
1BL-20-42	G1.1/4"X11	M42x2		ZHD-42	20.5	20	56.5	50	

www.fitsch.cn




1BL9

90°英管外螺纹60°内锥/公制外螺纹组合垫圈

90°BSP MALE 60°SEAT/METRIC MALE BONDED SEAL

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
1BL9-04-10	G1/4"X19	M10X1			24.5	19	14		
1BL9-04-14	G1/4"X19	M14X1.5			26.5	25	16		
1BL9-06-14	G3/8"X19	M14X1.5			27.5	25	16		
1BL9-06-16	G3/8"X19	M16X1.5			28.5	26.5	19		
1BL9-06-18	G3/8"X19	M18X1.5			31	31	22		
1BL9-08-20	G1/2"X14	M20X1.5			36	32.5	24		
1BL9-08-22	G1/2"X14	M22X1.5			37.5	36.5	27		
1BL9-12-22	G3/4"X14	M22X1.5			40	36.5	27		
1BL9-12-27	G3/4"X14	M27X2			43.5	39.5	33		
1BL9-16-33	G1"X11	M33X2			50.5	46	41		

www.fitsch.cn




1BM

英管外螺纹60°内锥或六角端面用组合垫密封 /
公制外螺纹60°内锥或六角端面用组合垫密封

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / METRIC MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	
1BM-02-10	G1/8"X28	M10X1			10	8	25	14	
1BM-02-12	G1/8"X28	M12X1.5			10	10	27	17	
1BM-04-12	G1/4"X19	M12X1.5			12	10	29	19	
1BM-04-14	G1/4"X19	M14X1.5			12	11	30	19	
1BM-04-16	G1/4"X19	M16X1.5			12	12	33	22	
1BM-04-18	G1/4"X19	M18X1.5			12	12	33	24	
1BM-06-10	G3/8"X19	M10X1			13.5	8	29.5	22	
1BM-06-12	G3/8"X19	M12X1.5			13.5	10	31.5	22	
1BM-06-14	G3/8"X19	M14X1.5			13.5	11	32.5	22	
1BM-06-16	G3/8"X19	M16X1.5			13.5	12	33.5	22	
1BM-06-18	G3/8"X19	M18X1.5			13.5	12	34.5	24	
1BM-06-20	G3/8"X19	M20X1.5			13.5	14	38.5	27	
1BM-06-22	G3/8"X19	M22X1.5			13.5	14	38.5	27	
1BM-08-14	G1/2"X14	M14X1.5			16	11	38	27	
1BM-08-16	G1/2"X14	M16X1.5			16	12	39	27	
1BM-08-18	G1/2"X14	M18X1.5			16	12	39	27	
1BM-08-20	G1/2"X14	M20X1.5			16	14	41	27	
1BM-08-22	G1/2"X14	M22X1.5			16	14	41	27	
1BM-08-24	G1/2"X14	M24X1.5			16	14	41	30	
1BM-08-26	G1/2"X14	M26X1.5			16	16	44	32	
1BM-08-27D	G1/2"X14	M27X1.5			16	16	44	32	
1BM-08-30	G1/2"X14	M30X1.5			16	18	45	36	
1BM-10-22	G5/8"X14	M22X1.5			17.5	14	42.5	30	
1BM-10-26	G5/8"X14	M26X1.5			17.5	16	45.5	32	
1BM-12-18	G3/4"X14	M18X1.5			18.5	12	42.5	32	
1BM-12-20	G3/4"X14	M20X1.5			18.5	14	44.5	32	
1BM-12-22	G3/4"X14	M22X1.5			18.5	14	44.5	32	
1BM-12-24	G3/4"X14	M24X1.5			18.5	14	44.5	32	
1BM-12-26	G3/4"X14	M26X1.5			18.5	16	46.5	32	
1BM-12-27	G3/4"X14	M27X2			18.5	16	46.5	32	
1BM-12-27D	G3/4"X14	M27X1.5			18.5	16	46.5	32	
1BM-12-30	G3/4"X14	M30X2			18.5	18	47.5	36	
1BM-12-30D	G3/4"X14	M30X1.5			18.5	18	47.5	36	
1BM-16-14	G1"X11	M14X1.5			20.5	11	45.5	41	
1BM-16-22	G1"X11	M22X1.5			20.5	14	48.5	41	
1BM-16-26	G1"X11	M26X1.5			20.5	16	50.5	41	
1BM-16-30	G1"X11	M30X2			20.5	18	53	41	
1BM-16-30D	G1"X11	M30X1.5			20.5	18	53	41	

www.fitsch.cn




1BM-WD

英管外螺纹/公制外螺纹胶垫密封

BSPP MALE/METRIC MALE CAPTIVE SEAL

代 号	螺 纹 THREAD		胶 垫 CAPTIVE		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	L	S1	
1BM-04-12WD	G1/4"X19	M12X1.5		WD-M12	12	12	32	19	
1BM-06-14WD	G3/8"X19	M14X1.5		WD-B04	13.5	12	35.5	22	
1BM-06-18WD	G3/8"X19	M18X1.5		WD-M18	13.5	12	36	24	
1BM-06-20WD	G3/8"X19	M20X1.5		WD-M20	13.5	14	40	27	
1BM-08-16WD	G1/2"X14	M16X1.5		WD-M16	16	12	40.5	27	
1BM-08-18WD	G1/2"X14	M18X1.5		WD-M18	16	12	40.5	27	
1BM-08-20WD	G1/2"X14	M20X1.5		WD-M20	16	14	42.5	27	
1BM-08-22WD	G1/2"X14	M22X1.5		WD-M22	16	14	42.5	27	
1BM-10-20WD	G5/8"X14	M20X1.5		WD-M20	17.5	14	44.5	30	
1BM-10-22WD	G5/8"X14	M22X1.5		WD-M22	17.5	14	44.5	30	
1BM-12-22WD	G3/4"X14	M22X1.5		WD-M22	18.5	14	46.5	32	

www.fitsch.cn




1BN

英管外螺纹60° 内锥或六角端面用组合垫密封 /
美制布锥管外螺纹
BSP MALE DOUBLE USE FOR 60° CONE SEAT OR
BONDED SEAL / NPT MALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	
1BN-02	G1/8"X28	Z1/8"X27			10	10.5	26	14	
1BN-02-04	G1/8"X28	Z1/4"X18			10	15	31	17	
1BN-04	G1/4"X19	Z1/4"X18			12	15	33	19	
1BN-04-02	G1/4"X19	Z1/8"X27			12	10.5	28	19	
1BN-04-06	G1/4"X19	Z3/8"X18			12	16	34	19	
1BN-04-08	G1/4"X19	Z1/2"X14			12	19.5	39.5	22	
1BN-06	G3/8"X19	Z3/8"X18			13.5	16	37.5	22	
1BN-06-04	G3/8"X19	Z1/4"X18			13.5	15	36	22	
1BN-06-08	G3/8"X19	Z1/2"X14			13.5	19.5	41	22	
1BN-06-12	G3/8"X19	Z3/4"X14			13.5	19.5	43	30	
1BN-08	G1/2"X14	Z1/2"X14			16	19.5	45.5	27	
1BN-08-06	G1/2"X14	Z3/8"X18			16	16	42	27	
1BN-08-12	G1/2"X14	Z3/4"X14			16	19.5	45.5	30	
1BN-08-16	G1/2"X14	Z1"X11.5			16	25.5	52.5	36	
1BN-10-08	G5/8"X14	Z1/2"X14			17.5	19.5	47	30	
1BN-10-12	G5/8"X14	Z3/4"X14			17.5	19.5	47	30	
1BN-12	G3/4"X14	Z3/4"X14			18.5	19.5	49	32	
1BN-12-06	G3/4"X14	Z3/8"X18			18.5	16	45.5	32	
1BN-12-08	G3/4"X14	Z1/2"X14			18.5	19.5	49	32	
1BN-12-16	G3/4"X14	Z1"X11.5			18.5	25.5	55	36	
1BN-16	G1"X11	Z1"X11.5			20.5	25.5	59	41	
1BN-16-12	G1"X11	Z3/4"X14			20.5	19.5	53	41	
1BN-16-20	G1"X11	Z1.1/4"X11.5			20.5	26.5	60	46	
1BN-20	G1.1/4"X11	Z1.1/4"X11.5			20.5	26.5	62	50	
1BN-20-16	G1.1/4"X11	Z1"X11.5			20.5	25.5	61	50	
1BN-20-24	G1.1/4"X11	Z1.1/2"X11.5			20.5	27.5	63	50	
1BN-24	G1.1/2"X11	Z1.1/2"X11.5			23	27.5	65.5	55	
1BN-24-20	G1.1/2"X11	Z1.1/4"X11.5			23	26.5	64.5	55	
1BN-24-32	G1.1/2"X11	Z2"X11.5			23	27.5	67.5	65	
1BN-32	G2"X11	Z2"X11.5			25.5	27.5	70	70	
1BN-32-20	G2"X11	Z1.1/4"X11.5			25.5	26.5	69	70	
1BN-32-24	G2"X11	Z1.1/2"X11.5			25.5	27.5	70	70	

www.fitsch.cn




1BN9

90°弯英管外螺纹60° 内锥或六角端面用组合垫密封 / 美制布锥管外螺纹
90° ELBOW BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / NPT MALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
1BN9-04	G1/4"X19	Z1/4"X18			24.5	25.5	14		
1BN9-04-02	G1/4"X19	Z1/8"X27			24.5	23.5	14		
1BN9-06	G3/8"X19	Z3/8"X18			28.5	31	19		
1BN9-06-04	G3/8"X19	Z1/4"X18			27.5	26.5	16		
1BN9-06-08	G3/8"X19	Z1/2"X14			31	36.5	22		
1BN9-06-12	G3/8"X19	Z3/4"X14			34.5	44	27		
1BN9-08	G1/2"X14	Z1/2"X14			34.5	37.5	22		
1BN9-08-06	G1/2"X14	Z3/8"X18			34.5	33	22		
1BN9-12	G3/4"X14	Z3/4"X14			38	43.5	27		
1BN9-12-08	G3/4"X14	Z1/2"X14			39	40	27		
1BN9-12-16	G3/4"X14	Z1"X11.5			43	50	33		
1BN9-16	G1"X11	Z1"X11.5			46	50	33		
1BN9-16-12	G1"X11	Z3/4"X14			46	46.5	33		

www.fitsch.cn




1BO

英管外螺纹60°内锥或六角端面用组合垫密封 /
美制SAE外螺纹带O形圈轻系列ISO 11926-3

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / SAE O-RING BOSS L-SERIES ISO 11926-3

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	L	S1	
1BO-04	G1/4"X19	7/16"X20		O904	12	9.1	29.5	19	
1BO-04-05	G1/4"X19	1/2"X20		O905	12	9.1	29.5	19	
1BO-04-06	G1/4"X19	9/16"X18		O906	12	9.9	32	19	
1BO-04-08	G1/4"X19	3/4"X16		O908	12	11.1	31	22	
1BO-06	G3/8"X19	9/16"X18		O906	13.5	9.9	33.5	22	
1BO-06-04	G3/8"X19	7/16"X20		O904	13.5	9.1	33	22	
1BO-06-08	G3/8"X19	3/4"X16		O908	13.5	11.1	36	24	
1BO-06-10	G3/8"X19	7/8"X14		O910	13.5	12.7	39.5	27	
1BO-08	G1/2"X14	3/4"X16		O908	16	11.1	38	27	
1BO-08-06	G1/2"X14	9/16"X18		O906	16	9.9	36	27	
1BO-08-10	G1/2"X14	7/8"X14		O910	16	12.7	42	27	
1BO-08-12	G1/2"X14	1.1/16"X12		O912	16	15.1	42.5	36	
1BO-10	G5/8"X14	7/8"X14		O910	17.5	12.7	43.5	30	
1BO-10-08	G5/8"X14	3/4"X16		O908	17.5	11.1	41.5	30	
1BO-10-12	G5/8"X14	1.1/16"X12		O912	17.5	15.1	47	34	
1BO-12	G3/4"X14	1.1/16"X12		O912	18.5	15.1	48	34	
1BO-12-08	G3/4"X14	3/4"X16		O908	18.5	11.1	40.5	32	
1BO-12-10	G3/4"X14	7/8"X14		O910	18.5	12.7	45.5	32	
1BO-12-14	G3/4"X14	1.3/16"X12		O914	18.5	15.1	48	38	
1BO-12-16	G3/4"X14	1.5/16"X12		O916	18.5	15.1	50.7	41	
1BO-16	G1"X11	1.5/16"X12		O916	20.5	15.1	52.6	41	
1BO-16-10	G1"X11	7/8"X14		O910	20.5	12.7	49.5	41	
1BO-16-12	G1"X11	1.1/16"X12		O912	20.5	15.1	52	41	
1BO-16-14	G1"X11	1.3/16"X12		O914	20.5	15.1	52	41	
1BO-16-20	G1"X11	1.5/8"X12		O920	20.5	15.1	54.7	50	
1BO-20	G1.1/4"X11	1.5/8"X12		O920	20.5	15.1	54.7	50	
1BO-20-16	G1.1/4"X11	1.5/16"X12		O916	20.5	15.1	54.7	50	
1BO-24	G1.1/2"X11	1.7/8"X12		O924	23	15.1	57	55	

www.fitsch.cn




1BO4-OG

45°英管外螺纹60°内锥/美制SAE外螺纹O形圈

45° BSP MALE 60° SEAT/SAE O-RING BOSS

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	S1	S2	
1BO4-02-04OG	G/18"X28	7/16"X20		O904	17	24	11	17	
1BO4-02-05OG	G/18"X28	1/2"X20		O905	17	26	14	17	
1BO4-04OG	G1/4"X19	7/16"X20		O904	22	26	14	17	
1BO4-04-05OG	G1/4"X19	1/2"X20		O905	22	26	14	17	
1BO4-04-06OG	G1/4"X19	9/16"X18		O906	22	27.5	14	19	
1BO4-04-08OG	G1/4"X19	3/4"X16		O908	22	31.5	19	24	
1BO4-06-04OG	G3/8"X19	7/16"X20		O904	21	28	16	17	
1BO4-06OG	G3/8"X19	9/16"X18		O906	22	28	16	19	
1BO4-06-08OG	G3/8"X19	3/4"X16		O908	23	31.5	19	24	
1BO4-06-10OG	G3/8"X19	7/8"X14		O910	24	38.5	22	27	
1BO4-08OG	G1/2"X14	3/4"X16		O908	27	33	22	24	
1BO4-08-10OG	G1/2"X14	7/8"X14		O910	27	38.5	22	27	
1BO4-08-12OG	G1/2"X14	1.1/16"X12		O912	28.5	43.5	27	32	
1BO4-12-08OG	G3/4"X14	3/4"X16		O908	32	38.6	27	24	
1BO4-12OG	G3/4"X14	1.1/16"X12		O912	32	43.9	27	32	
1BO4-12-10OG	G3/4"X14	7/8"X14		O910	32	42	27	27	
1BO4-12-16OG	G3/4"X14	1.5/16"X12		O916	32.5	45.5	33	41	
1BO4-16OG	G1"X11	1.5/16"X12		O916	34	45.5	33	41	
1BO4-16-12OG	G1"X11	1.1/16"X12		O912	34	45	33	32	
1BO4-16-20OG	G1"X11	1.5/8"X12		O920	38.5	48.5	41	50	
1BO4-20OG	G1.1/4"X11	1.5/8"X12		O920	38.5	48.5	41	50	
1BO4-20-16OG	G1.1/4"X11	1.5/16"X12		O916	38.5	48.5	41	41	
1BO4-20-24OG	G1.1/4"X11	1.7/8"X12		O924	41.5	50	48	55	
1BO4-24OG	G1.1/2"X11	1.7/8"X12		O924	44	50	48	55	

www.fitsch.cn




1BO9-OG

90°英管外螺纹60°内锥/美制SAE外螺纹O形圈

90° BSP MALE 60° SEAT/SAE O-RING BOSS

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	S1	S2	
1BO9-02-04OG	G1/8"X28	7/16"X20		O904	19.8	27.2	11	17	
1BO9-02-05OG	G1/8"X28	1/2"X20		O905	22.3	30	14	17	
1BO9-04OG	G1/4"X19	7/16"X20		O904	25	30.5	14	17	
1BO9-04-05OG	G1/4"X19	1/2"X20		O905	25	29.9	14	17	
1BO9-04-06OG	G1/4"X19	9/16"X18		O906	24.5	31.8	14	19	
1BO9-04-08OG	G1/4"X19	3/4"X16		O908	27.5	37.5	19	24	
1BO9-06-04OG	G3/8"X19	7/16"X20		O904	27.5	31.5	16	17	
1BO9-06OG	G3/8"X19	9/16"X18		O906	27.5	33.3	16	19	
1BO9-06-08OG	G3/8"X19	3/4"X16		O908	28.5	37.5	19	24	
1BO9-06-10OG	G3/8"X19	7/8"X14		O910	31	44	22	27	
1BO9-08OG	G1/2"X14	3/4"X16		O908	34.5	40	22	24	
1BO9-08-10OG	G1/2"X14	7/8"X14		O910	34.5	44	22	27	
1BO9-08-12OG	G1/2"X14	1.1/16"X12		O912	37.5	51	27	32	
1BO9-10OG	G5/8"X14	7/8"X14		O908	35	44	22	27	
1BO9-12OG	G3/4"X14	1.1/16"X12		O912	40	51	27	32	
1BO9-12-08OG	G3/4"X14	3/4"X16		O908	40	43	27	24	
1BO9-12-10OG	G3/4"X14	7/8"X14		O910	40	47	27	27	
1BO9-12-16OG	G3/4"X14	1.5/16"X12		O916	41	54.5	33	41	
1BO9-16OG	G1"X11	1.5/16"X12		O916	46	54.5	33	41	
1BO9-16-12OG	G1"X11	1.1/16"X12		O912	46	54.5	33	32	
1BO9-16-20OG	G1"X11	1.5/8"X12		O920	50.5	59.5	41	50	
1BO9-20OG	G1.1/4"X11	1.5/8"X12		O920	50.5	59.5	41	50	
1BO9-20-16OG	G1.1/4"X11	1.5/16"X12		O916	50.5	59.5	41	41	
1BO9-20-24OG	G1.1/4"X11	1.7/8"X12		O924	54.5	63	48	55	
1BO9-24OG	G1.1/2"X11	1.7/8"X12		O924	57.5	63	48	55	

www.fitsch.cn




1BP

英管外螺纹60°内锥/美制SAE外螺纹90°外锥

BSP MALE 60° SEAT/SAE MALE 90° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	
1BP-04	G1/4"X19	7/16 “x20			12	12.7	31	19	
1BP-04-06	G1/4"X19	5/8"x18			12	15.7	34	19	
1BP-06	G3/8"X19	5/8"x18			13.5	15.7	37	22	
1BP-06-10	G3/8"X19	7/8"x14			13.5	22.4	44	24	
1BP-08	G1/2"X14	3/4"x16			16	19	45	27	
1BP-10	G5/8"X14	7/8"x14			17.5	22.4	50	30	

www.fitsch.cn




1BT4-SP

45°弯英管外螺纹60°内锥 / 英锥管外螺纹

45° ELBOW BSP MALE 60° SEAT / BSPT MALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
1BT4-02SP	G1/8"X28	R1/8"X28			17	17	11		
1BT4-04SP	G1/4"X19	R1/4"X19			20.3	21	14		
1BT4-04-06SP	G1/4"X19	R3/8"X19			20.5	23	16		
1BT4-06SP	G3/8"X19	R3/8"X19			22	23	16		
1BT4-06-04SP	G3/8"X19	R1/4"X19			22	21	16		
1BT4-06-08SP	G3/8"X19	R1/2"X14			24	29.5	22		
1BT4-06-12SP	G3/8"X19	R3/4"X14			25.5	30.5	27		
1BT4-08SP	G1/2"X14	R1/2"X14			27	29.5	22		
1BT4-08-06SP	G1/2"X14	R3/8"X19			27	25	22		
1BT4-08-12SP	G1/2"X14	R3/4"X14			28.5	30.5	27		
1BT4-10-08SP	G5/8"X14	R1/2"X14			28.5	29.5	22		
1BT4-10-12SP	G5/8"X14	R3/4"X14			29	35	27		
1BT4-12SP	G3/4"X14	R3/4"X14			31	30.5	27		
1BT4-12-08SP	G3/4"X14	R1/2"X14			31	30.5	27		
1BT4-12-16SP	G3/4"X14	R1"X11			32.5	38	33		
1BT4-16SP	G1"X11	R1"X11			35	38	33		
1BT4-16-12SP	G1"X11	R3/4"X14			35	32.5	33		
1BT4-16-20SP	G1"X11	R1.1/4"X11			38.5	43	41		
1BT4-20SP	G1.1/4"X11	R1.1/4"X11			38.5	43	41		
1BT4-20-16SP	G1.1/4"X11	R1"X11			38.5	42	41		
1BT4-20-24SP	G1.1/4"X11	R1.1/2"X11			41.5	47.5	48		
1BT4-24SP	G1.1/2"X11	R1.1/2"X11			44	47.5	48		
1BT4-24-20SP	G1.1/2"X11	R1.1/4"X11			44	45.5	48		
1BT4-24-32SP	G1.1/2"X11	R2"X11			51	60.5	63		
1BT4-32SP	G2"X11	R2"X11			49.5	55.5	63		
1BT4-32-24SP	G2"X11	R1.1/2"X11			51	52.5	63		

www.fitsch.cn




1BT9-SP

90°弯英管外螺纹60°内锥 / 英锥管外螺纹

90° ELBOW BSP MALE 60° SEAT / BSPT MALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
1BT9-02SP	G1/8"X28	R1/8"X28			20	21	11		
1BT9-02-04SP	G1/8"X28	R1/4"X19			22.3	25.5	14		
1BT9-04SP	G1/4"X19	R1/4"X19			24.5	25.5	14		
1BT9-04-02SP	G1/4"X19	R1/8"X28			25	23.5	14		
1BT9-04-06SP	G1/4"X19	R3/8"X19			25	28.5	16		
1BT9-04-08SP	G1/4"X19	R1/2"X14			30	36	22		
1BT9-06SP	G3/8"X19	R3/8"X19			27.5	28.5	16		
1BT9-06-04SP	G3/8"X19	R1/4"X19			27.5	26.5	16		
1BT9-06-08SP	G3/8"X19	R1/2"X14			31	36	22		
1BT9-08SP	G1/2"X14	R1/2"X14			34.5	36	22		
1BT9-08-04SP	G1/2"X14	R1/4"X19			34.5	30.5	22		
1BT9-08-06SP	G1/2"X14	R3/8"X19			34.5	32.5	22		
1BT9-08-12SP	G1/2"X14	R3/4"X14			37.5	43.5	27		
1BT9-08-16SP	G1/2"X14	R1"X11			41	50	33		
1BT9-10-08SP	G5/8"X14	R1/2"X14			35	36	22		
1BT9-10-12SP	G5/8"X14	R3/4"X14			39	43.5	27		
1BT9-12SP	G3/4"X14	R3/4"X14			40	43	27		
1BT9-12-06SP	G3/4"X14	R3/8"X19			40	36	27		
1BT9-12-08SP	G3/4"X14	R1/2"X14			40	39.5	27		
1BT9-12-16SP	G3/4"X14	R1"X11			43.5	50	33		
1BT9-12-20SP	G3/4"X14	R1.1/4"X11			48	56.5	41		
1BT9-16SP	G1"X11	R1"X11			46	50	33		
1BT9-16-08SP	G1"X11	R1/2"X14			46	43	33		
1BT9-16-12SP	G1"X11	R3/4"X14			46	47.5	33		
1BT9-16-20SP	G1"X11	R1.1/4"X11			50.5	56.5	41		
1BT9-20SP	G1.1/4"X11	R1.1/4"X11			52	59	41		
1BT9-20-12SP	G1.1/4"X11	R3/4"X14			50.5	54	41		
1BT9-20-16SP	G1.1/4"X11	R1"X11			52	56.5	41		
1BT9-20-24SP	G1.1/4"X11	R1.1/2"X11			54.5	62.5	48		
1BT9-24SP	G1.1/2"X11	R1.1/2"X11			57.5	62	48		
1BT9-24-20SP	G1.1/2"X11	R1.1/4"X11			57.5	61	48		
1BT9-24-32SP	G1.1/2"X11	R2"X11			66	75	63		
1BT9-32SP	G2"X11	R2"X11			67	75	63		
1BT9-32-24SP	G2"X11	R1.1/2"X11			68	72	63		

www.fitsch.cn




1BT-SP

英管外螺纹60° 内锥或六角端面用组合垫密封 / 英锥管外螺纹

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / BSPT MALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	
1BT-02SP	G1/8"X28	R1/8"X28			10	10	26	14	
1BT-02-04SP	G1/8"X28	R1/4"X19			10	14.5	30.5	14	
1BT-04SP	G1/4"X19	R1/4"X19			12	14.5	32	19	
1BT-04-02SP	G1/4"X19	R1/8"X28			12	10	28	19	
1BT-04-06SP	G1/4"X19	R3/8"X19			12	15	32	19	
1BT-04-08SP	G1/4"X19	R1/2"X14			12	20	40	24	
1BT-06SP	G3/8"X19	R3/8"X19			13.5	15	35.5	22	
1BT-06-04SP	G3/8"X19	R1/4"X19			13.5	14.5	35.5	22	
1BT-06-08SP	G3/8"X19	R1/2"X14			13.5	20	40.5	24	
1BT-08SP	G1/2"X14	R1/2"X14			16	20	45	27	
1BT-08-04SP	G1/2"X14	R1/4"X19			16	14.5	40.5	27	
1BT-08-06SP	G1/2"X14	R3/8"X19			16	15	40	27	
1BT-08-12SP	G1/2"X14	R3/4"X14			16	20	45	30	
1BT-10-06SP	G5/8"X14	R3/8"X19			17.5	15	41.5	30	
1BT-10-08SP	G5/8"X14	R1/2"X14			17.5	20	46.5	30	
1BT-10-12SP	G5/8"X14	R3/4"X14			17.5	20	46.5	30	
1BT-10-16SP	G5/8"X14	R1"X11			17.5	25.5	54	36	
1BT-12SP	G3/4"X14	R3/4"X14			18.5	20	48.5	32	
1BT-12-08SP	G3/4"X14	R1/2"X14			18.5	20	49.5	32	
1BT-12-16SP	G3/4"X14	R1"X11			18.5	25.5	53.5	36	
1BT-12-20SP	G3/4"X14	R1.1/4"X11			18.5	26.5	58	46	
1BT-16SP	G1"X11	R1"X11			20.5	25.5	58	41	
1BT-16-12SP	G1"X11	R3/4"X14			20.5	20	53	41	
1BT-16-20SP	G1"X11	R1.1/4"X11			20.5	26.5	60	46	
1BT-20SP	G1.1/4"X11	R1.1/4"X11			20.5	26.5	62	50	
1BT-20-12SP	G1.1/4"X11	R3/4"X14			20.5	20.5	56	50	
1BT-20-16SP	G1.1/4"X11	R1"X11			20.5	25.5	61	50	
1BT-20-24SP	G1.1/4"X11	R1.1/2"X11			20.5	26.5	62	50	
1BT-24SP	G1.1/2"X11	R1.1/2"X11			23	26.5	64.5	55	
1BT-24-16SP	G1.1/2"X11	R1"X11			23	25.5	63.5	55	
1BT-24-20SP	G1.1/2"X11	R1.1/4"X11			23	26.5	64.5	55	
1BT-24-32SP	G1.1/2"X11	R2"X11			23	30	70	65	
1BT-32SP	G2"X11	R2"X11			25.5	30	72.5	70	
1BT-32-20SP	G2"X11	R1.1/4"X11			25.5	27	68.5	70	
1BT-32-24SP	G2"X11	R1.1/2"X11			25.5	26.5	68.5	70	
1BT-40SP	G2.1/2"X11	R2.1/2"X11			32	34	83	90	
1BT-48SP	G3"X11	R3"X11			36	38	94	100	

www.fitsch.cn




1BW

英管外螺纹60°内锥或六角端面用组合垫密封 / 焊接管

BSP MALE DOUBLE USE FOR 60° CONE SEAT
OR BONDED SEAL / BUTT-WELD TUBE

代 号 PART NO.	螺 纹 THREAD		管子直径 TUBE O.D.		尺 寸 DIMENSIONS				
	E				A	B	D	L	S1
1BW-04-10	G1/4"X19		10		12	7	10	25	19
1BW-06-14	G3/8"X19		14		13.5	8	14	29.5	22
1BW-08-18	G1/2"X14		18		16	10	18	36	27
1BW-12-22	G3/4"X14		22		18.5	10	22	39.5	32
1BW-12-28	G3/4"X14		28		18.5	12	28	41.5	32
1BW-16-28	G1"X11		28		20.5	12	28	45.5	41
1BW-16-30	G1"X11		30		20.5	12	30	45.5	41
1BW-20-34	G1.1/4"X11		34		20.5	14	34	49.5	50
1BW-20-36	G1.1/4"X11		36		20.5	14	36	49.5	50
1BW-20-42	G1.1/4"X11		42		20.5	16	42	51.5	50
1BW-24-36	G1.1/2"X11		36		23	14	36	52	55
1BW-24-42	G1.1/2"X11		42		23	16	42	54	55
1BW-24-50	G1.1/2"X11		50		23	16	50	54	55

www.fitsch.cn




1B-WD

英管外螺纹60°内锥或六角端面用组合垫密封 / 英管外螺纹胶垫密封

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / BSP MALE CAPTIVE SEAL

代 号	螺 纹 THREAD		胶 垫 CAPTIVE		尺 寸 DIMENSIONS			
PART NO.	E	F		F端	A	B	L	S1
1B-04WD	G1/4"X19	G1/4"X19		WD-B04	12	12	32	19
1B-04-06WD	G1/4"X19	G3/8"X19		WD-B06	12	12	34.5	22
1B-04-08WD	G1/4"X19	G1/2"X14		WD-B08	12	14	39	27
1B－06WD	G3/8"X19	G3/8"X19		WD-B06	13.5	12	34	22
1B-06-08WD	G3/8"X19	G1/2"X14		WD-B08	13.5	14	40.5	27
1B－08WD	G1/2"X14	G1/2"X14		WD-B08	16	14	43	27
1B-08-12WD	G1/2"X14	G3/4"X14		WD-B12	16	16	46	32
1B－12WD	G3/4"X14	G3/4"X14		WD-B12	18.5	16	46.5	32
1B-12-16WD	G3/4"X14	G1"X11		WD-B16	18.5	18	52.5	41
1B－16WD	G1"X11	G1"X11		WD-B16	20.5	18	54.5	41
1B-16-20WD	G1"X11	G1.1/4"X11		WD-B20	20.5	20	58.5	50
1B－20WD	G1.1/4"X11	G1.1/4"X11		WD-B20	20.5	20	58.5	50

www.fitsch.cn




1G

英管外螺纹O形圈

BSP MALE O-RING

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E端	F端	A	B	L	S1	
1G-02	G1/8"X28	G1/8"X28	O011	O011	9.5	9.5	28	14	
1G-04	G1/4"X19	G1/4"X19	O111	O111	11	11	32	19	
1G-06	G3/8"X19	G3/8"X19	O113	O113	11.5	11.5	36	22	
1G-08	G1/2"X14	G1/2"X14	O115	O115	14	14	44	27	
1G-12	G3/4"X14	G3/4"X14	O119	O119	15.5	15.5	48	32	
1G-16	G1"X11	G1"X11	O217	O217	18	18	55	41	
1G-20	G1.1/4"X11	G1.1/4"X11	O222	O222	20	20	61	50	
1G-24	G1.1/2"X11	G1.1/2"X11	O224	O224	21.5	21.5	64	55	

www.fitsch.cn




2B

英管外螺纹60°内锥或六角端面用组合垫密封 / 英管内螺纹60°外锥

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
2B-02	G1/8"X28	G1/8"X28			10	5.5	25	14	14
2B-02-04	G1/8"X28	G1/4"X19			10	5.5	27	14	19
2B-04	G1/4"X19	G1/4"X19			12	5.5	29	19	19
2B-04-06	G1/4"X19	G3/8"X19			12	6.3	30.5	19	22
2B-04-08	G1/4"X19	G1/2"X14			12	7.5	32	19	27
2B-06	G3/8"X19	G3/8"X19			13.5	6.3	34	22	22
2B-06-08	G3/8"X19	G1/2"X14			13.5	7.5	35.5	22	27
2B-06-10	G3/8"X19	G5/8"X14			13.5	9.5	36	22	30
2B-08	G1/2"X14	G1/2"X14			16	7.5	40	27	27
2B-08-06	G1/2"X14	G3/8"X19			16	6.3	38.5	27	22
2B-08-12	G1/2"X14	G3/4"X14			16	10.9	41	27	32
2B-10	G5/8"X14	G5/8"X14			17.5	9.5	42	30	30
2B-10-08	G5/8"X14	G1/2"X14			17.5	7.5	41.5	30	27
2B-10-12	G5/8"X14	G3/4"X14			17.5	10.9	42.5	30	32
2B-12	G3/4"X14	G3/4"X14			18.5	10.9	44.5	32	32
2B-12-10	G3/4"X14	G5/8"X14			18.5	9.5	44	32	30
2B-12-16	G3/4"X14	G1"X11			18.5	11.7	46	32	41
2B-16	G1"X11	G1"X11			20.5	11.7	50	41	41
2B-16-12	G1"X11	G3/4"X14			20.5	10.9	49	41	32
2B-16-20	G1"X11	G1.1/4"X11			20.5	11	53	41	50
2B-20	G1.1/4"X11	G1.1/4"X11			20.5	11	55	50	50
2B-20-16	G1.1/4"X11	G1"X11			20.5	11.7	52	50	41
2B-20-24	G1.1/4"X11	G1.1/2"X11			20.5	13	55.5	50	55
2B-24	G1.1/2"X11	G1.1/2"X11			23	13	58	55	55
2B-32	G2"X11	G2"X11			25.5	16	63.5	70	70

www.fitsch.cn




2B4

45°弯英管外螺纹60°内锥 / 英管内螺纹60°外锥

45° ELBOW BSP MALE 60° SEAT / BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
2B4-04	G1/4"X19	G1/4"X19			20.3	5.5	14	19	
2B4-04-06	G1/4"X19	G3/8"X19			20.3	6.3	14	22	
2B4-06	G3/8"X19	G3/8"X19			22	6.3	16	22	
2B4-06-04	G3/8"X19	G1/4"X19			22	5.5	16	19	
2B4-08	G1/2"X14	G1/2"X14			27	7.5	22	27	
2B4-08-06	G1/2"X14	G3/8"X19			27	6.3	22	22	
2B4-10	G5/8"X14	G5/8"X14			28.5	9.5	22	30	
2B4-10-08	G5/8"X14	G1/2"X14			28.5	7.5	22	27	
2B4-12	G3/4"X14	G3/4"X14			31	10.9	27	32	
2B4-16	G1"X11	G1"X11			35	11.7	33	41	
2B4-20	G1.1/4"X11	G1.1/4"X11			38.5	11	41	50	
2B4-24	G1.1/2"X11	G1.1/2"X11			44	13	48	55	
2B4-32	G2"X11	G2"X11			51	16	63	70	

www.fitsch.cn




2B4-G

45°英管螺纹60°内锥/英管内螺纹表接头

45° BSP MALE 60° SEAT/BSP PRESSURE GAUGE CONNECTOR

代 号	螺 纹 THREAD		紫铜片COPPER WASHER		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	S1	S2	
2B4-02-04G	G1/8"X28	G1/4"X19		DP-B04G	20	14.5	14	19	
2B4-04G	G1/4"X19	G1/4"X19		DP-B04G	20.3	14.5	14	19	
2B4-04-08G	G1/4"X19	G1/2"X14		DP-B08G	23	20	19	27	
2B4-06-04G	G3/8"X19	G1/4"X19		DP-B04G	22	14.5	16	19	
2B4-08-04G	G1/2"X14	G1/4"X19		DP-B04G	27	14.5	19	19	
2B4-08G	G1/2"X14	G1/2"X14		DP-B08G	27	20	22	27	

www.fitsch.cn




2B9

90° 弯英管外螺纹60°内锥 / 英管内螺纹60°外锥

90° ELBOW BSP MALE 60° SEAT / BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
2B9-02	G1/8"X28	G1/8"X28			19.8	5.5	11	14	
2B9-04	G1/4"X19	G1/4"X19			24.5	5.5	14	19	
2B9-04-06	G1/4"X19	G3/8"X19			25	6.3	14	22	
2B9-06	G3/8"X19	G3/8"X19			27.5	6.3	16	22	
2B9-06-04	G3/8"X19	G1/4"X19			27.5	5.5	16	19	
2B9-08	G1/2"X14	G1/2"X14			34.5	7.5	22	27	
2B9-08-06	G1/2"X14	G3/8"X19			34.5	6.3	22	22	
2B9-10	G5/8"X14	G5/8"X14			35	9.5	22	30	
2B9-10-08	G5/8"X14	G1/2"X14			35	7.5	22	27	
2B9-12	G3/4"X14	G3/4"X14			40	10.9	27	32	
2B9-16	G1"X11	G1"X11			46	11.7	33	41	
2B9-20	G1.1/4"X11	G1.1/4"X11			50.5	11	41	50	
2B9-24	G1.1/2"X11	G1.1/2"X11			57.5	13	48	55	
2B9-32	G2"X11	G2"X11			72.5	16	63	70	

www.fitsch.cn




2B9-G

90° 弯英管螺纹60°内锥 / 英管内螺纹表接头

90° ELBOW BSP MALE 60° SEAT / BSP FEMALE PRESSURE GAUGE CONNECTORS

代 号	螺 纹 THREAD		紫铜片 COPPER WASHER		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	S1	S2	
2B9-04G	G1/4"X19	G1/4"X19		DP-B04G	24.5	14.5	14	19	
2B9-08G	G1/2"X14	G1/2"X14		DP-B08G	24.5	20	22	27	
注：紫铜片见 Q24 页。Note:The copper washer see page Q24.									

www.fitsch.cn




2B9-OR

90°英管外螺纹/英管内螺纹外锥面O形圈

90° BSP MALE/BSP FEMALE CONE O-RING

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
2B9-04OR	G1/4"X19	G1/4"X19			24.5	5.5	14	19	
2B9-06OR	G3/8"X19	G3/8"X19			27.5	6.3	16	22	
2B9-08OR	G1/2"X14	G1/2"X14			34.5	7.5	22	27	
2B9-12OR	G3/4"X14	G3/4"X14			40	10.9	27	32	
2B9-16OR	G1"X11	G1"X11			46	11.7	33	41	
2B9-20OR	G1.1/4"X11	G1.1/4"X11			50.5	11	41	50	
2B9-24OR	G1.1/2"X11	G1.1/2"X11			57.5	13	48	55	

www.fitsch.cn




2BA

英管外螺纹60°内锥/英管内螺纹球面

BSP MALE 60° SEAT/BSP FEMALE MULTISEAL

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
2BA-02	G1/8"X28	G1/8"X28			10	2	28.5	14	14
2BA-04	G1/4"X19	G1/4"X19			12	4	30.5	19	19
2BA-06	G3/8"X19	G3/8"X19			13.5	5	35	22	22
2BA-08	G1/2"X14	G1/2"X14			16	6	41.5	27	27
2BA-10	G5/8"X14	G5/8"X14			17.5	8	43.5	30	30
2BA-12	G3/4"X14	G3/4"X14			18.5	9	46.5	32	32
2BA-16	G1"X11	G1"X11			20.5	10.5	51	41	41
2BA-20	G1.1/4"X11	G1.1/4"X11			20.5	10	55	50	50
2BA-24	G1.1/2"X11	G1.1/2"X11			23	11	59	55	55
2BA-32	G2"X11	G2"X11			25.5	15	65.5	70	70

www.fitsch.cn




2BF

英管外螺纹60° 内锥/美制ORFS内螺纹

BSP MALE 60° SEAT/ORFS FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
2BF-04	G1/4"X19	9/16"X18			12	8.5	33.5	19	19
2BF-04-06	G1/4"X19	11/16"X16			12	10	36.5	19	22
2BF-06	G3/8"X19	11/16"X16			13.5	10	40	22	22
2BF-06-08	G3/8"X19	13/16"X16			13.5	11	42	22	27
2BF-08-06	G1/2"X14	11/16"X16			16	10	44.5	27	22
2BF-08	G1/2"X14	13/16"X16			16	11	46.5	27	27
2BF-08-10	G1/2"X14	1"X14			16	13.5	50.5	27	30
2BF-10	G5/8"X14	1"X14			17.5	13.5	52	30	30
2BF-12-10	G3/4"X14	1"X14			18.5	13.5	54	32	30
2BF-12	G3/4"X14	1.3/16"X12			18.5	15	55.5	32	36
2BF-12-16	G3/4"X14	1.7/16"X12			18.5	15	57.5	36	41
2BF-12-20	G3/4"X14	1.11/16"X12			18.5	15	63	41	50
2BF-16-12	G1"X11	1.3/16"X12			20.5	15	59.5	41	36
2BF-16	G1"X11	1.7/16"X12			20.5	15	60.5	41	41
2BF-20	G1.1/4"X11	1.11/16"X12			20.5	15	63	50	50
2BF-20-16	G1.1/4"X111	1.7/16"X12			20.5	15	63.5	50	41
2BF-24	G1.1/2"X11	2"X12			23	14.8	68	50	60

www.fitsch.cn




2B-G

英管螺纹60°内锥 / 英管内螺纹表接头
BSP MALE 60° SEAT / BSP FEMALE PRESSURE GAUGE CONNECTORS

代 号	螺 纹 THREAD		紫铜片COPPER WASHER		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	L	S1	S2
2B-02-04G	G1/8"X28	G1/4"X19		DP-B04G	10	14.5	24.5	14	19
2B-04G	G1/4"X19	G1/4"X19		DP-B04G	12	14.5	26.5	19	19
2B-04-08G	G1/4"X19	G1/2"X14		DP-B08G	12	20	29	19	27
2B-06-04G	G3/8"X19	G1/4"X19		DP-B04G	13.5	14.5	30	22	19
2B-08-04G	G1/2"X14	G1/4"X19		DP-B04G	16	14.5	34.5	27	19
2B-08G	G1/2"X14	G1/2"X14		DP-B08G	16	20	37	27	27
注：紫铜片见Q24页。Note:The copper washer see page Q24.									

www.fitsch.cn




2BJ

英管外螺纹 60° 内锥或六角端面用组合垫密封 /
美制 JIC 内螺纹 74° 内锥
BSP MALE DOUBLE USE FOR 60° CONE SEAT
OR BONDED SEAL / JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
2BJ-02-04	G1/8"X28	7/16"X20			10	9	24	14	15
2BJ-02-06	G1/8"X28	9/16"X18			10	10.5	24.5	14	19
2BJ-04	G1/4"X19	7/16"X20			12	9	26	19	15
2BJ-04-05	G1/4"X19	1/2"X20			12	9.5	26.5	19	17
2BJ-04-06	G1/4"X19	9/16"X18			12	10.5	27	19	19
2BJ-04-08	G1/4"X19	3/4"X16			12	11	29	19	24
2BJ-06	G3/8"X19	9/16"X18			13.5	10.5	30.5	22	19
2BJ-06-08	G3/8"X19	3/4"X16			13.5	11	32.5	22	24
2BJ-06-10	G3/8"X19	7/8"X14			13.5	13	33	22	27
2BJ-08	G1/2"X14	3/4"X16			16	11	37	27	24
2BJ-08-06	G1/2"X14	9/16"X18			16	10.5	35	27	19
2BJ-08-10	G1/2"X14	7/8"X14			16	13	37.5	27	27
2BJ-10	G5/8"X14	7/8"X14			17.5	14	37.5	30	27
2BJ-12	G3/4"X14	1.1/16"X12			18.5	15	42	32	32
2BJ-12-08	G3/4"X14	3/4"X16			18.5	11	40	32	24
2BJ-12-10	G3/4"X14	7/8"X14			18.5	13	41	32	27
2BJ-12-16	G3/4"X14	1.5/16"X12			18.5	16	42	32	41
2BJ-16	G1"X11	1.5/16"X12			20.5	16	46	41	41
2BJ-16-20	G1"X11	1.5/8"X12			20.5	17	50	41	50
2BJ-20	G1.1/4"X11	1.5/8"X12			20.5	17	52	50	50
2BJ-20-24	G1.1/4"X11	1.7/8"X12			20.5	20	53.5	50	55
2BJ-24	G1.1/2"X11	1.7/8"X12			23	20	56.5	55	55
2BJ-32	G2"X11	2.1/2"X12			25.5	24.5	60	70	75

www.fitsch.cn




2BJ4

45° 英管外螺纹 60° 内锥 / 美制 JIC 内螺纹 74° 内锥
45° BSP MALE 60° SEAT/JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
2BJ4-04	G1/4"X19	7/16"X20			20.3	9	14	15	
2BJ4-06	G3/8"X19	9/16"X18			22	10.5	16	19	
2BJ4-08	G1/2"X14	3/4"X16			27	11	22	24	
2BJ4-10	G5/8"X14	7/8"X14			28.5	13	22	27	
2BJ4-12	G3/4"X14	1.1/16"X12			31	15	27	32	
2BJ4-16	G1"X11	1.5/16"X12			35	16	33	41	

www.fitsch.cn




2BJ9

90° 英管外螺纹 60° 内锥 / 美制 JIC 内螺纹 74° 内锥
90° BSP MALE 60° SEAT/JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
2BJ9-02-04	G1/8"X28	7/16"X20			19.8	16	11	15	
2BJ9-04	G 1/4"X19	7/16"X20			24.5	9	14	15	
2BJ9-06	G 3/8"X19	9/16"X18			27.5	10.5	16	19	
2BJ9-08	G 1/2"X14	3/4"X16			34.5	11	22	24	
2BJ9-10	G 5/8"X14	7/8"X14			35	13	22	27	
2BJ9-12	G 3/4"X14	1.1/16"X12			40	15	27	32	
2BJ9-16	G 1"X11	1.5/16"X12			46	16	33	41	

www.fitsch.cn




2BJ-WD

英管外螺纹胶垫密封 / 美制 JIC 内螺纹 74° 内锥
BSP MALE CAPTIVE SEAL /
JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD		胶 垫 CAPTIVE		尺 寸 DIMENSIONS				
PART NO.	E	F	E端		A	B	L	S1	S2
2BJ-02-04WD	G1/8"X28	7/16"X20	WD-B02		8	9	23.5	14	15
2BJ-04-05WD	G1/4"X19	1/2"X20	WD-B04		12	9.5	28.5	19	17
2BJ-04-06WD	G1/4"X19	9/16"X18	WD-B04		12	10.5	28.5	19	19
2BJ-04-08WD	G1/4"X19	3/4"X16	WD-B04		12	11	30.5	19	24
2BJ-04WD	G1/4"X19	7/16"X20	WD-B04		12	9	28	19	15
2BJ-06-08WD	G3/8"X19	3/4"X16	WD-B06		12	11	33	22	24
2BJ-06WD	G3/8"X19	9/16"X18	WD-B06		12	10.5	31	22	19
2BJ-08-06WD	G1/2"X14	9/16"X18	WD-B08		14	10.5	33.5	27	19
2BJ-08-10WD	G1/2"X14	7/8"X14	WD-B08		14	13	38	27	27
2BJ-08WD	G1/2"X14	3/4"X16	WD-B08		14	11	37.5	27	24
2BJ-12-16WD	G3/4"X14	1.5/16"X12	WD-B12		16	16	42.5	32	41
2BJ-12WD	G3/4"X14	1.1/16"X12	WD-B12		16	15	42.5	32	32
2BJ-16WD	G1"X11	1.5/16"X12	WD-B16		18	16	46.5	41	41
2BJ-20-16WD	G1.1/4"X11	1.5/16"X12	WD-B20		20	16	50.5	50	41
2BJ-20WD	G1.1/4"X11	1.5/8"X12	WD-B20		20	17	54.5	50	50
2BJ-24WD	G1.1/2"X11	1.7/8"X12	WD-B24		22	20	58.5	55	55

www.fitsch.cn




2BK

英管外螺纹60° 内锥/日本公制内螺纹60° 内锥
BSP MALE 60° SEAT/JIS METRIC FEMALE 60° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
2BK-04-14	G1/4"X19	M14X1.5			12	10.5	26.5	19	19
2BK-06-18	G3/8"X19	M18X1.5			13.5	11.5	32	22	24
2BK-08-22	G1/2"X14	M22X1.5			16	14	37	27	27
2BK-10-24	G5/8"X14	M24X1.5			17.5	15	39	30	32
2BK-12-30	G3/4"X14	M30X1.5			18.5	18.3	42	32	36
2BK-16-33	G1"X11	M33X1.5			20.5	21.3	46	41	41
2BK-20-36	G1.1/4"X11	M36X1.5			20.5	20	48	50	46
2BK-24-42	G1.1/2"X11	M42X1.5			23	19.3	52	55	55

www.fitsch.cn




2B-OR

60° 英管外螺纹 / 英管内螺纹 60° 外锥面 O 形圈
60° BSP MALE/BSP FEMALE 60° CONE O-RING

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
2B-04OR	G1/4"X19	G1/4"X19			12	5.5	29	19	19
2B-06OR	G3/8"X19	G3/8"X19			13.5	6.3	34	22	22
2B-08OR	G1/2"X14	G1/2"X14			16	7.5	40	27	27
2B-12OR	G3/4"X14	G3/4"X14			18.5	10.9	44.5	32	32
2B-16OR	G1"X11	G1"X11			20.5	11.7	50	41	41
2B-20OR	G1.1/4"X11	G1.1/4"X11			20.5	11	54	50	50
2B-20-16OR	G1.1/4"X11	G1.1/4"X11			20.5	11.7	52	50	41
2B-24OR	G1.1/2"X11	G1.1/2"X11			23	13	57	55	55

www.fitsch.cn




2B-WD

英管外螺纹胶垫密封 / 英管内螺纹
BSP MALE CAPTIVE SEAL/BSP FEMALE

代 号 PART NO.	螺 纹 THREAD		胶 垫 CAPTIVE		尺 寸 DIMENSIONS				
	E	F	E 端		A	B	L	S1	S2
2B-02WD	G1/8"X28	G1/8"X28	WD-B02		8	5.5	24.5	14	14
2B-04WD	G1/4"X19	G1/4"X19	WD-B04		12	5.5	31	19	19
2B-06WD	G3/8"X19	G3/8"X19	WD-B06		12	6.3	34.5	22	22
2B-08WD	G1/2"X14	G1/2"X14	WD-B08		14	7.5	41	27	27
2B-12WD	G3/4"X14	G3/4"X14	WD-B12		16	10.9	45	32	32
2B-16WD	G1"X11	G1"X11	WD-B16		18	11.7	50	41	41
2B-20WD	G1.1/4"X11	G1.1/4"X11	WD-B20		20	11	56.5	50	50
2B-24WD	G1.1/2"X11	G1.1/2"X11	WD-B24		22	13	59	55	55

www.fitsch.cn




2B-WD(OR)

英管外螺纹胶垫密封 / 英
管内螺纹 60° 外锥面带 O 形圈
BSP MALE CAPTIVE SEAL/BSP FEMALE
60° CONE O-RING BOSS

代 号	螺 纹 THREAD		胶 垫 CAPTIVE	尺 寸 DIMENSIONS				
PART NO.	E	F	E 端	A	B	L	S1	S2
2B-04WD(OR)	G1/4"X19	G1/4"X19	WD-B04	12	5.5	31	19	19
2B-04-06WD(OR)	G1/4"X19	G3/8"X19	WD-B06	12	6.3	34.5	19	22
2B-06WD(OR)	G3/8"X19	G3/8"X19	WD-B06	12	6.3	34.5	22	22
2B-08-06WD(OR)	G1/2"X14	G3/8"X19	WD-B06	14	6.3	38.5	27	22
2B-08WD(OR)	G1/2"X14	G1/2"X14	WD-B08	14	7.5	41	27	27
2B-08-12WD(OR)	G1/2"X14	G3/4"X14	WD-B12	14	10.9	43	27	32
2B-12WD(OR)	G3/4"X14	G3/4"X14	WD-B12	16	10.9	45	32	32
2B-16WD(OR)	G1"X11	G1"X11	WD-B16	18	11.7	50	41	41
2B-20WD(OR)	G1.1/4"X11	G1.1/4"X11	WD-B20	20	11	56.5	50	50
2B-24WD(OR)	G1.1/2"X11	G1.1/2"X11	WD-B24	22	13	59	55	55

www.fitsch.cn




2BW-S

英管外螺纹 60° 内锥 / 焊接管
BSP MALE 60° SEAT/SOCKET-WELD TUBE

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D		尺 寸 DIMENSIONS				
	E		D		A	B	L	S1	
2BW-04-12S	G1/4"X19		12		12	4	22	19	
2BW-06-13S	G3/8"X19		13		13.5	5	23	22	
2BW-06-17S	G3/8"X19		17		13.5	6	24	22	
2BW-08-19S	G1/2"X14		19		16	6	27	27	

www.fitsch.cn




2GB

英管外螺纹 O 形圈 / 英管内螺纹 60°
BSP MALE O-RING/BSP FEMALE 60°

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	B	L	S1	S2
2GB-02	G1/8"X28	G1/8"X28	O011		9.5	5.5	24.5	14	14
2GB-04-02	G1/4"X19	G1/8"X28	O111		10	5.5	25	19	14
2GB-04	G1/4"X19	G1/4"X19	O111		10.5	5.5	28.5	19	19
2GB-04-06	G1/4"X19	G3/8"X19	O111		10	6.3	28.2	19	22
2GB-06	G3/8"X19	G3/8"X19	O113		11.5	6.3	32	22	22
2GB-06-04	G3/8"X19	G1/4"X19	O113		11.5	5.5	30.5	22	19
2GB-06-08	G3/8"X19	G1/2"X14	O113		11.5	7.5	34	22	27
2GB-08	G1/2"X14	G1/2"X14	O115		14	7.5	38	27	27
2GB-08-06	G1/2"X14	G3/8"X19	O115		14	6.3	36.2	27	22
2GB-08-10	G1/2"X14	G5/8"X14	O115		14	9.5	38.5	27	30
2GB-08-12	G1/2"X14	G3/4"X14	O115		14	10.9	39.1	27	32
2GB-12	G3/4"X14	G3/4"X14	O119		15.5	10.9	41.5	32	32
2GB-12-08	G3/4"X14	G1/2"X14	O119		15.5	7.5	39.5	32	27
2GB-12-16	G3/4"X14	G1"X11	O119		15.5	11.7	41.8	32	41
2GB-16	G1"X11	G1"X11	O217		18	11.7	48	41	41
2GB-16-12	G1"X11	G3/4"X14	O217		18	10.9	46.1	41	32
2GB-20	G1.1/4"X11	G1.1/4"X11	O222		20	11	53.5	50	50
2GB-20-16	G1.1/4"X11	G1"X11	O222		20	11.7	51.3	50	41
2GB-24	G1.1/2"X11	G1.1/2"X11	O224		21.5	13	55.5	55	55

www.fitsch.cn




2GB4-OG

45° 英管外螺纹 O 形圈 / 英管内螺纹 60° 外锥
45° BSP MALE O-RING/BSP FEMALE 60° CONE

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	B	S1	S2	
2GB4-02OG	G1/8"X28	G1/8"X28	O011		24	5.5	11	14	
2GB4-04-02OG	G1/4"X19	G1/8"X28	O111		27	5.5	14	14	
2GB4-04-06OG	G1/4"X19	G3/8"X19	O111		27	6.3	14	22	
2GB4-06OG	G3/8"X19	G3/8"X19	O113		30	6.3	16	22	
2GB4-06-04OG	G3/8"X19	G1/4"X19	O113		30	5.5	16	19	
2GB4-06-08OG	G3/8"X19	G1/2"X14	O113		31	7.5	19	27	
2GB4-08OG	G1/2"X14	G1/2"X14	O115		36	7.5	22	27	
2GB4-08-06OG	G1/2"X14	G3/8"X19	O115		36	6.3	22	22	
2GB4-08-10OG	G1/2"X14	G5/8"X14	O115		36	9.5	22	30	
2GB4-08-12OG	G1/2"X14	G3/4"X14	O115		36.5	10.9	24	32	
2GB4-12OG	G3/4"X14	G3/4"X14	O119		42	10.9	27	32	
2GB4-12-08OG	G3/4"X14	G1/2"X14	O119		42	7.5	27	27	
2GB4-12-16OG	G3/4"X14	G1"X11	O119		42.8	11.7	30	41	
2GB4-16OG	G1"X11	G1"X11	O217		44	11.7	33	41	
2GB4-16-12OG	G1"X11	G3/4"X14	O217		44	10.9	33	32	
2GB4-20OG	G1.1/4"X11	G1.1/4"X11	O222		47.5	11	41	50	
2GB4-20-16OG	G1.1/4"X11	G1"X11	O222		47.5	11.7	41	41	
2GB4-24OG	G1.1/2"X11	G1.1/2"X11	O224		51.5	13	48	55	

www.fitsch.cn




2GB9-OG

90° 英管外螺纹 O 形圈 / 英管内螺纹 60° 外锥
90° BSP MALE O-RING/BSP FEMALE 60° CONE

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	B	S1	S2	
2GB9-02OG	G1/8"X28	G1/8"X28	O011		26.2	5.5	11	14	
2GB9-04-02OG	G1/4"X19	G1/8"X28	O111		31.5	5.5	14	14	
2GB9-04OG	G1/4"X19	G1/4"X19	O111		31.5	5.5	14	19	
2GB9-04-06OG	G1/4"X19	G3/8"X19	O111		31.5	6.3	14	22	
2GB9-06OG	G3/8"X19	G3/8"X19	O113		35.8	6.3	16	22	
2GB9-06-04OG	G3/8"X19	G1/4"X19	O113		35.8	5.5	16	19	
2GB9-06-08OG	G3/8"X19	G1/2"X14	O113		36.8	7.5	19	27	
2GB9-08OG	G1/2"X14	G1/2"X14	O115		43.2	7.5	22	27	
2GB9-08-06OG	G1/2"X14	G3/8"X19	O115		43.2	6.3	22	22	
2GB9-08-10OG	G1/2"X14	G5/8"X14	O115		43.2	9.5	22	30	
2GB9-08-12OG	G1/2"X14	G3/4"X14	O115		45	10.9	24	32	
2GB9-12OG	G3/4"X14	G3/4"X14	O119		49.3	10.9	27	32	
2GB9-12-08OG	G3/4"X14	G1/2"X14	O119		49.3	7.5	27	27	
2GB9-12-16OG	G3/4"X14	G1"X11	O119		52	11.7	30	41	
2GB9-16OG	G1"X11	G1"X11	O217		53	11.7	33	41	
2GB9-16-12OG	G1"X11	G3/4"X14	O217		53	10.9	33	32	
2GB9-20OG	G1.1/4"X11	G1.1/4"X11	O222		58	11	41	50	
2GB9-20-16OG	G1.1/4"X11	G1"X11	O222		58	11.7	41	41	
2GB9-24OG	G1.1/2"X11	G1.1/2"X11	O224		63	13	48	55	

www.fitsch.cn




2HB

公制外螺纹 O 形圈 / 英制内螺纹 60° 外锥面
METRIC MALE O-RING/BSPP FEMALE 60° CONE

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	B	L	S1	S2
2HB-10-02	M10X1	G1/8"X28	8.1X1.6		8.5	5.5	23.5	14	14
2HB-12-04	M12X1.5	G1/4"X19	9.3X2.4		11	5.5	28	17	19
2HB-14-04	M14X1.5	G1/4"X19	11.3X2.4		11	5.5	28	19	19
2HB-16-06	M16X1.5	G3/8"X19	13.3X2.4		11.5	6.3	31.7	22	22
2HB-18-06	M18X1.5	G3/8"X19	15.3X2.4		12.5	6.3	32.7	24	22
2HB-18-08	M18X1.5	G1/2"X14	15.3X2.4		12.5	7.5	34.5	24	27
2HB-22-08	M22X1.5	G1/2"X14	19.3X2.4		13	7.5	37	27	27
2HB-22-10	M22X1.5	G5/8"X14	19.3X2.4		13	9.5	37.5	27	30
2HB-22-12	M22X1.5	G3/4"X14	19.3X2.4		13	10.9	38.1	27	32
2HB-27-12	M27X2	G3/4"X14	23.5X3		16	10.9	42.1	32	32
2HB-27-16	M27X2	G1"X11	23.5X3		16	11.7	43.3	32	41
2HB-33-16	M33X2	G1"X11	29.2X3		16	11.7	45.3	41	41
2HB-42-20	M42X2	G1.1/4"X11	38.5X3		16	11	49.5	50	50
2HB-48-24	M48X2	G1.1/2"X11	44.5X3		17.5	13	51.5	55	55

注：可与 ISO 9974-1 油口相配，去掉挡圈与 ISO 6149-1 油口相配。Note: fit for ISO 9974-1 port or ISO 6149-1 port when useless of retaining ring.

www.fitsch.cn




2HB4-OG

45° 公制外螺纹 O 形圈 / 英制内螺纹 60° 外锥面□
45° METRIC O-RING MALE/BSPP FEMALE 60° CONE

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	B	S1	S2	S3
2HB4-10-02OG	M10X1	G1/8"X28	8.1X1.6		23.5	5.5	11	14	14
2HB4-12-02OG	M12X1.5	G1/8"X28	9.3X2.4		28.3	5.5	14	14	17
2HB4-12-04OG	M12X1.5	G1/4"X19	9.3X2.4		28.3	5.5	14	19	17
2HB4-14-04OG	M14X1.5	G1/4"X19	11.3X2.4		28.3	5.5	14	19	19
2HB4-14-06OG	M14X1.5	G3/8"X19	11.3X2.4		28.3	6.3	14	22	19
2HB4-16-04OG	M16X1.5	G1/4"X19	13.3X2.4		29	5.5	16	19	22
2HB4-16-06OG	M16X1.5	G3/8"X19	13.3X2.4		29	6.3	16	22	22
2HB4-18-06OG	M18X1.5	G3/8"X19	15.3X2.4		31	6.3	19	22	24
2HB4-18-08OG	M18X1.5	G1/2"X14	15.3X2.4		31	7.5	19	27	24
2HB4-20-08OG	M20X1.5	G1/2"X14	17.3X2.4		33	7.5	22	27	27
2HB4-22-08OG	M22X1.5	G1/2"X14	19.3X2.4		33	7.5	22	27	27
2HB4-22-10OG	M22X1.5	G5/8"X14	19.3X2.4		33	9.5	22	30	27
2HB4-22-12OG	M22X1.5	G3/4"X14	19.3X2.4		33.5	10.9	24	32	27
2HB4-27-12OG	M27X2	G3/4"X14	23.5X3		39.5	10.9	27	32	32
2HB4-27-16OG	M27X2	G1"X11	23.5X3		40.2	11.7	30	41	32
2HB4-33-16OG	M33X2	G1"X11	29.2X3		41.5	11.7	33	41	41
2HB4-42-20OG	M42X2	G1.1/4"X11	38.5X3		45	11	41	50	50
2HB4-48-24OG	M48X2	G1.1/2"X11	44.5X3		49.5	13	48	55	55

注：可与 ISO 9974-1 油口相配，去掉挡圈与 ISO 6149-1 油口相配。Note: fit for ISO 9974-1 port or ISO 6149-1 port when useless of retaining ring.

www.fitsch.cn




2HB9-OG

90° 公制外螺纹 O 形圈 / 英制内螺纹 60° 外锥面□
90° METRIC O-RING MALE/BSPP FEMALE 60° CONE

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	B	S1	S2	S3
2HB9-10-02OG	M10X1	G1/8"X28	8.1X1.6		26.5	5.5	11	14	14
2HB9-12-02OG	M12X1.5	G1/8"X28	9.3X2.4		32	5.5	14	14	17
2HB9-12-04OG	M12X1.5	G1/4"X19	9.3X2.4		32	5.5	14	19	17
2HB9-14-04OG	M14X1.5	G1/4"X19	11.3X2.4		32	5.5	14	19	19
2HB9-14-06OG	M14X1.5	G3/8"X19	11.3X2.4		32	6.3	14	22	19
2HB9-16-04OG	M16X1.5	G1/4"X19	13.3X2.4		34.8	5.5	16	19	22
2HB9-16-06OG	M16X1.5	G3/8"X19	13.3X2.4		34.8	6.3	16	22	22
2HB9-18-06OG	M18X1.5	G3/8"X19	15.3X2.4		37	6.3	19	22	24
2HB9-18-08OG	M18X1.5	G1/2"X14	15.3X2.4		37	7.5	19	27	24
2HB9-20-08OG	M20X1.5	G1/2"X14	17.3X2.4		40	7.5	22	27	27
2HB9-22-08OG	M22X1.5	G1/2"X14	19.3X2.4		40.2	7.5	22	27	27
2HB9-22-10OG	M22X1.5	G5/8"X14	19.3X2.4		40.2	9.5	22	30	27
2HB9-22-12OG	M22X1.5	G3/4"X14	19.3X2.4		41.2	10.9	24	32	27
2HB9-27-12OG	M27X2	G3/4"X14	23.5X3		48.5	10.9	27	32	32
2HB9-27-16OG	M27X2	G1"X11	23.5X3		50	11.7	30	41	32
2HB9-33-16OG	M33X2	G1"X11	29.2X3		52.5	11.7	33	41	41
2HB9-42-20OG	M42X2	G1.1/4"X11	38.5X3		57.2	11	41	50	50
2HB9-48-24OG	M48X2	G1.1/2"X11	44.5X3		62.7	13	48	55	55

注：可与 ISO 9974-1 油口相配，去掉挡圈与 ISO 6149-1 油口相配。Note: fit for ISO 9974-1 port or ISO6149-1 port when useless of retaining ring.

www.fitsch.cn




2NB

布锥管外螺纹 / 英管内螺纹 60° 外锥
NPT MALE / BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
2NB-02	Z1/8"X27	G1/8"X28			10.5	5.5	25.5	12	14
2NB-02-04	Z1/8"X27	G1/4"X19			10.5	5.5	27	14	19
2NB-04	Z1/4"X18	G1/4"X19			15	5.5	31	17	19
2NB-04-06	Z1/4"X18	G3/8"X19			15	6.3	32.5	17	22
2NB-04-08	Z1/4"X18	G1/2"X14			15	7.5	35	19	27
2NB-06	Z3/8"X18	G3/8"X19			16	6.3	33.5	19	22
2NB-06-08	Z3/8"X18	G1/2"X14			16	7.5	36	19	27
2NB-08	Z1/2"X14	G1/2"X14			19.5	7.5	41	22	27
2NB-08-06	Z1/2"X14	G3/8"X19			19.5	6.3	39.5	24	24
2NB-08-12	Z1/2"X14	G3/4"X14			19.5	10.9	44.5	27	32
2NB-12	Z3/4"X14	G3/4"X14			19.5	10.9	44.5	30	32
2NB-12-16	Z3/4"X14	G1"X11			19.5	11.7	46.5	32	41
2NB-16	Z1"X11.5	G1"X11			25.5	11.7	52.5	36	41
2NB-16-20	Z1"X11.5	G1.1/4"X11			25.5	11	59.5	41	50
2NB-20	Z1.1/4"X11.5	G1.1/4"X11			26.5	11	60.4	46	50
2NB-24	Z1.1/2"X11.5	G1.1/2"X11			27.5	13	62	50	55
2NB-32	Z2"X11.5	G2"X11			27.5	20	65.4	65	70

www.fitsch.cn




2NB4

45° 弯 布锥管外螺纹 / 英管内螺纹 60° 外锥
45° ELBOW NPT MALE / BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
2NB4-02	Z1/8"X27	G1/8"X28			17	5.5	11	14	
2NB4-04	Z1/4"X18	G1/4"X19			21	5.5	14	19	
2NB4-04-06	Z1/4"X18	G3/8"X19			21	6.3	14	22	
2NB4-06	Z3/8"X18	G3/8"X19			24	6.3	19	22	
2NB4-06-04	Z3/8"X18	G1/4"X19			24	5.5	19	19	
2NB4-06-08	Z3/8"X18	G1/2"X14			24	7.5	19	27	
2NB4-08	Z1/2"X14	G1/2"X14			29.5	7.5	22	27	
2NB4-08-06	Z1/2"X14	G3/8"X19			29.5	6.3	22	22	
2NB4-08-12	Z1/2"X14	G3/4"X14			31	10.9	27	32	
2NB4-12	Z3/4"X14	G3/4"X14			35	10.9	27	32	
2NB4-12-08	Z3/4"X14	G1/2"X14			35	7.5	27	27	
2NB4-12-16	Z3/4"X14	G1"X11			35.5	11.7	30	41	
2NB4-16	Z1"X11.5	G1"X11			39	11.7	33	41	
2NB4-16-12	Z1"X11.5	G3/4"X14			39	10.9	33	32	
2NB4-20	Z1.1/4"X11.5	G1.1/4"X11			42.5	11	41	50	
2NB4-24	Z1.1/2"X11.5	G1.1/2"X11			45	13	48	55	
2NB4-32	Z2"X11	G2"X11			52.5	16	63	70	

www.fitsch.cn




2NB9

90° 弯布锥管外螺纹 / 英管内螺纹 60° 外锥
90° ELBOW NPT MALE / BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
2NB9-02	Z1/8"X27	G1/8"X28			21	5.5	11	14	
2NB9-04	Z1/4"X18	G1/4"X19			25.5	5.5	14	19	
2NB9-04-06	Z1/4"X18	G3/8"X19			25.5	6.3	14	22	
2NB9-06	Z3/8"X18	G3/8"X19			31	6.3	19	22	
2NB9-06-04	Z3/8"X18	G1/4"X19			31	5.5	19	19	
2NB9-06-08	Z3/8"X18	G1/2"X14			31	7.5	19	27	
2NB9-08	Z1/2"X14	G1/2"X14			37.3	7.5	22	27	
2NB9-08-06	Z1/2"X14	G3/8"X19			36.7	6.3	22	22	
2NB9-12	Z3/4"X14	G3/4"X14			43.5	10.9	27	32	
2NB9-12-08	Z3/4"X14	G1/2"X14			45	7.5	27	27	
2NB9-12-16	Z3/4"X14	G1"X11			45	11.7	30	41	
2NB9-16	Z1"X11.5	G1"X11			50	11.7	33	41	
2NB9-16-12	Z1"X11.5	G3/4"X14			50	10.9	33	32	
2NB9-20	Z1.1/4"X11.5	G1.1/4"X11			54.5	11	41	50	
2NB9-24	Z1.1/2"X11.5	G1.1/2"X11			59	13	48	55	
2NB9-32	Z2"X11.5	G2"X11			73.5	16	63	70	

www.fitsch.cn




2NB-G

布锥管外螺纹 / 英管内螺纹表接头
NPT MALE/BSP PRESSURE GAUGE CONNECTORS

代 号	螺 纹 THREAD		紫铜片 COPPER WASHER		尺 寸 DIMENSIONS				
PART NO.	E	F		F 端	A	B	L	S1	S2
2NB-02-04G	Z1/8"X27	G1/4"X19		DP-B04G	10.5	14.5	24.5	12	19
2NB-04G	Z1/4"X18	G1/4"X19		DP-B04G	15	14.5	29	17	19
2NB-04-08G	Z1/4"X18	G1/2"X14		DP-B08G	15	20	31.5	19	27
2NB-06-04G	Z3/8"X18	G1/4"X19		DP-B04G	16	14.5	29.5	19	19
2NB-06-08G	Z3/8"X18	G1/2"X14		DP-B08G	16	20	32.5	19	27
2NB-08-04G	Z1/2"X14	G1/4"X19		DP-B04G	19	14.5	35.5	22	19
2NB-08G	Z1/2"X14	G1/2"X14		DP-B08G	19	20	38	22	27

www.fitsch.cn




2OB

SAE 外螺纹带 O 形圈 / 英管内螺纹 60° 外锥
SAE O-RING BOSS/BSP FEMALE 60° CONE

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	B	L	S1	S2
2OB-04	7/16"X20	G1/4"X19	O904		9.1	5.5	26	14	19
2OB-04-06	7/16"X20	G3/8"X19	O904		9.1	6.3	27	17	22
2OB-05-06	1/2"X20	G3/8"X19	O905		9.1	6.3	27	17	22
2OB-06	9/16"X18	G3/8"X19	O906		9.9	6.3	28	17	22
2OB-06-04	9/16"X18	G1/4"X19	O906		9.9	5.5	27	17	19
2OB-06-08	9/16"X18	G1/2"X14	O906		9.9	7.5	30	19	27
2OB-08	3/4"X16	G1/2"X14	O908		11.1	7.5	33	22	27
2OB-08-06	3/4"X16	G3/8"X19	O908		11.1	6.3	31	22	22
2OB-08-12	3/4"X16	G3/4"X14	O908		11.1	10.9	36	27	32
2OB-10-06	7/8"X14	G3/8"X19	O910		12.7	6.3	35	27	22
2OB-10-08	7/8"X14	G1/2"X14	O910		12.7	7.5	36.5	27	27
2OB-10-12	7/8"X14	G3/4"X14	O910		12.7	10.9	37.5	27	32
2OB-12-08	1.1/16"X12	G1/2"X14	O912		15.1	7.5	40	32	27
2OB-12	1.1/16"X12	G3/4"X14	O912		15.1	10.9	41	32	32
2OB-12-16	1.1/16"X12	G1"X11	O912		15.1	11.7	42	32	41
2OB-16-12	1.5/16"X12	G3/4"X14	O916		15.1	10.9	41	38	32
2OB-16	1.5/16"X12	G1"X11	O916		15.1	11.7	42	38	41
2OB-16-20	1.5/16"X12	G1.1/4"X11	O916		15.1	11	48	41	50
2OB-20	1.5/8"X12	G1.1/4"X11	O920		15.1	11	49.5	50	50
2OB-20-24	1.5/8"X12	G1.1/2"X11	O920		15.1	13	50	50	55
2OB-24	1.7/8"X12	G1.1/2"X11	O924		15.1	13	50	55	55

www.fitsch.cn




2OB4-OG

SAE 外螺纹带 O 形圈 / 英管内螺纹 60° 外锥
SAE MALE WITH O-RING/BSP FEMALE 60° CONE

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	B	S1	S2	S3
2OB4-04OG	7/16"X20	G1/4"X19	O904		24	5.5	11	17	19
2OB4-04-06OG	7/16"X20	G3/8"X19	O904		23.5	6.3	14	17	22
2OB4-06-04OG	9/16"X18	G1/4"X19	O906		27.5	5.5	14	19	19
2OB4-06OG	9/16"X18	G3/8"X19	O906		27.5	6.3	14	19	22
2OB4-08OG	3/4"X16	G1/2"X14	O908		31.5	7.5	19	24	27
2OB4-08-06OG	3/4"X16	G3/8"X19	O908		31.5	6.3	19	24	22
2OB4-08-12OG	3/4"X16	G3/4"X14	O908		34	10.9	27	24	32
2OB4-10-08OG	7/8"X14	G1/2"X14	O910		38.5	7.5	22	27	27
2OB4-12OG	1.1/16"X12	G3/4"X14	O912		43.5	10.9	27	32	32
2OB4-16OG	1.5/16"X12	G1"X11	O916		45.5	11.7	33	41	41
2OB4-20OG	1.5/8"X12	G1.1/4"X11	O920		48.5	11	41	50	50
2OB4-24OG	1.7/8"X12	G1.1/2"X11	O924		50	13	48	55	55

www.fitsch.cn




2OB9-OG

SAE 外螺纹带 O 形圈 / 英管内螺纹 60° 外锥
SAE O-RING BOSS/BSP FEMALE 60° CONE

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	B	S1	S2	S3
2OB9-04OG	7/16"X20	G1/4"X19	O904		27.2	5.5	11	19	17
2OB9-06OG	9/16"X18	G3/8"X19	O906		33.3	6.3	16	19	22
2OB9-06-04OG	9/16"X18	G1/4"X19	O906		31.8	5.5	14	19	19
2OB9-06-08OG	9/16"X18	G1/2"X14	O906		33.5	7.5	19	24	27
2OB9-08-06OG	3/4"X16	G3/8"X19	O908		36.8	6.3	19	24	22
2OB9-08OG	3/4"X16	G1/2"X14	O908		36.8	7.5	19	24	27
2OB9-08-10OG	3/4"X16	G5/8"X14	O908		39.5	9.5	22	30	27
2OB9-08-12OG	3/4"X16	G3/4"X14	O908		40.5	10.9	24	32	32
2OB9-10-08OG	7/8"X14	G1/2"X14	O910		44	7.5	22	27	27
2OB9-12OG	1.1/16"X12	G3/4"X14	O912		51	10.9	27	32	32
2OB9-12-08OG	1.1/16"X12	G1/2"X14	O912		51	7.5	27	32	27
2OB9-16OG	1.5/16"X12	G1"X11	O916		54.5	11.7	33	41	41
2OB9-20OG	1.5/8"X12	G1.1/4"X11	O920		59.5	11	41	50	50
2OB9-24OG	1.7/8"X12	G1.1/2"X11	O924		63	13	48	55	55

www.fitsch.cn




2TB4-SP

45° 英锥管外螺纹 / 英管内螺纹 60° 外锥
45° BSPT MALE/BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
2TB4-02SP	R1/8"X28	G1/8"X28			17	5.5	11	14	
2TB4-04SP	R1/4"X19	G1/4"X19			21	5.5	14	19	
2TB4-04-06SP	R1/4"X19	G3/8"X19			21	6.3	14	22	
2TB4-06SP	R3/8"X19	G3/8"X19			23	6.3	16	22	
2TB4-06-04SP	R3/8"X19	G1/4"X19			23	5.5	16	19	
2TB4-06-08SP	R3/8"X19	G1/2"X14			24	7.5	19	27	
2TB4-08SP	R1/2"X14	G1/2"X14			29.5	7.5	22	27	
2TB4-08-06SP	R1/2"X14	G3/8"X19			29.5	6.3	22	22	
2TB4-08-12SP	R1/2"X14	G3/4"X14			30	10.9	24	32	
2TB4-12SP	R3/4"X14	G3/4"X14			30.5	10.9	27	32	
2TB4-12-08SP	R3/4"X14	G1/2"X14			30.5	7.5	27	27	
2TB4-12-16SP	R3/4"X14	G1"X11			31.5	11.7	30	41	
2TB4-16SP	R1"X11	G1"X11			38	11.7	33	41	
2TB4-16-12SP	R1"X11	G3/4"X14			38	10.9	33	32	
2TB4-16-20SP	R1"X11	G1.1/4"X11			42	11	41	50	
2TB4-20SP	R1.1/4"X11	G1.1/4"X11			43	11	41	50	
2TB4-20-16SP	R1.1/4"X11	G1"X11			43	11.7	41	41	
2TB4-24SP	R1.1/2"X11	G1.1/2"X11			47.5	13	48	55	
2TB4-32SP	R2"X11	G2"X11			53	16	63	70	

www.fitsch.cn




2TB9-SP

90° 弯英锥管外螺纹 / 英管内螺纹 60° 外锥
90° ELBOW BSPT MALE / BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
2TB9-02SP	R1/8"X28	G1/8"X28			21	5.5	11	14	
2TB9-04SP	R1/4"X19	G1/4"X19			25.5	5.5	14	19	
2TB9-06SP	R3/8"X19	G3/8"X19			28.5	6.3	16	22	
2TB9-06-08SP	R3/8"X19	G1/2"X14			31	7.5	19	27	
2TB9-08-06SP	R1/2"X14	G3/8"X19			36	6.3	22	22	
2TB9-08SP	R1/2"X14	G1/2"X14			36	7.5	22	27	
2TB9-08-12SP	R1/2"X14	G3/4"X14			37	10.9	24	32	
2TB9-12-08SP	R3/4"X14	G1/2"X14			43.5	7.5	27	27	
2TB9-12SP	R3/4"X14	G3/4"X14			43.5	10.9	27	32	
2TB9-16SP	R1"X11	G1"X11			50	11.7	33	41	
2TB9-20SP	R1.1/4"X11	G1.1/4"X11			58	11	41	50	
2TB9-24SP	R1.1/2"X11	G1.1/2"X11			62.5	13	48	55	

www.fitsch.cn




2TB9-SP(OR)

90° 英锥管外螺纹 / 英管内螺纹 60° 外锥带 O 形圈
90° BSPT MALE/BSP FEMALE 60° CONE O-RING BOSS

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
2TB9-02SP(OR)	R1/8"X28	G1/8"X28			21	5.5	11	14	
2TB9-04SP(OR)	R1/4"X19	G1/4"X19			25.5	5.5	14	19	
2TB9-04-06SP(OR)	R1/4"X19	G3/8"X19			25.5	6.3	14	22	
2TB9-06-04SP(OR)	R3/8"X19	G1/4"X19			28.5	5.5	16	19	
2TB9-06SP(OR)	R3/8"X19	G3/8"X19			28.5	6.3	16	22	
2TB9-06-08SP(OR)	R3/8"X19	G1/2"X14			30.5	7.5	19	27	
2TB9-08-06SP(OR)	R1/2"X14	G3/8"X19			36	6.3	22	22	
2TB9-08SP(OR)	R1/2"X14	G1/2"X14			36	7.5	22	27	
2TB9-08-12SP(OR)	R1/2"X14	G3/4"X14			37.3	10.9	24	32	
2TB9-12-08SP(OR)	R3/4"X14	G1/2"X14			43.5	7.5	27	27	
2TB9-12SP(OR)	R3/4"X14	G3/4"X14			43.5	10.9	27	32	
2TB9-12-16SP(OR)	R3/4"X14	G1"X11			45.3	11.7	30	41	
2TB9-16-12SP(OR)	R1"X11	G3/4"X14			50	10.9	33	32	
2TB9-16SP(OR)	R1"X11	G1"X11			50	11.7	33	41	
2TB9-16-20SP(OR)	R1"X11	G1.1/4"X11			56.5	11	41	50	
2TB9-20-16SP(OR)	R1.1/4"X11	G1"X11			56.5	11.7	41	41	
2TB9-20SP(OR)	R1.1/4"X11	G1.1/4"X11			58	11	41	50	
2TB9-24SP(OR)	R1.1/2"X11	G1.1/2"X11			62.5	13	48	55	
2TB9-32SP(OR)	R2"X11	G2"X11			67	16	63	70	

www.fitsch.cn




2TB-G/SP

英锥管外螺纹 / 英管内螺纹表接头
BSPT MALE / BSP FEMALE PRESSURE GAUGE CONNECTORS

代 号 PART NO.	螺 纹 THREAD		紫铜片 COPPER WASHER		尺 寸 DIMENSIONS				
	E	F		F端	A	B	L	S1	S2
2TB-02-04G/SP	R1/8"X28	G1/4"X19		DP-B04G	10	14.5	24.5	12	19
2TB-04G/SP	R1/4"X19	G1/4"X19		DP-B04G	14.5	14.5	29	17	19
2TB-04-08G/SP	R1/4"X19	G1/2"X14		DP-B08G	14.5	20	31.5	19	27
2TB-06-04G/SP	R3/8"X19	G1/4"X19		DP-B04G	15	14.5	29.5	19	19
2TB-08-04G/SP	R1/2"X14	G1/4"X19		DP-B04G	20	14.5	36.5	22	19
2TB-08G/SP	R1/2"X14	G1/2"X14		DP-B08G	20	20	39	22	27
注：紫铜片见 Q24 页。 Note:The copper washer see page Q24.									

www.fitsch.cn




2TB-SP

英锥管外螺纹 / 英管内螺纹 60° 外锥
BSPT MALE / BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
2TB-02SP	R1/8"X28	G1/8"X28			10	5.5	25	12	14
2TB-04SP	R1/4"X19	G1/4"X19			14.5	5.5	31.5	17	19
2TB-06SP	R3/8"X19	G3/8"X19			15	6.3	33	19	22
2TB-06-04SP	R3/8"X19	G1/4"X19			15	5.5	32	19	19
2TB-06-08SP	R3/8"X19	G1/2"X14			15	7.5	35	19	27
2TB-08SP	R1/2"X14	G1/2"X14			20	7.5	42	22	27
2TB-08-06SP	R1/2"X14	G3/8"X19			20	6.3	40	22	22
2TB-08-12SP	R1/2"X14	G3/4"X14			20	10.9	45	27	32
2TB-12SP	R3/4"X14	G3/4"X14			20	10.9	45	30	32
2TB-12-08SP	R3/4"X14	G1/2"X14			20	7.5	44	30	27
2TB-12-16SP	R3/4"X14	G1"X11			20	11.7	47	32	41
2TB-16SP	R1"X11	G1"X11			25.5	11.7	52.5	36	41
2TB-16-12SP	R1"X11	G3/4"X14			25.5	10.9	51.5	36	32
2TB-20-16SP	R1.1/4"X11	G1"X11			26.5	11.7	55.5	46	41
2TB-20SP	R1.1/4"X11	G1.1/4"X11			26.5	11	59	46	50
2TB-24SP	R1.1/2"X11	G1.1/2"X11			26.5	13	61.5	50	55
2TB-32SP	R2"X11	G2"X11			30	16	68	65	70

www.fitsch.cn




2TB-SP(OR)

英锥管外螺纹 / 英管内螺纹 60° 外锥带 O 形圈
BSPT MALE/BSP FEMALE 60° CONE O-RING BOSS

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
2TB-02SP(OR)	R1/8"X28	G1/8"X28			10	5.5	25	12	14
2TB-02-04SP(OR)	R1/8"X28	G1/4"X19			10	5.5	27	12	19
2TB-04SP(OR)	R1/4"X19	G1/4"X19			14.5	5.5	31.5	17	19
2TB-04-02SP(OR)	R1/4"X19	G1/8"X28			14.5	5.5	29.5	17	14
2TB-06SP(OR)	R3/8"X19	G3/8"X19			15	6.3	33	19	22
2TB-06-04SP(OR)	R3/8"X19	G1/4"X19			15	5.5	32	19	19
2TB-06-08SP(OR)	R3/8"X19	G1/2"X14			15	7.5	35	19	27
2TB-08SP(OR)	R1/2"X14	G1/2"X14			20	7.5	42	22	27
2TB-08-06SP(OR)	R1/2"X14	G3/8"X19			20	6.3	40	22	22
2TB-08-12SP(OR)	R1/2"X14	G3/4"X14			20	10.9	45	27	32
2TB-12SP(OR)	R3/4"X14	G3/4"X14			20	10.9	45	30	32
2TB-12-08SP(OR)	R3/4"X14	G1/2"X14			20	7.5	44	30	27
2TB-12-16SP(OR)	R3/4"X14	G1"X11			20	11.7	46	32	41
2TB-16SP(OR)	R1"X11	G1"X11			25.5	11.7	52.5	36	41
2TB-16-12SP(OR)	R1"X11	G3/4"X14			25.5	10.9	51.5	36	32
2TB-16-20SP(OR)	R1"X11	G1.1/4"X11			25.5	11	57	41	50
2TB-20-12SP(OR)	R1.1/4"X11	G3/4"X14			26.5	10.9	54.5	46	32
2TB-20-16SP(OR)	R1.1/4"X11	G1"X11			26.5	11.7	55.5	46	41
2TB-20SP(OR)	R1.1/4"X11	G1.1/4"X11			26.5	11	58	46	50
2TB-20-24SP(OR)	R1.1/4"X11	G1.1/2"X11			26.5	13	58.5	46	55
2TB-24SP(OR)	R1.1/2"X11	G1.1/2"X11			26.5	13	60.5	50	55
2TB-32SP(OR)	R2"X11	G2"X11			30	16	68	65	70

www.fitsch.cn




2WB

焊接管 / 英管内螺纹 60° 外锥
BUTT-WELD TUBE / BSP FEMALE 60° CONE

代 号 PART NO.	螺 纹 THREAD	F	管子直径 TUBE O.D.		尺 寸 DIMENSIONS B	D	L	S1	
2WB-10-04		G1/4"X19	10		5.5	10	35	19	
2WB-14-06		G3/8"X19	14		6.3	14	40	22	
2WB-18-08		G1/2"X14	18		7.5	18	50	27	
2WB-22-08		G1/2"X14	22		7.5	22	50	27	
2WB-22-12		G3/4"X14	22		10.9	22	62	32	
2WB-28-16		G1"X11	28		11.7	28	65	41	
2WB-34-20		G1.1/4"X11	34		11	34	68	50	
2WB-42-20		G1.1/4"X11	42		11	42	59.5	50	
2WB-50-24		G1.1/2"X11	50		13	50	57.5	55	

www.fitsch.cn




2WB9

90° 焊接管 / 英管内螺纹 60° 外锥
90° BUTT-WELD TUBE/BSP FEMALE 60° CONE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
		F			A	B	D	S1	S2
2WB9-08-04		G1/4"X19			21	5.5	8	11	19
2WB9-12-06		G3/8"X19			25.5	6.3	12	14	22
2WB9-16-08		G1/2"X14			29.5	7.5	16	19	27
2WB9-22-12		G3/4"X14			35.5	10.9	22	24	32
2WB9-28-16		G1"X11			42	11.7	28	30	41
2WB9-34-20		G1.1/4"X11			49.5	11	34	41	50
2WB9-42-32		G2"X11			66	16	42	63	70

www.fitsch.cn

过渡接头 ADAPTER




3B

英管内螺纹 60° 外锥
BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
3B-02	G1/8"X28	G1/8"X28			5.5	5.5	21	14	14
3B-02-04	G1/8"X28	G1/4"X19			5.5	5.5	23	14	19
3B-04	G1/4"X19	G1/4"X19			5.5	5.5	25	19	19
3B-04-06	G1/4"X19	G3/8"X19			5.5	6.3	26.5	19	22
3B-04-08	G1/4"X19	G1/2"X14			5.5	7.5	28.5	19	27
3B-06	G3/8"X19	G3/8"X19			6.3	6.3	27	22	22
3B-06-08	G3/8"X19	G1/2"X14			6.3	7.5	29.5	22	27
3B-08	G1/2"X14	G1/2"X14			7.5	7.5	31	27	27
3B-08-10	G1/2"X14	G5/8"X14			7.5	9.5	31.5	27	30
3B-08-12	G1/2"X14	G3/4"X14			7.5	10.9	32.5	27	32
3B-10	G5/8"X14	G5/8"X14			9.5	9.5	31.5	30	30
3B-10-12	G5/8"X14	G3/4"X14			9.5	10.9	33	30	32
3B-12	G3/4"X14	G3/4"X14			10.9	10.9	33.5	32	32
3B-12-16	G3/4"X14	G1"X11			10.9	11.7	35	32	41
3B-16	G1"X11	G1"X11			11.7	11.7	36.5	41	41
3B-16-20	G1"X11	G1.1/4"X11			11.7	11	37.5	41	50
3B-20	G1.1/4"X11	G1.1/4"X11			11	11	40	50	50
3B-24	G1.1/2"X11	G1.1/2"X11			13	13	42	55	55
3B-32	G2"X11	G2"X11			16	16	47	70	70

www.fitsch.cn




3B4

45° 英管内螺纹 60° 外锥
45° BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	S3
3B4-02	G1/8"X28	G1/8"X28			5.5	5.5	11	14	14
3B4-04	G1/4"X19	G1/4"X19			5.5	5.5	11	19	19
3B4-06	G3/8"X19	G3/8"X19			6.3	6.3	14	22	22
3B4-06-08	G3/8"X19	G1/2"X14			6.3	7.5	19	22	27
3B4-08	G1/2"X14	G1/2"X14			7.5	7.5	19	27	27
3B4-10	G5/8"X14	G5/8"X14			9.5	9.5	19	30	30
3B4-12	G3/4"X14	G3/4"X14			10.9	10.9	24	32	32
3B4-12-16	G3/4"X14	G1"X11			10.9	11.7	30	32	41
3B4-16	G1"X11	G1"X11			11.7	11.7	30	41	41
3B4-16-20	G1"X11	G1.1/4"X11			11.7	11	41	41	50
3B4-20	G1.1/4"X11	G1.1/4"X11			11	11	41	50	50
3B4-24	G1.1/2"X11	G1.1/2"X11			13	13	48	55	55
3B4-32	G2"X11	G2"X11			16	16	63	70	70

www.fitsch.cn




3B9

90° 弯英管内螺纹 60° 外锥
90° ELBOW BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	S3
3B9-02	G1/8"X28	G1/8"X28			5.5	5.5	11	14	14
3B9-04	G1/4"X19	G1/4"X19			5.5	5.5	11	19	19
3B9-06	G3/8"X19	G3/8"X19			6.3	6.3	14	22	22
3B9-08	G1/2"X14	G1/2"X14			7.5	7.5	19	27	27
3B9-10	G5/8"X14	G5/8"X14			9.5	9.5	19	30	30
3B9-12	G3/4"X14	G3/4"X14			10.9	10.9	24	32	32
3B9-16	G1"X11	G1"X11			11.7	11.7	30	41	41
3B9-20	G1.1/4"X11	G1.1/4"X11			11	11	41	50	50
3B9-24	G1.1/2"X11	G1.1/2"X11			13	13	48	55	55
3B9-32	G2"X11	G2"X11			16	16	63	70	70

www.fitsch.cn




3BF

英制内螺纹 60° / 美制内螺纹 ORFS
BSPP FEMALE 60° /ORFS FEMALE

代　号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
3BF-04	G1/4"X19	9/16"X18			5.5	8.5	29.5	19	19
3BF-06	G3/8"X19	11/16"X16			6.3	10	34	22	22
3BF-08	G1/2"X14	13/16"X16			7.5	11	37.5	27	27
3BF-12-10	G3/4"X14	1"X14			9.5	13.5	42.5	30	30
3BF-12	G3/4"X14	1.3/16"X12			10.9	15	45	32	36
3BF-16	G1"X11	1.7/16"X12			11.7	14.8	48.5	41	41

www.fitsch.cn




3BJ

英管内螺纹 60° 外锥 / 美制 JIC 内螺纹 74° 内锥
BSP FEMALE 60° CONE/JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
3BJ-04	G1/4"X19	7/16"X20			5.5	9	22	19	15
3BJ-04-05	G1/4"X19	1/2"X20			5.5	9.5	22.5	19	17
3BJ-04-06	G1/4"X19	9/16"X18			5.5	10.5	22.5	19	19
3BJ-06	G3/8"X19	9/16"X18			6.3	10.5	25	22	19
3BJ-06-04	G3/8"X19	7/16"X20			6.3	9	23.5	22	15
3BJ-06-08	G3/8"X19	3/4"X16			6.3	11	26.5	22	24
3BJ-06-10	G3/8"X19	7/8"X14			6.3	14	28	22	27
3BJ-08	G1/2"X14	3/4"X16			7.5	11	29	27	24
3BJ-08-06	G1/2"X14	9/16"X18			7.5	10.5	26	27	19
3BJ-08-10	G1/2"X14	7/8"X14			7.5	13	30	27	27
3BJ-08-12	G1/2"X14	1.1/16"X12			7.5	15	31	27	32
3BJ-10	G5/8"X14	7/8"X14			9.5	13	28.5	30	27
3BJ-12	G3/4"X14	1.1/16X12			10.9	15	32	32	32
3BJ-12-08	G3/4"X14	3/4"X16			10.9	11	30	32	24
3BJ-16	G1"X11	1.5/16"X12			11.7	16	33	41	41
3BJ-20	G1.1/4"X11	1.5/8"X12			11	17	40.5	50	50

www.fitsch.cn




3BM

英管内螺纹 60° 外锥 / 公制内螺纹 60° 外锥
BSP FEMALE 60° CONE/METRIC FEMALE 60° CONE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	L	S1	S2
3BM-04-12	G1/4"X19	M12X1.5			5.5	5	25	19	17
3BM-04-14	G1/4"X19	M14X1.5			5.5	5.5	25.5	19	19
3BM-06-12	G3/8"X19	M12X1.5			6.3	5	26.5	22	17
3BM-06-16	G3/8"X19	M16X1.5			6.3	5.5	27.5	22	22
3BM-06-18	G3/8"X19	M18X1.5			6.3	5.5	28.5	22	24
3BM-06-20	G3/8"X19	M20X1.5			6.3	6.5	30	22	27
3BM-08-16	G1/2"X14	M16X1.5			7.5	5.5	29.5	27	22
3BM-08-18	G1/2"X14	M18X1.5			7.5	5.5	30.5	27	24
3BM-08-20	G1/2"X14	M20X1.5			7.5	6.5	32	27	27
3BM-08-22	G1/2"X14	M22X1.5			7.5	6	33	27	27

www.fitsch.cn




3BW-S/IN

英管内螺纹 60° 外锥 / 英寸制焊接管
BSP FEMALE 60° CONE/INCH SOCKET-WELD TUBE

代 号	螺 纹 THREAD		焊接管外径 D	尺 寸 DIMENSIONS				
PART NO.	E		WELD TUBE O.D D	B	C	L	S1	S2
3BW-04S/IN	G1/4"X19		1/4"	3	5.5	20	12	19
3BW-06S/IN	G3/8"X19		3/8"	4	6.3	22	17	22
3BW-08S/IN	G1/2"X14		1/2"	4	7.5	24	19	27
3BW-10S/IN	G5/8"X14		5/8"	5	9.5	25.5	22	30
3BW-12S/IN	G3/4"X14		3/4"	5	10.9	31	27	32
3BW-16S/IN	G1"X11		1"	6	11.7	33	32	41
3BW-20S/IN	G1.1/4"X11		1.1/4"	6	11	37.5	41	50
3BW-24S/IN	G1.1/2"X11		1.1/2"	6	13	40	50	55

www.fitsch.cn




4B

英管外螺纹 60° 内锥或六角端面用组合垫密封 堵头
BSP MALE DOUBLE USE FOR 60° CONE SEAT
OR BONDED SEAL PLUG

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E				A	L	S1		
4B-02	G1/8"X28				10	16	14		
4B-04	G1/4"X19				12	18	19		
4B-06	G3/8"X19				13.5	21.5	22		
4B-08	G1/2"X14				16	26	27		
4B-10	G5/8"X14				17.5	27.5	30		
4B-12	G3/4"X14				18.5	29.5	32		
4B-16	G1"X11				20.5	34	41		
4B-20	G1.1/4"X11				20.5	37.5	50		
4B-24	G1.1/2"X11				23	40	55		
4B-32	G2"X11				25.5	43.5	70		

www.fitsch.cn




4BN

英管外螺纹 60° 内锥或六角端面用组合垫密封内六角堵头
BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL HOLLOW HEX PLUG

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E				A	L	S1		
4BN-02	G1/8"X28				8	11	5		
4BN-04	G1/4"X19				12	15	6		
4BN-06	G3/8"X19				12	15	8		
4BN-08	G1/2"X14				14	18	10		
4BN-12	G3/4"X14				16	20	12		
4BN-16	G1"X11				16	21	17		

www.fitsch.cn




4BN-WD

英管外螺纹胶垫密封内六角堵头
BSP MALE CAPTIVE SEAL HOLLOW HEX PLUG

代 号	螺 纹 THREAD		胶 垫 CAPTIVE		尺 寸 DIMENSIONS				
PART NO.	E		E端		A	L	S1		
4BN-02WD	G1/8"X28		WD-B02		8	12.2	5		
4BN-04WD	G1/4"X19		WD-B04		12	17.2	6		
4BN-06WD	G3/8"X19		WD-B06		12	17.2	8		
4BN-08WD	G1/2"X14		WD-B08		14	19.2	10		
4BN-12WD	G3/4"X14		WD-B12		16	21.2	12		
4BN-16WD	G1"X11		WD-B16		16	22.8	17		
4BN-20WD	G1.1/4"X11		WD-B20		20	26.8	22		
4BN-24WD	G1.1/2"X11		WD-B24		22	28.8	24		

www.fitsch.cn




4B-WD

英管外螺纹胶垫密封堵头
BSP MALE CAPTIVE SEAL PLUG

代 号	螺 纹 THREAD		胶 垫 CAPTIVE		尺 寸 DIMENSIONS				
PART NO.	E		E端		A	L	S1		
4B-02WD	G1/8"X28		WD-B02		8	15.5	14		
4B-04WD	G1/4"X19		WD-B04		12	19.6	19		
4B-06WD	G3/8"X19		WD-B06		12	22.5	22		
4B-08WD	G1/2"X14		WD-B08		14	25	27		
4B-12WD	G3/4"X14		WD-B12		16	29	32		
4B-16WD	G1"X11		WD-B16		18	35	41		
4B-20WD	G1.1/4"X11		WD-B20		20	37	50		
4B-24WD	G1.1/2"X11		WD-B24		22	40	55		

www.fitsch.cn




5B

英管外螺纹 60° 内锥或六角端面用
组合垫密封 / 英管内螺纹 ISO 1179
BSP MALE DOUBLE USE FOR 60° CONE SEAT
OR BONDED SEAL / BSP FEMALE ISO 1179

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	L	S1		
5B-02-04	G1/8"X28	G1/4"X19			11	29	19		
5B-04-02	G1/4"X19	G 1/8"X28			12	28	19		
5B-04	G1/4"X19	G1/4"X19			12	33	19		
5B-04-06	G1/4"X19	G3/8"X19			12	36	22		
5B-06-04	G3/8"X19	G1/4"X19			13.5	33.5	22		
5B-06	G3/8"X19	G3/8"X19			13.5	37.5	22		
5B-06-08	G3/8"X19	G1/2"X14			13.5	42.5	27		
5B-08-06	G1/2"X14	G3/8"X19			16	38	27		
5B-08	G1/2"X14	G1/2"X14			16	45	27		
5B-08-10	G1/2"X14	G5/8"X14			16	46	30		
5B-08-12	G1/2"X14	G3/4"X14			16	44.5	36		
5B-10-08	G5/8"X14	G1/2"X14			16	41.5	30		
5B-12-08	G3/4"X14	G1/2"X14			18.5	44.5	32		
5B-12	G3/4"X14	G3/4"X14			18.5	48	36		
5B-12-16	G3/4"X14	G1"X11			18.5	53.5	41		
5B-16-12	G1"X11	G3/4"X14			20.5	47.5	41		
5B-16	G1"X11	G1"X11			20.5	55.5	41		
5B-16-20	G1"X11	G1.1/4"X11			20.5	56.5	50		
5B-20-16	G1.1/4"X11	G1"X11			20.5	49	50		
5B-20	G1.1/4"X11	G1.1/4"X11			20.5	52.5	50		
5B-20-24	G1.1/4"X11	G1.1/2"X11			20.5	57.5	55		
5B-24	G1.1/2"X11	G1.1/2"X11			23	58	55		
5B-32-24	G2"X11	G1.1/2"X11			26	59.5	70		
5B-32	G2"X11	G2"X11			26	63	70		

www.fitsch.cn




5B9

90° 弯英管外螺纹60°内锥 / 英管内螺纹 ISO 1179

90° ELBOW BSP MALE 60° SEAT / BSP FEMALE ISO 1179

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
5B9-02	G1/8"X28	G1/8"X28			22.5	20	16		
5B9-04	G1/4"X19	G1/4"X19			25.5	22	19		
5B9-06	G3/8"X19	G3/8"X19			30.5	26	24		
5B9-08	G1/2"X14	G1/2"X14			39	31	30		
5B9-12	G3/4"X14	G3/4"X14			43.5	37	33		
5B9-16	G1"X11	G1"X11			50.5	43	41		
5B9-20	G1.1/4"X11	G1.1/4"X11			55	46	50		

www.fitsch.cn



5B-G


英管外螺纹60°内锥或六角端面用组合垫密封 /
英管内螺纹表接头

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / BSP FEMALE PRESSURE GAUGE CONNECTORS

代 号	螺 纹 THREAD		紫铜片COPPER WASHER		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	L	S1	
5B-04G	G1/4"x19	G1/4"X19		DP-B04G	12	11	26	19	
5B-06-04G	G3/8"x19	G1/4"X19		DP-B04G	13.5	11	28.5	22	
5B-06-08G	G3/8"x19	G1/2"X14		DP-B08G	13.5	17	35.5	27	
5B-08G	G1/2"x14	G1/2"X14		DP-B08G	16	17	37	27	
注：紫铜片见Q24页。Note:The copper washer see page Q24.									

www.fitsch.cn

过渡接头 ADAPTER




5B-HS

英管外螺纹60° 内锥/英管内螺纹

BSP MALE 60° SEAT/BSP FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	L	S1		
5B-02-04HS	G1/8"X28	G1/4"X19			10.2	28	19		
5B-02HS	G1/8"X28	G1/8"X28			10.2	27	14		
5B-04-02HS	G1/4"X19	G 1/8"X28			11	28	19		
5B-04-06HS	G1/4"X19	G3/8"X19			11	34	22		
5B-04-08HS	G1/4"X19	G1/2"X14			11	35.8	27		
5B-04HS	G1/4"X19	G1/4"X19			11	30	19		
5B-06-04HS	G3/8"X19	G1/4"X19			12.7	32	22		
5B-06-08HS	G3/8"X19	G1/2"X14			12.7	38	27		
5B-06HS	G3/8"X19	G3/8"X19			12.7	34	22		
5B-08-06HS	G1/2"X14	G3/8"X19			15.2	37	27		
5B-08-10HS	G1/2"X14	G5/8"X14			15.2	42	30		
5B-08-12HS	G1/2"X14	G3/4"X14			15.2	45	32		
5B-08HS	G1/2"X14	G1/2"X14			15.2	42	27		
5B-10-08HS	G5/8"X14	G1/2"X14			16	42	30		
5B-12-08HS	G3/4"X14	G1/2"X14			16	45	32		
5B-12-16HS	G3/4"X14	G1"X11			16	48	41		
5B-12HS	G3/4"X14	G3/4"X14			16	45	32		
5B-16-12HS	G1"X11	G3/4"X14			19.1	48	41		
5B-16-20HS	G1"X11	G1.1/4"X11			19.1	52	50		
5B-16HS	G1"X11	G1"X11			19.1	50	41		
5B-20-16HS	G1.1/4"X11	G1"X11			20.3	44	50		
5B-20-24HS	G1.1/4"X11	G1.1/2"X11			20.3	55	55		
5B-20-32HS	G1.1/4"X11	G2"X11			20.3	62.5	70		
5B-20HS	G1.1/4"X11	G1.1/4"X11			20.3	55	50		
5B-24-20HS	G1.1/2"X11	G1.1/4"X11			22.9	55	55		
5B-24-32HS	G1.1/2"X11	G2"X11			22.9	64	70		
5B-24HS	G1.1/2"X11	G1.1/2"X11			22.9	61	55		
5B-32-16HS	G2"X11	G1"X11			26	46.5	70		
5B-32-24HS	G2"X11	G1.1/2"X11			26	60	70		

www.fitsch.cn




5BN

英管外螺纹60°内锥或六角端面用组合垫密封 /
美制布锥管内螺纹

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / NPT FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	L	S1		
5BN-04	G1/4"X19	Z1/4"X18			12	31	19		
5BN-06	G3/8"X19	Z3/8"X18			13.5	33	22		
5BN-08	G1/2"X14	Z1/2"X14			16	42	30		
5BN-12	G3/4"X14	Z3/4"X14			18.5	44.5	36		
5BN-16	G1"X11	Z1"X11.5			20.5	52	41		
5BN-20	G1.1/4"X11	Z1.1/4"X11.5			20.5	55	50		
5BN-24	G1.1/2"X11	Z1.1/2"X11.5			23	60	60		
5BN-32	G2"X11	Z2"X11.5			25.5	62	70		

www.fitsch.cn




5BT

英管外螺纹60° 内锥或六角端面用组合垫密封 / 英锥管内螺纹

BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / BSPT FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	L	S1		
5BT-04-02	G1/4"X19	Rc1/8"X28			12	28	19		
5BT-04	G1/4"X19	Rc1/4"X19			12	33.5	19		
5BT-04-06	G1/4"X19	Rc3/8"X19			12	34	22		
5BT-04-08	G1/4"X19	Rc1/2"X14			12	41	27		
5BT-06-04	G3/8"X19	Rc1/4"X19			13.5	35	22		
5BT-06	G3/8"X19	Rc3/8"X19			13.5	34	22		
5BT-08-06	G1/2"X14	Rc3/8"X19			16	39.5	27		
5BT-08	G1/2"X14	Rc1/2"X14			16	45	27		
5BT-10-08	G5/8"X14	Rc1/2"X14			17.5	43.5	30		
5BT-12-08	G3/4"X14	Rc1/2"X14			18.5	47.5	32		
5BT-12	G3/4"X14	Rc3/4"X14			18.5	49	36		
5BT-16-12	G1"X11	Rc3/4"X14			20.5	47.5	41		
5BT-16	G1"X11	Rc1"X11			20.5	57	41		
5BT-20	G1.1/"X11	Rc1.1/4"X11			20.5	58.5	50		
5BT-24	G1.1/2"X11	Rc1.1/2"X11			23	61	55		

www.fitsch.cn




5BT9

90°英管外螺纹60°内锥/英锥管内螺纹

90° BSP MALE 60° SEAT/BSPT FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
5BT9-04	G1/4"X19	Rc1/4"X19			27.5	25	19		
5BT9-04-02	G1/4"X19	Rc1/8"X28			25.5	20	16		
5BT9-04-06	G1/4"X19	Rc3/8"X19			30.5	27	24		
5BT9-06	G3/8"X19	Rc3/8"X19			32	27	24		
5BT9-06-04	G3/8"X19	Rc1/4"X19			28.5	25	19		
5BT9-06-08	G3/8"X19	Rc1/2"X14			36	31.5	30		
5BT9-08	G1/2"X14	Rc1/2"X14			38.5	31.5	30		
5BT9-08-06	G1/2"X14	Rc3/8"X19			35.5	27	24		
5BT9-08-12	G1/2"X14	Rc3/4"X14			41	37	33		
5BT9-12	G3/4"X14	Rc3/4"X14			43.5	37	33		
5BT9-12-08	G3/4"X14	Rc1/2"X14			41.5	31.5	30		
5BT9-12-16	G3/4"X14	Rc1" X11			48	43	41		
5BT9-16	G1"X11	Rc1" X11			50.5	43	41		
5BT9-16-12	G1"X11	Rc3/4"X14			46	37	33		

www.fitsch.cn




5BW

英管外螺纹60°内锥/公制焊接管

BSP MALE 60° SEAT/METRIC SOCKET-WELD TUBE

代 号	螺 纹 THREAD		焊接管外径 D	尺 寸 DIMENSIONS				
PART NO.	E		WELD TUBE O.D D	A	L	S1		
5BW-04-06	G1/4"X19		6	12	21	19		
5BW-04-08	G1/4"X19		8	12	21	19		
5BW-06-10	G3/8"X19		10	13.5	22	22		
5BW-06-12	G3/8"X19		12	13.5	22	22		
5BW-06-14	G3/8"X19		14	13.5	22	22		
5BW-08-12	G1/2"X14		12	16	26.5	27		
5BW-08-15	G1/2"X14		15	16	26.5	27		
5BW-08-16	G1/2"X14		16	16	26.5	27		
5BW-08-18	G1/2"X14		18	16	26.5	27		
5BW-12-18	G3/4"X14		18	18.5	29.5	32		
5BW-12-20	G3/4"X14		20	18.5	29.5	32		
5BW-12-22	G3/4"X14		22	18.5	29.5	32		
5BW-16-25	G1"X11		25	20.5	33.5	41		
5BW-16-28	G1"X11		28	20.5	33.5	41		
5BW-16-30	G1"X11		30	20.5	33.5	41		
5BW-20-38	G1.1/4"X11		38	20.5	35.5	46		
5BW-20-42	G1.1/4"X11		42	20.5	35.5	50		
5BW-24-50	G1.1/2"x11		50	23	44	60		
5BW-24-52	G1.1/2"x11		52	23	44	60		

www.fitsch.cn




5B-WD

英管外螺纹胶垫密封 / 英管内螺纹 ISO 1179

BSP MALE CAPTIVE SEAL / BSP FEMALE ISO 1179

代 号	螺 纹 THREAD		胶 垫 CAPTIVE		尺 寸 DIMENSIONS				
PART NO.	E	F	E端		A	L	S1		
5B-02-04WD	G1/8"X28	G1/4"X19	WD-B02		8	30.5	19		
5B-02-06WD	G1/8"X28	G3/8"X19	WD-B02		8	33.5	22		
5B-04-02WD	G1/4"X19	G 1/8"X28	WD-B04		12	31.5	19		
5B-04-06WD	G1/4"X19	G3/8"X19	WD-B04		12	37	22		
5B-04-08WD	G1/4"X19	G1/2"X14	WD-B04		12	43	27		
5B-06-02WD	G3/8"X19	G1/8"X28	WD-B06		12	35.5	22		
5B-06-04WD	G3/8"X19	G1/4"X19	WD-B06		12	37.5	22		
5B-06-08WD	G3/8"X19	G1/2"X14	WD-B06		12	43.5	27		
5B-08-04WD	G1/2"X14	G1/4"X19	WD-B08		14	38	27		
5B-08-06WD	G1/2"X14	G3/8"X19	WD-B08		14	41	27		
5B-08-12WD	G1/2"X14	G3/4"X14	WD-B08		14	46	36		
5B-12-08WD	G3/4"X14	G1/2"X14	WD-B12		16	47.5	32		
5B-12-16WD	G3/4"X14	G1"X11	WD-B12		16	53.5	41		
5B-12-20WD	G3/4"X14	G1.1/4"X11	WD-B12		16	54.5	50		
5B-16-12WD	G1"X11	G3/4"X14	WD-B16		18	50.5	41		
5B-16-20WD	G1"X11	G1.1/4"X11	WD-B16		18	56.5	50		
5B-20-16WD	G1.1/4"X11	G1"X11	WD-B20		20	57.5	50		
5B-20-24WD	G1.1/4"X11	G1.1/2"X11	WD-B20		20	59.5	55		
5B-20-32WD	G1.1/4"X11	G2"X11	WD-B20		20	64	70		
5B-24-16WD	G1.1/2"X11	G1"X11	WD-B24		22	59.5	55		
5B-24-20WD	G1.1/2"X11	G1.1/4"X11	WD-B24		22	60	55		
5B-24-32WD	G1.1/2"X11	G2"X11	WD-B24		22	66	70		

www.fitsch.cn




5BW-IN

英管外螺纹60° 内锥/英寸制焊接管

BSP MALE 60° SEAT/INCH SOCKET-WELD TUBE

代 号	螺 纹 THREAD		焊接管外径 D	尺 寸 DIMENSIONS				
PART NO.	E		WELD TUBE O.D D	A	B	L	S1	
5BW-04-06IN	G1/4"X19		3/8"	12	4	22	19	
5BW-04-08IN	G1/4"X19		1/2"	12	4	22	19	
5BW-06-08IN	G3/8"X19		1/2"	13.5	4	23.5	22	
5BW-08IN	G1/2"X14		1/2"	16	4	30	27	
5BW-08-12IN	G1/2"X14		3/4"	16	5	32	27	
5BW-12IN	G3/4"X14		3/4"	18.5	5	34.5	32	
5BW-12-16IN	G3/4"X14		1"	18.5	6	35.5	32	
5BW-16IN	G1"X11		1"	20.5	6	39.5	41	
5BW-16-20IN	G1"X11		1.1/4"	20.5	6	39.5	41	
5BW-20IN	G1.1/4"X11		1.1/4"	20.5	6	39.5	50	
5BW-20-24IN	G1.1/4"X11		1.1/2"	20.5	6	41.5	50	
5BW-24IN	G1.1/2"X11		1.1/2"	23	6	44	55	

www.fitsch.cn




5GB

英管外螺纹O形圈 / 英管内螺纹 ISO 1179

BSP MALE O-RING / BSP FEMALE ISO 1179

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E端		A	L	S1		
5GB-04	G1/4"X19	G1/4"X19	O111		11	32	19		
5GB-04-06	G1/4"X19	G3/8"X19	O111		11	35	22		
5GB-06	G3/8"X19	G3/8"X19	O113		11.5	36	22		
5GB-06-08	G3/8"X19	G1/2"X14	O113		11.5	41	27		
5GB-08	G1/2"X14	G1/2"X14	O115		14	41	27		
5GB-08-12	G1/2"X14	G3/4"X14	O115		14	46	36		
5GB-12	G3/4"X14	G3/4"X14	O119		15.5	46	36		
5GB-12-16	G3/4"X14	G1"X11	O119		15.5	50	41		
5GB-16-12	G1"X11	G3/4"X14	O217		18	47	41		
5GB-16	G1"X11	G1"X11	O217		18	52.5	41		

www.fitsch.cn




5GB9-OG

90° 英管外螺纹 O 形圈 / 英管内螺纹
90° BSP MALE O-RING/BSP FEMALE

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	B	S1	S2	
5GB9-02OG	G1/8"X28	G1/8"X28	O011		30.8	20	16	14	
5GB9-04OG	G1/4"X19	G1/4"X19	O111		33.5	22	19	19	
5GB9-04-06OG	G1/4"X19	G3/8"X19	O111		36	26	22	19	
5GB9-06OG	G3/8"X19	G3/8"X19	O113		39.5	26	22	22	
5GB9-06-08OG	G3/8"X19	G1/2"X14	O113		42.5	31	27	22	
5GB9-08OG	G1/2"X14	G1/2"X14	O115		46.5	31	27	27	
5GB9-08-12OG	G1/2"X14	G3/4"X14	O115		50	37	33	27	
5GB9-10OG	G5/8"X14	G5/8"X14	O910		48	34	27	30	
5GB9-12OG	G3/4"X14	G3/4"X14	O119		53	37	33	32	
5GB9-12-08OG	G3/4"X14	G1/2"X14	O119		49.5	31	27	32	
5GB9-12-16OG	G3/4"X14	G1"X11	O119		59	43	41	32	
5GB9-16OG	G1"X11	G1"X11	O217		58	43	41	41	
5GB9-20OG	G1.1/4"X11	G1.1/4"X11	O222		63	46	48	50	

www.fitsch.cn




5HB

公制外螺纹 O 形圈 / 英管内螺纹
METRIC MALE O-RING/BSP FEMALE

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	L	S1		
5HB-16-04	M16X1.5	G1/4"X19	13.3X2.4		11.5	34	22		
5HB-22-04	M22X1.5	G1/4"X19	19.3X2.4		13	35.5	27		
5HB-22-06	M22X1.5	G3/8"X19	19.3X2.4		13	39	27		
5HB-26-08	M26X1.5	G1/2"X14	23.5X3		13.5	42	32		
5HB-27-08	M27X2	G1/2"X14	23.5X3		16	44.5	32		
5HB-27-12	M27X2	G3/4"X14	23.5X3		16	45.5	32		
5HB-33-16	M33X2	G1"X11	29.2X3		16	49.5	41		

www.fitsch.cn




5HB9-OG

公制外螺纹 O 形圈 / 英管内螺纹
METRIC MALE O-RING/BSP FEMALE

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	B	S1	S2	
5HB9-10-02OG	M10X1	G1/8"X28	8.1X1.6		30	20	16	14	
5HB9-12-02OG	M12X1.5	G1/8"X28	9.3X2.4		34	20	16	17	
5HB9-14-04OG	M14X1.5	G1/4"X19	11.3X2.4		36.5	22	19	19	
5HB9-14-06OG	M14X1.5	G3/8"X19	11.3X2.4		37.5	26	24	19	
5HB9-16-06OG	M16X1.5	G3/8"X19	13.3X2.4		37.5	26	24	22	
5HB9-18-06OG	M18X1.5	G3/8"X19	15.3X2.4		39	26	24	24	
5HB9-22-08OG	M22X1.5	G1/2"X14	19.3X2.4		45	31	30	27	
5HB9-26-12OG	M26X1.5	G3/4"X14	23.5X3		51	37	33	32	
5HB9-27-12OG	M27X2	G3/4"X14	23.5X3		52	37	33	32	
5HB9-33-16OG	M33X2	G1"X11	29.2X3		57	43	41	41	

www.fitsch.cn




5NB

布锥管外螺纹 / 英管内螺纹
NPT MALE/BSP FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	L	S1		
5NB-02	Z1/8"X27	G1/8"X28			10.5	28	14		
5NB-02-04	Z1/8"X27	G1/4"X19			10.5	32	19		
5NB-04	Z1/4"X18	G1/4"X19			15	35	19		
5NB-04-02	Z1/4"X18	G1/8"X28			15	32	17		
5NB-04-06	Z1/4"X18	G3/8"X19			15	38	22		
5NB-06	Z3/8"X18	G3/8"X19			15	38	22		
5NB-06-04	Z3/8"X18	G1/4"X19			15	32	19		
5NB-06-08	Z3/8"X18	G1/2"X14			15	43	27		
5NB-08	Z1/2"X14	G1/2"X14			19.5	47.5	27		
5NB-08-04	Z1/2"X14	G1/4"X19			19.5	28	22		
5NB-08-06	Z1/2"X14	G3/8"X19			19.5	40	22		
5NB-08-10	Z1/2"X14	G5/8"X14			19.5	48.5	36		
5NB-08-12	Z1/2"X14	G3/4"X14			19.5	48.5	36		
5NB-12	Z3/4"X14	G3/4"X14			19.5	48.5	36		
5NB-12-04	Z3/4"X14	G1/4"X19			19.5	30	30		
5NB-12-06	Z3/4"X14	G3/8"X19			19.5	32	30		
5NB-12-08	Z3/4"X14	G1/2"X14			19.5	32	30		
5NB-12-16	Z3/4"X14	G1"X11			19.5	54	41		
5NB-12-20	Z3/4"X14	G1.1/4"X11			19.5	54	50		
5NB-16	Z1"X11.5	G1"X11			25.5	60	41		
5NB-16-04	Z1"X11.5	G1/4"X19			25.5	37	36		
5NB-16-06	Z1"X11.5	G3/8"X19			25.5	37	36		
5NB-16-08	Z1"X11.5	G1/2"X14			25.5	37	36		
5NB-16-12	Z1"X11.5	G3/4"X14			25.5	37	36		
5NB-16-20	Z1"X11.5	G1.1/4"X11			25.5	60	50		
5NB-16-24	Z1"X11.5	G1.1/2"X11			25.5	62	55		
5NB-20	Z1.1/4"X11.5	G1.1/4"X11			26.5	61	50		
5NB-20-16	Z1.1/4"X11.5	G1"X11			26.5	42	46		
5NB-20-24	Z1.1/4"X11.5	G1.1/2"X11			26.5	63	55		
5NB-20-32	Z1.1/4"X11.5	G2"X11			26.5	67	70		
5NB-24	Z1.1/2"X11.5	G1.1/2"X11			27.5	64	55		
5NB-24-20	Z1.1/2"X11.5	G1.1/4"X11			27.5	58	50		
5NB-24-32	Z1.1/2"X11.5	G2"X11			27.5	68	70		
5NB-32	Z2"X11.5	G2"X11			27.5	68	70		
5NB-32-16	Z2"X11.5	G1"X11			27.5	46	65		
5NB-32-20	Z2"X11.5	G1.1/4"X11			27.5	46	65		
5NB-32-24	Z2"X11.5	G1.1/2"X11			27.5	46	65		

www.fitsch.cn




5NB-G

布锥管外螺纹 / 英管内螺纹表接头

NPT MALE/BSP PRESSURE GAUGE CONNECTORS

代 号	螺 纹 THREAD		紫铜片 COPPER WASHER		尺 寸 DIMENSIONS				
PART NO.	E	F		F 端	A	L	S1		
5NB-04G	Z1/4"X18	G1/4"X19		DP-B04G	15	33	19		
5NB-06-04G	Z3/8"X18	G1/4"X19		DP-B04G	16	34	19		
5NB-06-08G	Z3/8"X18	G1/2"X14		DP-B08G	16	43	27		
5NB-08G	Z1/2"X14	G1/2"X14		DP-B08G	19.5	46.5	27		

www.fitsch.cn




5OB

SAE 外螺纹 O 形圈 / 英管内螺纹
SAE MALE O-RING /BSP FEMALE

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	L	S1		
5OB-04	7/16"X20	G1/4"X19	O904		9.1	28	19		
5OB-06-04	9/16"X18	G1/4"X19	O906		9.1	27	19		
5OB-06	9/16"X18	G3/8"X19	O906		9.9	31	22		
5OB-08-06	3/4"X16	G3/8"X19	O908		11.1	33	22		
5OB-08	3/4"X16	G1/2"X14	O908		11.1	37.5	30		
5OB-10-08	7/8"X14	G1/2"X14	O910		12.7	33	30		
5OB-12-08	1.1/16"X12	G1/2"X14	O912		15.1	41.5	30		
5OB-12	1.1/16"X12	G3/4"X14	O912		15.1	45	36		
5OB-16-12	1.5/16"X12	G3/4"X14	O916		15.1	42	36		
5OB-16	1.5/16"X12	G1"X11	O916		15.1	51	46		
5OB-20	1.5/8"X12	G1.1/4"X11	O920		15.1	50	50		

www.fitsch.cn




5TB4-SP

45° 英锥管外螺纹 / 英管内螺纹
45° BSPT MALE/BSP FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
5TB4-02SP	R1/8"X28	G1/8"X28			18	20	16		
5TB4-04SP	R1/4"X19	G1/4"X19			22	20	19		
5TB4-06SP	R3/8"X19	G3/8"X19			25.5	23.5	24		
5TB4-08SP	R1/2"X14	G1/2"X14			31.5	27.5	30		
5TB4-12SP	R3/4"X14	G3/4"X14			32.5	31.5	33		
5TB4-16SP	R1"X11	G1"X11			42	37.5	41		
5TB4-20SP	R1.1/4"X11	G1.1/4"X11			45.5	40	48		

www.fitsch.cn




5TB9-SP

90° 英锥管外螺纹 / 英管内螺纹
90° BSPT MALE/BSP FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
5TB9-02SP	R1/8"X28	G1/8"X28			24.5	20	16		
5TB9-04SP	R1/4"X19	G1/4"X19			28.5	22	19		
5TB9-06SP	R3/8"X19	G3/8"X19			33.5	26	24		
5TB9-08SP	R1/2"X14	G1/2"X14			40.5	31	30		
5TB9-12SP	R3/4"X14	G3/4"X14			47.5	37	33		
5TB9-16SP	R1"X11	G1"X11			56.5	43	41		

www.fitsch.cn




5TB-G/SP

英锥管外螺纹 / 英管内螺纹
BSPT MALE/BSP PRESSURE GAUGE CONNECTORS

代 号	螺 纹 THREAD		紫铜片 COPPER WASHER		尺 寸 DIMENSIONS				
PART NO.	E	F		F 端	A	B	L	S1	
5TB-04G/SP	R1/4"x19	G1/4"X19		DP-B04G	14.5	11	28.5	19	
5TB-06-04G/SP	R3/8"x19	G1/4"X19		DP-B04G	15	11	29	19	
5TB-06-08G/SP	R3/8"x19	G1/2"X14		DP-B08G	15	17	37	27	
5TB-08G/SP	R1/2"x14	G1/2"X14		DP-B08G	20	17	42	27	

www.fitsch.cn




5TB-SP


英锥管外螺纹 / 英管内螺纹
BSPT MALE/BSP FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	L	S1		
5TB-02-04SP	R1/8"X28	G1/4"X19			10	31.5	19		
5TB-04-06SP	R1/4"X19	G3/8"X19			14.5	38.5	22		
5TB-04SP	R1/4"X19	G1/4"X19			14.5	35	19		
5TB-06-04SP	R3/8"X19	G1/4"X19			15	36	19		
5TB-06-08SP	R3/8"X19	G1/2"X14			15	43	27		
5TB-06-12SP	R3/8"X19	G3/4"X14			15	44	36		
5TB-06SP	R3/8"X19	G3/8"X19			15	39	22		
5TB-08-06SP	R1/2"X14	G3/8"X19			20	44	22		
5TB-08-12SP	R1/2"X14	G3/4"X14			20	50	36		
5TB-08-16SP	R1/2"X14	G1"X11			20	54.5	41		
5TB-08SP	R1/2"X14	G1/2"X14			20	48	27		
5TB-12-08SP	R3/4"X14	G1/2"X14			20	48	30		
5TB-12-16SP	R3/4"X14	G1"X11			20	54.5	41		
5TB-12SP	R3/4"X14	G3/4"X14			20	49	36		
5TB-16-12SP	R1"X11	G3/4"X14			25.5	55	36		
5TB-16-20SP	R1"X11	G1.1/4"X11			25.5	61.5	50		
5TB-16SP	R1"X11	G1"X11			25.5	60	41		
5TB-20-08SP	R1.1/4"X11	G1/2"X14			26.5	39	46		
5TB-20-12SP	R1.1/4"X11	G3/4"X14			26.5	39	46		
5TB-20-24SP	R1.1/4"X11	G1.1/2"X11			26.5	63	55		
5TB-20SP	R1.1/4"X11	G1.1/4"X11			26.5	61.5	50		
5TB-24-16SP	R1.1/2"X11	G1"X11			26.5	40.5	55		
5TB-24-20SP	R1.1/2"X11	G1.1/4"X11			26.5	61	55		
5TB-24-32SP	R1.1/2"X11	G2"X11			26.5	63.5	70		
5TB-24SP	R1.1/2"X11	G1.1/2"X11			26.5	63	55		
5TB-32-24SP	R2"X11	G1.1/2"X11			30	45	65		

www.fitsch.cn



6B



6B-LN

英管外螺纹 60° 内锥过板接头


BSP MALE 60° SEAT BULKHEAD

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	L	S1	S2
6B-02	G1/8"X28	G1/8"X28			10	33	49	14	14
6B-04	G1/4"X19	G1/4"X19			12	35	53	19	19
6B-06	G3/8"X19	G3/8"X19			13.5	35	56.5	22	22
6B-08	G1/2"X14	G1/2"X14			16	39	65	27	27
6B-10	G5/8"X14	G5/8"X14			17.5	40	67.5	30	30
6B-12	G3/4"X14	G3/4"X14			18.5	42	71.5	32	32
6B-16	G1"X11	G1"X11			20.5	50	84	41	41
6B-20	G1.1/4"X11	G1.1/4"X11			20.5	52	89.5	50	50
6B-24	G1.1/2"X11	G1.1/2"X11			23	55	93	55	55
6B-32	G2"X11	G2"X11			25.5	55	97.5	70	70


注：如需带锁母整套订货，则请在代号后加“LN”，如 6B-16LN，锁母代号为 8B。

Note：In case if you are interested to order the adapter in complete set with lock nut ,it is necessary to insert suffix "LN" after our part no.,for example 6B-16LN,The lock nut no. is 8B。

www.fitsch.cn



6B9



6B9-LN


90° 弯英管外螺纹 60° 内锥过板接头
90° ELBOW BSP MALE
60° SEAT BULKHEAD

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
6B9-04	G1/4"X19	G1/4"X19			25	51	16	19	
6B9-06	G3/8"X19	G3/8"X19			29	53.5	19	22	
6B9-08	G1/2"X14	G1/2"X14			34.5	58.5	22	22	
6B9-12	G3/4"X14	G3/4"X14			41	64	30	32	
6B9-16	G1"X11	G1"X11			47.5	71	33	41	


注：如需带锁母整套订货，则请在代号后加“LN”，如 6B9-16LN，锁母代号为 8B。

Note：In case if you are interested to order the adapter in complete set with lock nut ,it is necessary to insert suffix "LN" after our part no.,for example 6B9-16LN,The lock nut no. is 8B。


www.fitsch.cn



6BC



6BC-LN




6BC-LN/RN

英管外螺纹 60° 内锥 / 公制 24° 轻系列过板接头


BSP MALE 60° SEAT/METRIC 24° L.T. BULKHEAD

代 号	螺 纹 THREAD		硬管外径 TUBE O.D.		尺 寸 DIMENSIONS							
PART NO.	E	F	D1		A	B	L	I2	L2	S1	S2	S3
6BC-04-14	G1/4"X19	M14X1.5	8		12	34	51	27	42	19	19	17
6BC-04-16	G1/4"X19	M16X1.5	10		12	35	53	28	43	22	22	19
6BC-06-16	G3/8"X19	M16X1.5	10		13.5	35	54.5	28	43	22	22	19
6BC-08-18	G1/2"X14	M18X1.5	12		16	36	60	29	44	27	24	22
6BC-08-22	G1/2"X14	M22X1.5	15		16	38	62	31	46	27	27	27
6BC-12-26	G3/4"X14	M26X1.5	18		18.5	40	69.5	32.5	49	32	32	32
6BC-16-36	G1"X11	M36X2	28		20.5	43	75.5	35.5	52	41	41	41
6BC-20-45	G1.1/4"X11	M45X2	35		20.5	47	80.5	36.5	58	50	55	50
6BC-24-52	G1.1/2"X11	M52X2	42		23	47	84	36	59	60	60	60


www.fitsch.cn



6BD



6BD-LN




6BD-LN/RN

英管外螺纹 60° 内锥 / 公制 24° 重系列过板接头

BSP MALE 60° SEAT/METRIC 24° H.T. BULKHEAD

代 号	螺 纹 THREAD		硬管外径 TUBE O.D.		尺 寸 DIMENSIONS							
PART NO.	E	F	D1		A	B	L	I2	L2	S1	S2	S3
6BD-04-16	G1/4"X19	M16X1.5	8		12	36	56	29	44	19	22	19
6BD-04-18	G1/4"X19	M18X1.5	10		12	37	59	29.5	44	22	24	22
6BD-06-18	G3/8"X19	M18X1.5	10		13.5	37	60.5	29.5	44	22	24	22
6BD-06-20	G3/8"X19	M20X1.5	12		13.5	38	61.5	30.5	47	27	27	27
6BD-08-20	G1/2"X14	M20X1.5	12		16	38	64	30.5	47	27	27	27
6BD-08-24	G1/2"X14	M24X1.5	16		16	40	67	31.5	50	27	30	30
6BD-12-36	G3/4"X14	M36X2	25		18.5	47	79.5	35	59	32	41	46
6BD-16-36	G1"X11	M36X2	25		20.5	47	82	35	59	41	41	46
6BD-20-42	G1.1/4"X11	M42X2	30		20.5	51	86.5	37.5	64	50	50	50
6BD-24-52	G1.1/2"X11	M52X2	38		23	53	92	37	68	60	60	60

www.fitsch.cn




6BF


英管外螺纹 60° 内锥 / 美制 ORFS 外螺纹过板接头
BSP MALE 60° SEAT/ORFS MALE BULKHEAD

代 号	螺 纹 THREAD		O 形 圈		尺 寸 DIMENSIONS				
PART NO.	E	F	O RING		A	B	L	S1	
6BF-04-06	G1/4"X19	11/16"X16		9.25X1.78	12	34	56	27	
6BF-06	G3/8"X19	11/16"X16		9.25X1.78	13.5	34	57.5	27	
6BF-06-08	G3/8"X19	13/16"X16		12.42X1.78	13.5	36.5	60	30	
6BF-08	G1/2"X14	13/16"X16		12.42X1.78	16	36.5	62.5	30	
6BF-12	G3/4"X14	1.3/16"X12		18.77X1.78	18.5	41.7	71	38	
6BF-12-08	G3/4"X14	13/16"X16		12.42X1.78	18.5	36.5	66	32	
6BF-12-16	G3/4"X14	1.7/16"X12		23.52X1.78	18.5	42.2	73.5	46	

www.fitsch.cn



6B-WD



6B-WD/LN

英管外螺纹 60° 内锥 / 英管外螺纹胶垫密封


BSP MALE 60° SEAT/BSP MALE CAPTIVE SEAL

代 号	螺 纹 THREAD		胶垫 CAPTIVE	尺 寸 DIMENSIONS				
PART NO.	E	F		F 端	A	B	L	S1	
6B － 04WD	G1/4"X19	G1/4"X19		WD-B04	35	12	55	19	
6B － 06WD	G3/8"X19	G3/8"X19		WD-B06	35	12	57.5	22	
6B － 08WD	G1/2"X14	G1/2"X14		WD-B08	39	14	66	27	
6B － 12WD	G3/4"X14	G3/4"X14		WD-B12	42	16	72	32	
6B － 16WD	G1"X11	G1"X11		WD-B16	50	18	84	41	
6B － 20WD	G1.1/4"X11	G1.1/4"X11		WD-B20	52	20	90	50	
6B － 24WD	G1.1/2"X11	G1.1/2"X11		WD-B24	56	22	96	55	

注：如需带锁母整套订货，则请在代号后加“LN”，如 6B-16WD/LN。

Note：In case if you are interested to order the adapter in complete set with lock nut , it is necessary to insert suffix "LN" after our part no.,for example 6B-16WD/LN。

www.fitsch.cn




7B

英管内螺纹 ISO 1179
BSP FEMALE ISO 1179

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			L	S1			
7B-02	G1/8"X28	G1/8"X28			22	14			
7B-02-04	G1/8"X28	G1/4"X19			24	19			
7B-04	G1/4"X19	G1/4"X19			24	19			
7B-04-06	G1/4"X19	G3/8"X19			29	22			
7B-06	G3/8"X19	G3/8"X19			26	22			
7B-06-08	G3/8"X19	G1/2"X14			33	27			
7B-08	G1/2"X14	G1/2"X14			32	27			
7B-08-10	G1/2"X14	G5/8"X14			36	30			
7B-10	G5/8"X14	G5/8"X14			36	30			
7B-12	G3/4"X14	G3/4"X14			36	32			
7B-12-16	G3/4"X14	G1"X11			43	41			
7B-16	G1"X11	G1"X11			40	41			
7B-16-20	G1"X11	G1.1/4"X11			46	50			
7B-20	G1.1/4"X11	G1.1/4"X11			44	50			
7B-20-24	G1.1/4"X11	G1.1/2"X11			48	55			
7B-24	G1.1/2"X11	G1.1/2"X11			45	55			
7B-24-32	G1.1/2"X11	G2"X11			56	70			
7B-32	G2"X11	G2"X11			54	70			

www.fitsch.cn




7B4-PK

45° 英管内螺纹
45° BSP FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
7B4-02PK	G1/8"X28	G1/8"X28			18.5	18.5	16		
7B4-04PK	G1/4"X19	G1/4"X19			20	20	19		
7B4-06PK	G3/8"X19	G3/8"X19			25	25	24		
7B4-08PK	G1/2"X14	G1/2"X14			27.5	27.5	27		
7B4-12PK	G3/4"X14	G3/4"X14			31.5	31.5	33		
7B4-16PK	G1"X11	G1"X11			37.5	37.5	41		
7B4-20PK	G1.1/4"X11	G1.1/4"X11			48	48	50		
7B4-24PK	G1.1/2"X11	G1.1/2"X11			53	53	60		
7B4-32PK	G2"X11	G2"X11			62	62	70		

www.fitsch.cn




7B9-PK

90° 英管内螺纹 ISO 1179
90° BSP FEMALE ISO 1179

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
7B9-02PK	G1/8"X28	G1/8"X28			20	20	16		
7B9-04PK	G1/4"X19	G1/4"X19			22.5	22.5	19		
7B9-06PK	G3/8"X19	G3/8"X19			26	26	24		
7B9-08PK	G1/2"X14	G1/2"X14			31	31	27		
7B9-12PK	G3/4"X14	G3/4"X14			34	34	33		
7B9-16PK	G1"X11	G1"X11			42	42	41		
7B9-20PK	G1.1/4"X11	G1.1/4"X11			48	48	50		
7B9-24PK	G1.1/2"X11	G1.1/2"X11			53	53	60		
7B9-32PK	G2"X11	G2"X11			62	62	70		

www.fitsch.cn




7B-S

英管内螺纹 / 英管内螺纹 60° 外锥

BSP FEMALE/BSP FEMALE 60° CONE

代　号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			B	L	S1	S2	
7B-02S	G1/8"X28	G1/8"X28			3.5	29	14	14	
7B-04S	G1/4"X19	G1/4"X19			5.5	32	19	19	
7B-04-06S	G1/4"X19	G3/8"X19			6.3	33.5	19	22	
7B-06S	G3/8"X19	G3/8"X19			6.3	36.5	22	22	
7B-06-04S	G3/8"X19	G1/4"X19			5.5	35	22	19	
7B-06-08S	G3/8"X19	G1/2"X14			7.5	38	22	27	
7B-08-06S	G1/2"X14	G3/8"X19			6.3	41.5	27	22	
7B-08S	G1/2"X14	G1/2"X14			7.5	42	27	27	
7B-08-10S	G1/2"X14	G5/8"X14			9.5	43.5	27	30	
7B-08-12S	G1/2"X14	G3/4"X14			10.9	44	27	32	
7B-10-08S	G5/8"X14	G1/2"X14			7.5	44	30	27	
7B-12-08S	G3/4"X14	G1/2"X14			7.5	44.5	36	27	
7B-12S	G3/4"X14	G3/4"X14			10.9	45.5	32	32	
7B-12-16S	G3/4"X14	G1"X11			11.7	47	36	41	
7B-16-12S	G1"X11	G3/4"X14			10.9	50	41	32	
7B-16S	G1"X11	G1"X11			11.7	51.5	41	41	
7B-20S	G1.1/4"X11	G1.1/4"X11			11	55.5	50	50	
7B-24S	G1.1/2"X11	G1.1/2"X11			13	57.5	55	55	
7B-32S	G2"X11	G2"X11			16	62	70	70	

www.fitsch.cn




7NB4-S

45° 布锥管内螺纹 / 英制内螺纹 60° 外锥
45° NPT FEMALE/BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
7NB4-02S	Z1/8"X27	G1/8"X28			17	5.5	16	14	
7NB4-04S	Z1/4"X18	G1/4"X19			20	5.5	19	19	
7NB4-06S	Z3/8"X18	G3/8"X19			19	6.3	24	22	
7NB4-08S	Z1/2"X14	G1/2"X14			28	7.5	30	27	
7NB4-12S	Z3/4"X14	G3/4"X14			30	10.9	33	32	
7NB4-16S	Z1"X11.5	G1"X11			37.5	11.7	41	41	
7NB4-20S	Z1.1/4"X11.5	G1.1/4"X11			38.5	11	48	50	
7NB4-24S	Z1.1/2"X11.5	G1.1/2"X11			41	13	63	55	

www.fitsch.cn




7NB9-S

90° 布锥管内螺纹 / 英管内螺纹 60° 外锥

90° NPT FEMALE/BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
7NB9-02S	Z1/8"X27	G1/8"X28			17.8	5.5	16	14	
7NB9-04-02S	Z1/4"X18	G1/8"X28			22.5	5.5	19	14	
7NB9-04S	Z1/4"X18	G1/4"X19			22.5	5.5	19	19	
7NB9-04-06S	Z1/4"X18	G3/8"X19			22.5	6.3	19	22	
7NB9-06S	Z3/8"X18	G3/8"X19			27	6.3	24	22	
7NB9-06-04S	Z3/8"X18	G1/4"X19			27	5.5	24	19	
7NB9-06-08S	Z3/8"X18	G1/2"X14			27	7.5	24	27	
7NB9-08-04S	Z1/2"X14	G1/4"X19			31.2	5.5	30	19	
7NB9-08-06S	Z1/2"X14	G3/8"X19			31.2	6.3	30	22	
7NB9-08S	Z1/2"X14	G1/2"X14			31.2	7.5	30	27	
7NB9-08-12S	Z1/2"X14	G3/4"X14			31.2	10.9	30	32	
7NB9-12-06S	Z3/4"X14	G3/8"X19			34.5	6.3	33	22	
7NB9-12-08S	Z3/4"X14	G1/2"X14			34.5	7.5	33	27	
7NB9-12S	Z3/4"X14	G3/4"X14			34.5	10.9	33	32	
7NB9-12-16S	Z3/4"X14	G1"X11			34.5	11.7	33	41	
7NB9-16-12S	Z1"X11.5	G3/4"X14			43	10.9	33	32	
7NB9-16S	Z1"X11.5	G1"X11			43	11.7	41	41	
7NB9-20S	Z1.1/4"X11.5	G1.1/4"X11			43.2	11	50	50	
7NB9-24S	Z1.1/2"X11.5	G1.1/2"X11			52.8	13	63	55	

www.fitsch.cn




7NB-S

NPT 内螺纹 / 英制内螺纹 60° 外锥
NPT FEMALE/BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			B	L	S1	S2	
7NB-02S	Z1/8"X27	G1/8"X28			5.5	25	17	14	
7NB-04-02S	Z1/4"X18	G1/8"X28			5.5	29.5	19	14	
7NB-04S	Z1/4"X18	G1/4"X19			5.5	31.5	19	19	
7NB-04-06S	Z1/4"X18	G3/8"X19			6.3	33	19	22	
7NB-06-04S	Z3/8"X18	G1/4"X19			5.5	33	24	19	
7NB-06S	Z3/8"X18	G3/8"X19			6.3	34	24	22	
7NB-06-08S	Z3/8"X18	G1/2"X14			7.5	36	24	27	
7NB-08-06S	Z1/2"X14	G3/8"X19			6.3	40	30	22	
7NB-08S	Z1/2"X14	G1/2"X14			7.5	42	30	27	
7NB-12S	Z3/4"X14	G3/4"X14			10.9	44	36	32	
7NB-16-12S	Z1"X11.5	G3/4"X14			10.9	50.5	41	32	
7NB-16S	Z1"X11.5	G1"X11			11.7	51.5	41	41	
7NB-20S	Z1.1/4"X11.5	G1.1/4"X11			11	55	50	50	
7NB-24S	Z1.1/2"X11.5	G1.1/2"X11			13	54	60	55	
7NB-32S	Z2"X11.5	G2"X11			16	57	70	70	

www.fitsch.cn




7TB-S

英锥管内螺纹 / 英管内螺纹 60° 外锥
BSPT FEMALE/BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			B	L	S1	S2	
7TB-02-04S	Rc1/8"X28	G1/4"X19			5.5	26.5	17	19	
7TB-04S	Rc1/4"X19	G1/4"X19			5.5	31	19	19	
7TB-04-06S	Rc1/4"X19	G3/8"X19			6.3	31	19	22	
7TB-06S	Rc3/8"X19	G3/8"X19			6.3	35.2	22	22	
7TB-06-04S	Rc3/8"X19	G1/4"X19			5.5	34	22	19	
7TB-06-08S	Rc3/8"X19	G1/2"X14			7.5	37	22	27	
7TB-08-06S	Rc1/2"X14	G3/8"X19			6.3	40.2	27	22	
7TB-08S	Rc1/2"X14	G1/2"X14			7.5	42	27	27	
7TB-08-12S	Rc1/2"X14	G3/4"X14			10.9	43.1	27	32	
7TB-12S	Rc3/4"X14	G3/4"X14			10.9	45.1	36	32	
7TB-12-08S	Rc3/4"X14	G1/2"X14			7.5	44	36	27	
7TB-12-16S	Rc3/4"X14	G1"X11			11.7	46.3	36	41	
7TB-16-12S	Rc1"X11	G3/4"X14			10.9	50.1	41	32	
7TB-16S	Rc1"X11	G1"X11			11.7	51.3	41	41	

www.fitsch.cn




8B

英管螺纹锁母

BSP LOCK NUT

代 号 PART NO.	螺 纹 THREAD E				尺 寸 DIMENSIONS A	S1			
8B-02	G1/8"X28				5.5	14			
8B-04	G1/4"X19				6.5	19			
8B-06	G3/8"X19				7	22			
8B-08	G1/2"X14				9	27			
8B-10	G5/8"X14				9	30			
8B-12	G3/4"X14				10.5	32			
8B-16	G1"X11				10.5	41			
8B-20	G1.1/4"X11				10.5	50			
8B-24	G1.1/2"X11				10.5	55			
8B-32	G2"X11				10.5	70			

www.fitsch.cn




9B

英管内螺纹 60° 外锥堵头

BSP FEMALE 60° CONE PLUG

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E				A	L	S2		
9B-02	G1/8"X28				5.5	11.5	14		
9B-04	G1/4"X19				5.5	13.5	19		
9B-06	G3/8"X19				6.3	14.5	22		
9B-08	G1/2"X14				7.5	16	27		
9B-10	G5/8"X14				9.5	16.5	30		
9B-12	G3/4"X14				10.9	17.5	32		
9B-16	G1"X11				11.7	19	41		
9B-20	G1.1/4"X11				11	21.5	50		
9B-24	G1.1/2"X11				13	22	55		
9B-32	G2"X11				16	26.5	70		

www.fitsch.cn




9B-OR

英管内螺纹 60° 外锥面带 O 形圈堵头

BSP FEMALE 60° CONE O-RING BOSS PLUG

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E				B	L	S2		
9B-02OR	G1/8"X28				5.5	11.5	14		
9B-04OR	G1/4"X19				5.5	13.5	19		
9B-06OR	G3/8"X19				6.3	14.5	22		
9B-08OR	G1/2"X14				7.5	16	27		
9B-10OR	G5/8"X14				9.5	16.5	30		
9B-12OR	G3/4"X14				10.9	17.5	32		
9B-16OR	G1"X11				11.7	19	41		
9B-20OR	G1.1/4"X11				11	21.5	50		
9B-24OR	G1.1/2"X11				13	22	55		
9B-32OR	G2"X11				16	26.5	70		

www.fitsch.cn




AB

英管外螺纹 60° 内锥三通

BSP MALE 60° SEAT TEE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	
AB-02	G1/8"X28	G1/8"X28	G1/8"X28			19.8	19.8	19.8	11	
AB-04	G1/4"X19	G1/4"X19	G1/4"X19			24.5	24.5	24.5	14	
AB-04-06-04	G1/4"X19	G3/8"X19	G1/4"X19			26.5	27.5	26.5	16	
AB-06-04-06	G3/8"X19	G1/4"X19	G3/8"X19			27.5	26.5	27.5	16	
AB-06	G3/8"X19	G3/8"X19	G3/8"X19			27.5	27.5	27.5	16	
AB-06-08-06	G3/8"X19	G1/2"X14	G3/8"X19			31	34.5	31	22	
AB-08-06-08	G1/2"X14	G3/8"X19	G1/2"X14			34.5	31	34.5	22	
AB-08	G1/2"X14	G1/2"X14	G1/2"X14			34.5	34.5	34.5	22	
AB-10	G5/8"X14	G5/8"X14	G5/8"X14			35	35	35	22	
AB-12	G3/4"X14	G3/4"X14	G3/4"X14			40	40	40	27	
AB-12-16-12	G3/4"X14	G1"X11	G3/4"X14			43.5	46	43.5	33	
AB-16-12-16	G1"X11	G3/4"X14	G1"X11			46	43.5	46	33	
AB-16	G1"X11	G1"X11	G1"X11			46	46	46	33	
AB-20	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11			50.5	50.5	50.5	41	
AB-24	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11			57.5	57.5	57.5	48	
AB-32	G2"X11	G2"X11	G2"X11			72.5	72.5	72.5	63	

www.fitsch.cn




ABBG-OG

英管外螺纹 60° 内锥 / 英管
外螺纹 O 形圈 三通
BSP MALE 60° SEAT / BSP
MALE O-RING RUN TEE

代 号	螺 纹 THREAD			O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	G		G 端	A	B	C	S1	S2
ABBG-04OG	G1/4"X19	G1/4"X19	G1/4"X19		O111	24.5	24.5	31.3	14	19
ABBG-04-04-06OG	G1/4"X19	G1/4"X19	G3/8"X19		O113	26.5	26.5	35.5	16	19
ABBG-06OG	G3/8"X19	G3/8"X19	G3/8"X19		O113	27.5	27.5	35.8	16	22
ABBG-06-06-08OG	G3/8"X19	G3/8"X19	G1/2"X14		O115	31	31	43	16	22
ABBG-08OG	G1/2"X14	G1/2"X14	G1/2"X14		O115	34.5	34.5	43.2	22	27
ABBG-12OG	G3/4"X14	G3/4"X14	G3/4"X14		O119	40	40	49.3	27	32
ABBG-16OG	G1"X11	G1"X11	G1"X11		O217	46	46	53	33	41
注：G 端与 DIN 3852 油口相配。 Note：G end is connected with DIN 3852 port.										

www.fitsch.cn




ABBH-OG

英管外螺纹 60° 内锥 / 公制外螺纹
可调向柱端轻系列 ISO 6149-3 三通
BSP MALE 60° SEAT / METRIC MALE ADJUSTABLE
STUD END L-SERIES ISO6149-3 RUN TEE

代 号	螺 纹 THREAD			O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	G		G 端	A	B	C	S1	S2
ABBH-02-02-10OG	G1/8"X28	G1/8"X28	M10X1		8.1X1.6	19.8	19.8	26.5	11	14
ABBH-02-02-12OG	G1/8"X28	G1/8"X28	M12X1.5		9.3X2.4	22.3	22.3	32	14	17
ABBH-04-04-12OG	G1/4"X19	G1/4"X19	M12X1.5		9.3X2.4	24.5	24.5	32	14	17
ABBH-04-04-14OG	G1/4"X19	G1/4"X19	M14X1.5		11.3X2.4	24.5	24.5	32	14	19
ABBH-04-04-16OG	G1/4"X19	G1/4"X19	M16X1.5		13.3X2.4	26.5	26.5	34.8	16	22
ABBH-06-06-14OG	G3/8"X19	G3/8"X19	M14X1.5		11.3X2.4	27.5	27.5	34	16	19
ABBH-06-06-16OG	G3/8"X19	G3/8"X19	M16X1.5		13.3X2.4	27.5	27.5	34.8	16	22
ABBH-06-06-18OG	G3/8"X19	G3/8"X19	M18X1.5		15.3X2.4	28.5	28.5	37	19	24
ABBH-08-08-18OG	G1/2"X14	G1/2"X14	M18X1.5		15.3X2.4	34.5	34.5	39.5	22	24
ABBH-08-08-20OG	G1/2"X14	G1/2"X14	M20X1.5		17.3X2.4	34.5	34.5	40	22	27
ABBH-08-08-22OG	G1/2"X14	G1/2"X14	M22X1.5		19.3X2.4	34.5	34.5	40.2	22	27
ABBH-10-10-22OG	G5/8"X14	G5/8"X14	M22X1.5		19.3X2.4	35	35	40.2	22	27
ABBH-12-12-22OG	G3/4"X14	G3/4"X14	M22X1.5		19.3X2.4	40	40	43.5	27	27
ABBH-12-12-27OG	G3/4"X14	G3/4"X14	M27X2		23.5X3	40	40	48.5	27	32
ABBH-16-16-27OG	G1"X11	G1"X11	M27X2		23.5X3	46	46	52	33	32
ABBH-16-16-33OG	G1"X11	G1"X11	M33X2		29.2X3	46	46	52.5	33	41
ABBH-20-20-42OG	G1.1/4"X11	G1.1/4"X11	M42X2		38.5X3	50.5	50.5	57.2	41	50
ABBH-24-24-48OG	G1.1/2"X11	G1.1/2"X11	M48X2		44.5X3	57.5	57.5	62.7	48	55

注：G 端可与 ISO 9974-1 油口相配，去掉挡圈与 ISO 6149-1 油口相配。
Note：G end fit for ISO 9974-1 port or ISO 6149-1 port when useless of retaining ring.

www.fitsch.cn




ABBO-OG

英管外螺纹 60° 内锥 / SAE 外螺纹带
O 形圈轻系列 ISO 11926-3 三通
BSP MALE 60° SEAT / SAE O-RING BOSS
L-SERIES ISO 11926-3 RUN TEE

代 号 PART NO.	螺 纹 THREAD			O 形圈 O-RING	尺 寸 DIMENSIONS				
	E	F	G	G 端	A	B	C	S1	S2
ABBO-04OG	G1/4"X19	G1/4"X19	7/16"X20	8.92X1.83	25	25	30.5	14	17
ABBO-06-06-04OG	G3/8"X19	G3/8"X19	7/16"X20	8.92X1.83	27.5	27.5	31.5	16	17
ABBO-06OG	G3/8"X19	G3/8"X19	9/16"X18	11.89X1.98	27.5	27.5	33.3	16	19
ABBO-08-08-06OG	G1/2"X14	G1/2"X14	9/16"X18	11.89X1.98	34.5	34.5	37	22	19
ABBO-08OG	G1/2"X14	G1/2"X14	3/4"X16	16.36X2.21	34.5	34.5	40	22	24
ABBO-12-12-10OG	G3/4"X14	G3/4"X14	7/8"X14	19.18X2.46	40	40	47	27	27
ABBO-12OG	G3/4"X14	G3/4"X14	1.1/16"X12	23.47X2.95	40	40	51	27	32
ABBO-16-16-12OG	G1"X11	G1"X11	1.1/16"X12	23.47X2.95	46	46	54.5	33	32
ABBO-16OG	G1"X11	G1"X11	1.5/16"X12	29.74X2.95	46	46	54.5	33	41

注：G 端与 ISO 11926-1 油口相配。 Note：G end is connected with ISO 11926-1 port.

www.fitsch.cn




ABBT-SP

英管外螺纹 / 英管外螺纹 / 英锥管外螺纹
BSP MALE/BSP MALE/BSPT MALE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	
ABBT-02SP	G1/8"X28	G1/8"X28	R1/8"X28			20	20	21	11	
ABBT-04SP	G1/4"X19	G1/4"X19	R1/4"X19			24.5	24.5	25.5	14	
ABBT-06SP	G3/8"X19	G3/8"X19	R3/8"X19			27.5	27.5	28.5	16	
ABBT-08SP	G1/2"X14	G1/2"X14	R1/2"X14			34.5	34.5	36	22	
ABBT-12SP	G3/4"X14	G3/4"X14	R3/4"X14			40	40	43	27	
ABBT-16SP	G1"X11	G1"X11	R1"X11			46	46	50	33	
ABBT-20SP	G1.1/4"X11	G1.1/4"X11	R1.1/4"X11			52	52	59	41	
ABBT-24SP	G1.1/2"X11	G1.1/2"X11	R1.1/2"X11			57.5	57.5	62	48	

www.fitsch.cn




ABGB-OG

英管外螺纹 60° 内锥 / 英管外螺纹 O 形圈 三通
BSP MALE 60° SEAT / BSP
MALE O-RING BRANCH TEE

代 号 PART NO.	螺 纹 THREAD			O 形圈 O-RING		尺 寸 DIMENSIONS				
	E	F	G		F 端	A	B	C	S1	S2
ABGB-04OG	G1/4"X19	G1/4"X19	G1/4"X19		O111	25	31.8	25	14	19
ABGB-06-04-06OG	G3/8"X19	G1/4"X19	G3/8"X19		O111	27.5	33.5	27.5	16	19
ABGB-06OG	G3/8"X19	G3/8"X19	G3/8"X19		O113	27.5	36.8	27.5	16	22
ABGB-08-06-08OG	G1/2"X14	G3/8"X19	G1/2"X14		O113	34.5	39.5	34.5	22	22
ABGB-08OG	G1/2"X14	G1/2"X14	G1/2"X14		O115	34.5	43.2	34.5	22	27
ABGB-12-08-12OG	G3/4"X14	G1/2"X14	G3/4"X14		O115	40	46.5	40	27	27
ABGB-12OG	G3/4"X14	G3/4"X14	G3/4"X14		O119	40	49.3	40	27	32
ABGB-16OG	G1"X11	G1"X11	G1"X11		O217	46	53	46	33	41

注：F 端与 DIN 3852 油口相配。 Note：F end is connected with DIN 3852 port.

www.fitsch.cn




ABHB-OG

英管外螺纹 60° 内锥 / 公制外螺纹
可调向柱端轻系列 ISO 6149-3 三通
BSP MALE 60° SEAT / METRIC MALE ADJUSTABLE
STUD END L-SERIES ISO6149-3 BRANCH TEE

代 号	螺 纹 THREAD			O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	G		F 端	A	B	C	S1	S2
ABHB-02-10-02OG	G1/8"X28	M10X1	G1/8"X28		8.1X1.6	19.8	26.5	19.8	11	14
ABHB-02-12-02OG	G1/8"X28	M12X1.5	G1/8"X28		9.3X2.4	22.3	32	22.3	14	17
ABHB-04-12-04OG	G1/4"X19	M12X1.5	G1/4"X19		9.3X2.4	24.5	32	24.5	14	17
ABHB-04-14-04OG	G1/4"X19	M14X1.5	G1/4"X19		11.3X2.4	24.5	32	24.5	14	19
ABHB-04-16-04OG	G1/4"X19	M16X1.5	G1/4"X19		13.3X2.4	26.5	34.8	26.5	16	22
ABHB-06-14-06OG	G3/8"X19	M14X1.5	G3/8"X19		11.3X2.4	27.5	34	27.5	16	19
ABHB-06-16-06OG	G3/8"X19	M16X1.5	G3/8"X19		13.3X2.4	27.5	34.8	27.5	16	22
ABHB-06-18-06OG	G3/8"X19	M18X1.5	G3/8"X19		15.3X2.4	28.5	37	28.5	19	24
ABHB-08-18-08OG	G1/2"X14	M18X1.5	G1/2"X14		15.3X2.4	34.5	39.5	34.5	22	24
ABHB-08-20-08OG	G1/2"X14	M20X1.5	G1/2"X14		17.3X2.4	34.5	40	34.5	22	27
ABHB-08-22-08OG	G1/2"X14	M22X1.5	G1/2"X14		19.3X2.4	34.5	40.2	34.5	22	27
ABHB-10-22-10OG	G5/8"X14	M22X1.5	G5/8"X14		19.3X2.4	35	40.2	35	22	27
ABHB-12-22-12OG	G3/4"X14	M22X1.5	G3/4"X14		19.3X2.4	40	43.5	40	27	27
ABHB-12-27-12OG	G3/4"X14	M27X2	G3/4"X14		23.5X3	40	48.5	40	27	32
ABHB-16-27-16OG	G1"X11	M27X2	G1"X11		23.5X3	46	52	46	33	32
ABHB-16-33-16OG	G1"X11	M33X2	G1"X11		29.2X3	46	52.5	46	33	41
ABHB-20-42-20OG	G1.1/4"X11	M42X2	G1.1/4"X11		38.5X3	50.5	57.2	50.5	41	50
ABHB-24-48-24OG	G1.1/2"X11	M48X2	G1.1/2"X11		44.5X3	57.5	62.7	57.5	48	55

注：F 端可与 ISO 9974-1 油口相配，去掉挡圈与 ISO 6149-1 油口相配。
Note：F end fit for ISO 9974-1 port or ISO 6149-1 port when useless of retaining ring.

www.fitsch.cn




ABOB-OG

英管外螺纹 60° 内锥 / SAE 外螺纹
带 O 形圈轻系列 ISO 11926-3 三通
BSP MALE 60° SEAT / SAE O-RING
BOSS L-SERIES ISO 11926-3 BRANCH TEE

代 号 PART NO.	螺 纹 THREAD			O 形圈 O-RING	尺 寸 DIMENSIONS				
	E	F	G	F 端	A	B	C	S1	S2
ABOB-04OG	G1/4"X19	7/16"X20	G1/4"X19	8.92X1.83	25	30.5	25	14	17
ABOB-06-04-06OG	G3/8"X19	7/16"X20	G3/8"X19	8.92X1.83	27.5	31.5	27.5	16	17
ABOB-06OG	G3/8"X19	9/16"X18	G3/8"X19	11.89X1.98	27.5	33.3	27.5	16	19
ABOB-08-06-08OG	G1/2"X14	9/16"X18	G1/2"X14	11.89X1.98	34.5	37	34.5	22	19
ABOB-08OG	G1/2"X14	3/4"X16	G1/2"X14	16.36X2.21	34.5	40	34.5	22	24
ABOB-12-10-12OG	G3/4"X14	7/8"X14	G3/4"X14	19.18X2.46	40	47	40	27	27
ABOB-12OG	G3/4"X14	1.1/16"X12	G3/4"X14	23.47X2.95	40	51	40	27	32
ABOB-16-12-16OG	G1"X11	1.1/16"X12	G1"X11	23.47X2.95	46	54.5	46	33	32
ABOB-16OG	G1"X11	1.5/16"X12	G1"X11	29.74X2.95	46	54.5	46	33	41
注：F 端与 ISO 11926-1 油口相配。 Note：F end is connected with ISO 11926-1 port.									

www.fitsch.cn




ABTB-SP

英管外螺纹 / 英锥管外螺纹 / 英管外螺纹
BSP MALE/BSPT MALE/BSP MALE

代 号 PART NO.	螺 纹 THREAD					尺 寸 DIMENSIONS				
	E	F	G			A	B	C	S1	
ABTB-02SP	G1/8"X28	R1/8"X28	G1/8"X28			19.8	21	19.8	11	
ABTB-04SP	G1/4"X19	R1/4"X19	G1/4"X19			24.5	25.5	24.5	14	
ABTB-06SP	G3/8"X19	R3/8"X19	G3/8"X19			27.5	28.5	27.5	16	
ABTB-08SP	G1/2"X14	R1/2"X14	G1/2"X14			34.5	36	34.5	22	
ABTB-12SP	G3/4"X14	R3/4"X14	G3/4"X14			40	43.5	40	27	
ABTB-16SP	G1"X11	R1"X11	G1"X11			46	50	46	33	

www.fitsch.cn




BB

英管外螺纹 60° 内锥 / 英管内螺纹 60° 外锥 三通

BSP MALE 60° SEAT / BSP FEMALE 60° CONE BRANCH TEE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	S2
BB-02	G1/8"X28	G1/8"X28	G1/8"X28			19.8	5.5	19.8	11	14
BB-04	G1/4"X19	G1/4"X19	G1/4"X19			24.5	5.5	24.5	14	19
BB-06	G3/8"X19	G3/8"X19	G3/8"X19			27.5	6.3	27.5	16	22
BB-08	G1/2"X14	G1/2"X14	G1/2"X14			34.5	7.5	34.5	22	27
BB-12	G3/4"X14	G3/4"X14	G3/4"X14			40	10.9	40	27	32
BB-16	G1"X11	G1"X11	G1"X11			46	11.7	46	33	41
BB-20	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11			50.5	11	50.5	41	50
BB-24	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11			57.5	13	57.5	48	55
BB-32	G2"X11	G2"X11	G2"X11			72.5	16	72.5	63	70

www.fitsch.cn




BB-OR

英管外螺纹 / 英管内螺纹外锥面带 O 形圈 / 英管外螺纹

BSP MALE/BSP FEMALE O-RING BOSS/BSP MALE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	S2
BB-04OR	G1/4"X19	G1/4"X19	G1/4"X19			24.5	5.5	24.5	14	19
BB-06OR	G3/8"X19	G3/8"X19	G3/8"X19			27.5	6.3	27.5	16	22
BB-08OR	G1/2"X14	G1/2"X14	G1/2"X14			34.5	7.5	34.5	22	27
BB-12OR	G3/4"X14	G3/4"X14	G3/4"X14			40	10.9	40	27	32
BB-16OR	G1"X11	G1"X11	G1"X11			46	11.7	46	33	41
BB-20OR	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11			50.5	11	50.5	41	50
BB-24OR	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11			57.5	13	57.5	48	55
BB-32OR	G2"X11	G2"X11	G2"X11			68	16	68	63	70

www.fitsch.cn




CB

英管外螺纹 60° 内锥 / 英管
内螺纹 60° 外锥 三通
BSP MALE 60° SEAT / BSP
FEMALE 60° CONE RUN TEE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	S2
CB-02	G1/8"X28	G1/8"X28	G1/8"X28			19.8	19.8	5.5	11	14
CB-04	G1/4"X19	G1/4"X19	G1/4"X19			25	25	5.5	14	19
CB-06	G3/8"X19	G3/8"X19	G3/8"X19			27.5	27.5	6.3	16	22
CB-08	G1/2"X14	G1/2"X14	G1/2"X14			34.5	34.5	7.5	22	27
CB-10	G5/8"X14	G5/8"X14	G5/8"X14			34.5	34.5	9.5	22	30
CB-12	G3/4"X14	G3/4"X14	G3/4"X14			40	40	10.9	27	32
CB-16	G1"X11	G1"X11	G1"X11			46	46	11.7	33	41
CB-20	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11			50.5	50.5	11	41	50
CB-24	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11			57.5	57.5	13	48	55
CB-32	G2"X11	G2"X11	G2"X11			72.5	72.5	16	63	70

www.fitsch.cn




CB-OR

英管外螺纹 / 英管外螺纹 / 英管
内螺纹外锥面带 O 形圈
BSP MALE/BSP MALE/BSP
FEMALE CONE O-RING BOSS

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	S2
CB-04OR	G1/4"X19	G1/4"X19	G1/4"X19			25	25	5.5	14	19
CB-06OR	G3/8"X19	G3/8"X19	G3/8"X19			27.5	27.5	6.3	16	22
CB-08OR	G1/2"X14	G1/2"X14	G1/2"X14			34.5	34.5	7.5	22	27
CB-10OR	G5/8"X14	G5/8"X14	G5/8"X14			34.5	34.5	9.5	22	30
CB-12OR	G3/4"X14	G3/4"X14	G3/4"X14			40	40	10.9	27	32
CB-16OR	G1"X11	G1"X11	G1"X11			46	46	11.7	33	41
CB-20OR	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11			50.5	50.5	11	41	50
CB-24OR	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11			57.5	57.5	13	48	55
CB-32OR	G2"X11	G2"X11	G2"X11			68	68	16	63	70

www.fitsch.cn




DB

英管内螺纹 60° 外锥 三通

BSP FEMALE 60° CONE TEE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS			
PART NO.	E	F	G			A,B,C		S1	S2，S3,S4
DB-02	G1/8"X28	G1/8"X28	G1/8"X28			5.5		11	14
DB-04	G1/4"X19	G1/4"X19	G1/4"X19			5.5		11	19
DB-06	G3/8"X19	G3/8"X19	G3/8"X19			6.3		14	22
DB-08	G1/2"X14	G1/2"X14	G1/2"X14			7.5		19	27
DB-10	G5/8"X14	G5/8"X14	G5/8"X14			9.5		22	30
DB-12	G3/4"X14	G3/4"X14	G3/4"X14			10.9		24	32
DB-16	G1"X11	G1"X11	G1"X11			11.7		30	41
DB-20	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11			11		36	50
DB-24	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11			13		48	55
DB-32	G2"X11	G2"X11	G2"X11			16		55	70

www.fitsch.cn




EB

英管内螺纹 / 英管外螺纹 / 英管内螺纹

BSP FEMALE/BSP MALE/BSP FEMALE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A,C	B	S1	S2	S3
EB-02	G1/8"X28	G1/8"X28	G1/8"X28			5.5	20	11	14	14
EB-04	G1/4"X19	G1/4"X19	G1/4"X19			5.5	24.5	14	19	19
EB-06	G3/8"X19	G3/8"X19	G3/8"X19			6.3	27.5	16	22	22
EB-08	G1/2"X14	G1/2"X14	G1/2"X14			7.5	34.5	22	27	27
EB-10	G5/8"X14	G5/8"X14	G5/8"X14			9.5	35	22	30	30
EB-12	G3/4"X14	G3/4"X14	G3/4"X14			10.9	40	27	32	32
EB-16	G1"X11	G1"X11	G1"X11			11.7	46	33	41	41
EB-20	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11			11	50.5	41	50	50
EB-24	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11			13	57.5	48	55	55
EB-32	G2"X11	G2"X11	G2"X11			16	68	63	70	70

www.fitsch.cn




EBGB-OG

英管内螺纹 60° 外锥 / 英管
外螺纹 O 形圈 三通
BSP FEMALE 60° CONE / BSP
MALE O-RING BRANCH TEE

代 号	螺 纹 THREAD			O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	G		F 端	A,C	B	S1	S2,S4	S3
EBGB-04OG	G1/4"X19	G1/4"X19	G1/4"X19		10.77X2.62	5.5	31.8	14	19	19
EBGB-06OG	G3/8"X19	G3/8"X19	G3/8"X19		13.94X2.62	6.3	36.8	19	22	22
EBGB-08OG	G1/2"X14	G1/2"X14	G1/2"X14		17.12X2.62	7.5	43.2	22	27	27
EBGB-10OG	G5/8"X14	G5/8"X14	G5/8"X14		19.18X2.46	9.5	44.5	22	30	30
EBGB-12OG	G3/4"X14	G3/4"X14	G3/4"X14		23.47X2.62	10.9	49.3	27	32	32
EBGB-16OG	G1"X11	G1"X11	G1"X11		29.74X3.53	11.7	53	33	41	41
注：F 端与 DIN 3852 油口相配。 Note：F end is connected with DIN 3852 port.										

www.fitsch.cn




EBNB

英管内螺纹 / 美制布锥管外螺纹 / 英管内螺纹
BSP FEMALE/NPT MALE/BSP FEMALE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A,C	B	S1	S2	S3
EBNB-02	G1/8"X28	Z1/8"X27	G1/8"X28			5.5	21	11	14	14
EBNB-04	G1/4"X19	Z1/4"X18	G1/4"X19			5.5	25.5	14	19	19
EBNB-06	G3/8"X19	Z3/8"X18	G3/8"X19			6.3	31	19	22	22
EBNB-06-04-06	G3/8"X19	Z1/4"X18	G3/8"X19			6.3	25.5	14	22	22
EBNB-08	G1/2"X14	Z1/2"X14	G1/2"X14			7.5	36.7	22	27	27
EBNB-08-06-08	G1/2"X14	Z3/8"X18	G1/2"X14			7.5	31	19	27	27
EBNB-12-08-12	G3/4"X14	Z1/2"X14	G3/4"X14			10.9	37.5	24	32	32
EBNB-12	G3/4"X14	Z3/4"X14	G3/4"X14			10.9	44	27	32	32
EBNB-16	G1"X11	Z1"X11.5	G1"X11			11.7	50	33	41	41
EBNB-20	G1.1/4"X11	Z1.1/4"X11.5	G1.1/4"X11			11	54.5	41	50	50
EBNB-24	G1.1/2"X11	Z1.1/2"X11.5	G1.1/2"X11			13	63	48	55	55

www.fitsch.cn




FB

英管内螺纹 / 英管内螺纹 / 英管外螺纹

BSP FEMALE/BSP FEMALE/BSP MALE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS					
PART NO.	E	F	G			A	B	C	S1	S2	S3
FB-02	G1/8"X28	G1/8"X28	G1/8"X28			5.5	5.5	20	11	14	14
FB-04	G1/4"X19	G1/4"X19	G1/4"X19			5.5	5.5	24.5	14	19	19
FB-06	G3/8"X19	G3/8"X19	G3/8"X19			6.3	6.3	27.5	16	22	22
FB-08	G1/2"X14	G1/2"X14	G1/2"X14			7.5	7.5	34.5	22	27	27
FB-10	G5/8"X14	G5/8"X14	G5/8"X14			9.5	9.5	35	22	30	30
FB-12	G3/4"X14	G3/4"X14	G3/4"X14			10.9	10.9	40	27	32	32
FB-12-08-12	G3/4"X14	G1/2"X14	G3/4"X14			10.9	7.5	40	27	32	27
FB-16	G1"X11	G1"X11	G1"X11			11.7	11.7	46	33	41	41
FB-20	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11			11	11	50.5	41	50	50
FB-24	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11			13	13	57.5	48	55	55
FB-32	G2"X11	G2"X11	G2"X11			16	16	68	63	70	70

www.fitsch.cn




GB-PK

英管内螺纹
BSP FEMALE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	
GB-02PK	G1/8"X28	G1/8"X28	G1/8"X28			20	20	20	16	
GB-04PK	G1/4"X19	G1/4"X19	G1/4"X19			22.5	22.5	22.5	19	
GB-06PK	G3/8"X19	G3/8"X19	G3/8"X19			26	26	26	24	
GB-08PK	G1/2"X14	G1/2"X14	G1/2"X14			31	31	31	27	
GB-12PK	G3/4"X14	G3/4"X14	G3/4"X14			34	34	34	33	
GB-16PK	G1"X11	G1"X11	G1"X11			42	42	42	41	
GB-20PK	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11			48	48	48	50	
GB-24PK	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11			53	53	53	60	
GB-32PK	G2"X11	G2"X11	G2"X11			62	62	62	70	


www.fitsch.cn



KBNB

英管外螺纹 / 布锥管内螺纹 / 英管外螺纹
BSP MALE/NPT FEMALE/BSP MALE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	
KBNB-04	G1/4"X19	Z1/4"X18	G1/4"X19			25.5	22.4	25.5	19	
KBNB-06	G3/8"X19	Z3/8"X18	G3/8"X19			30.5	25	30.5	24	
KBNB-08	G1/2"X14	Z1/2"X14	G1/2"X14			39	31.2	39	30	
KBNB-12	G3/4"X14	Z3/4"X14	G3/4"X14			43.5	34.5	43.5	33	
KBNB-16	G1"X11	Z1"X11.5	G1"X11			50.5	41.1	50.5	41	




XB

英管外螺纹 60° 内锥

BSP MALE 60° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E,F,G,H				A,B,C,D	S1			
XB-04	G1/4"X19				24.5	14			
XB-06	G3/8"X19				27.5	16			
XB-08	G1/2"X14				34.5	22			
XB-10	G5/8"X14				35	22			
XB-12	G3/4"X14				40	27			
XB-16	G1"X11				46	33			
XB-20	G1.1/4"X11				50.5	41			
XB-24	G1.1/2"X11				57.5	48			

www.fitsch.cn




YB

英管内螺纹 60° 外锥面

BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E,F,G,H				A,B,C,D	S1	S2,S3,S4,S5		
YB-02	G1/8"X28				5.5	11	14		
YB-04	G1/4"X19				5.5	11	19		
YB-06	G3/8"X19				6.3	14	22		
YB-08	G1/2"X14				7.5	19	27		
YB-10	G5/8"X14				9.5	22	30		
YB-12	G3/4"X14				10.9	24	32		
YB-16	G1"X11				11.7	30	41		
YB-20	G1.1/4"X11				11	41	50		
YB-24	G1.1/2"X11				13	48	55		

www.fitsch.cn




ZB

英管内螺纹
BSP FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E，F，G,H				A,B,C,D	S1			
ZB-02	G1/8"X28				20	16			
ZB-04	G1/4"X19				22.5	19			
ZB-06	G3/8"X19				26	24			
ZB-08	G1/2"X14				32	30			
ZB-12	G3/4"X14				34	33			
ZB-16	G1"X11				42	41			
ZB-20	G1.1/4"X11				48	50			
ZB-24	G1.1/2"X11				53	60			
ZB-32	G2"X11				62	70			

www.fitsch.cn




1OT-SP

SAE外螺纹带O形圈/英锥管外螺纹
SAE O-RING BOSS/BSPT MALE

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E端		A	B	L	S1	
1OT-04SP	7/16"X20	R1/4"X19	O904		9.14	14.5	29.5	17	
1OT-06SP	9/16"X18	R3/8"X19	O906		9.93	15	30.5	19	
1OT-06-04SP	9/16"X18	R1/4"X19	O906		9.93	14.5	30	19	
1OT-08-04SP	3/4"X16	R1/4"X19	O908		11.13	14.5	33.5	22	
1OT-08-06SP	3/4"X16	R3/8"X19	O908		11.13	15	34	22	
1OT-08SP	3/4"X16	R1/2"X14	O908		11.13	20	38	22	
1OT-10-06SP	7/8"X14	R3/8"X19	O910		12.7	15	37.5	27	
1OT-10-08SP	7/8"X14	R1/2"X14	O910		12.7	20	42.5	27	
1OT-12-08SP	1.1/16"X12	R1/2"X14	O912		15.09	20	46	32	
1OT-12SP	1.1/16"X12	R3/4"X14	O912		15.09	20	46	32	
1OT-16-12SP	1.5/16"X12	R3/4"X14	O916		15.09	20	46	38	
1OT-16SP	1.5/16"X12	R1"X11	O916		15.09	25.5	51	38	
1OT-20-16SP	1.5/8"X12	R1"X11	O920		15.09	25.5	55.5	50	

www.fitsch.cn




1T4-SP

45° 英锥管外螺纹
45° BSPT MALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
1T4-02SP	R1/8"X28	R1/8"X28			17	17	11		
1T4-04SP	R1/4"X19	R1/4"X19			21	21	14		
1T4-04-06SP	R1/4"X19	R3/8"X19			21	23	16		
1T4-06SP	R3/8"X19	R3/8"X19			23	23	16		
1T4-06-08SP	R3/8"X19	R1/2"X14			25	29.5	22		
1T4-08SP	R1/2"X14	R1/2"X14			29.5	29.5	22		
1T4-08-12SP	R1/2"X14	R3/4"X14			30	30.5	27		
1T4-12SP	R3/4"X14	R3/4"X14			30.5	30.5	27		
1T4-12-16SP	R3/4"X14	R1"X11			32.5	38	33		
1T4-16SP	R1"X11	R1"X11			38	38	33		
1T4-16-20SP	R1"X11	R1.1/4"X11			42	43	41		
1T4-20SP	R1.1/4"X11	R1.1/4"X11			43	43	41		
1T4-24SP	R1.1/2"X11	R1.1/2"X11			47.5	47.5	48		
1T4-32SP	R2"X11	R2"X11			53	53	63		

www.fitsch.cn




1T9-SP

90° 弯英锥管外螺纹
90° ELBOW BSPT MALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
1T9-02SP	R1/8"X28	R1/8"X28			21	21	11		
1T9-02-04SP	R1/8"X28	R1/4"X19			23.5	25.5	14		
1T9-04SP	R1/4"X19	R1/4"X19			25.5	25.5	14		
1T9-04-06SP	R1/4"X19	R3/8"X19			26.5	28.5	16		
1T9-04-08SP	R1/4"X19	R1/2"X14			30.5	36	22		
1T9-06SP	R3/8"X19	R3/8"X19			28.5	28.5	16		
1T9-06-08SP	R3/8"X19	R1/2"X14			32.5	36	22		
1T9-08SP	R1/2"X14	R1/2"X14			36	36	22		
1T9-08-12SP	R1/2"X14	R3/4"X14			39.5	43.5	27		
1T9-12SP	R3/4"X14	R3/4"X14			43.5	43.5	27		
1T9-12-16SP	R3/4"X14	R1"X11			48	50	33		
1T9-16SP	R1"X11	R1"X11			50	50	33		
1T9-16-20SP	R1"X11	R1.1/4"X11			56.5	57.5	41		
1T9-20SP	R1.1/4"X11	R1.1/4"X11			57.5	57.5	41		
1T9-24SP	R1.1/2"X11	R1.1/2"X11			62.5	62.5	48		
1T9-32SP	R2"X11	R2"X11			68	75	63		

www.fitsch.cn




1TB-WD/SP

英锥管外螺纹 60° 内锥 / 英管外螺纹胶垫密封
BSPT MALE /BSP MALE CAPTIVE SEAL

代 号 PART NO.	螺 纹 THREAD		胶 垫 CAPTIVE		尺 寸 DIMENSIONS				
	E	F		端	A	B	L	S1	
1TB-02-04WD/SP	R1/8"X28	G1/4"X19		WD-B04	10	12	30	19	
1TB-04WD/SP	R1/4"X19	G1/4"X19		WD-B04	14.5	12	34.5	19	
1TB-04-06WD/SP	R1/4"X19	G3/8"X19		WD-B06	14.5	12	37	22	
1TB-04-08WD/SP	R1/4"X19	G1/2"X14		WD-B08	14.5	14	41.5	27	
1TB-04-12WD/SP	R1/4"X19	G3/4"X14		WD-B12	15	16	43	32	
1TB-06-04WD/SP	R3/8"X19	G1/4"X19		WD-B04	15	12	35	19	
1TB-06WD/SP	R3/8"X19	G3/8"X19		WD-B06	15	12	37.5	22	
1TB-06-08WD/SP	R3/8"X19	G1/2"X14		WD-B08	15	14	42	27	
1TB-06-12WD/SP	R3/8"X19	G3/4"X14		WD-B12	15	16	45	32	
1TB-08-04WD/SP	R1/2"X14	G1/4"X19		WD-B04	20	12	42	22	
1TB-08-06WD/SP	R1/2"X14	G3/8"X19		WD-B06	20	12	42.5	24	
1TB-08-12WD/SP	R1/2"X14	G3/4"X14		WD-B12	20	16	50	32	
1TB-08-16WD/SP	R1/2"X14	G1"X11		WD-B16	20.5	18	54	41	
1TB-12-06WD/SP	R3/4"X14	G3/8"X19		WD-B06	20	12	44.5	27	
1TB-12-08WD/SP	R3/4"X14	G1/2"X14		WD-B08	20	14	47	27	
1TB-12WD/SP	R3/4"X14	G3/4"X14		WD-B12	20	16	50	32	
1TB-12-16WD/SP	R3/4"X14	G1"X11		WD-B16	20.5	18	54	41	
1TB-16-12WD/SP	R1"X11	G3/4"X14		WD-B12	25.5	16	55.5	36	
1TB-16WD/SP	R1"X11	G1"X11		WD-B16	25.5	18	59.5	41	
1TB-20-16WD/SP	R1.1/4"X11	G1"X11		WD-B16	26.5	18	60.5	46	
1TB-20WD/SP	R1.1/4"X11	G1.1/4"X11		WD-B20	26.5	20	64.5	50	
1TB-20-24WD/SP	R1.1/4"X11	G1.1/2"X11		WD-B24	26.5	22	66.5	55	

www.fitsch.cn




1TG9-OG/SP

90° 英锥管外螺纹 / 英管外螺纹 O 形圈
90° BSPT MALE/BSP MALE O-RING

代 号 PART NO.	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
	E	F		F端	A	B	S1	S2	
1TG9-04OG/SP	R1/4"X19	G1/4"X19		O111	25.5	31.3	14	19	
1TG9-04-06OG/SP	R1/4"X19	G3/8"X19		O113	26.5	35.8	16	22	
1TG9-06OG/SP	R3/8"X19	G3/8"X19		O113	27.5	36.8	16	22	
1TG9-06-08OG/SP	R3/8"X19	G1/2"X14		O115	32.5	43.2	22	27	
1TG9-08OG/SP	R1/2"X14	G1/2"X14		O115	37	43.2	22	27	
1TG9-08-12OG/SP	R1/2"X14	G3/4"X14		O119	39.5	49.3	27	32	
1TG9-12OG/SP	R3/4"X14	G3/4"X14		O119	43	49.3	27	32	
1TG9-12-16OG/SP	R3/4"X14	G1"X11		O217	48	53	33	41	
1TG9-16OG/SP	R1"X11	G1"X11		O217	50	53	33	41	
1TG9-16-12OG/SP	R1"X11	G3/4"X14		O119	50	53	33	27	
1TG9-16-20OG/SP	R1"X11	G1.1/4"X11		O222	55.5	58	41	50	
1TG9-20OG/SP	R1.1/4"X11	G1.1/4"X11		O222	57	58	41	50	
1TG9-24OG/SP	R1.1/2"X11	G1.1/2"X11		O224	62.5	63	48	55	

注： F端与DIN 3852油口相配。 Note：Fend is connected with DIN 3852 port.

www.fitsch.cn




1TH9-SP/OG

90° 弯英锥管外螺纹 / 公制外螺纹轻系列 ISO 6149-3
90° ELBOW BSPT MALE / METRIC MALE L-SERIES ISO 6149-3

代 号	螺 纹 THREAD		O形圈 O-RING	尺 寸 DIMENSIONS				
PART NO.	E	F	F端	A	B	S1	S2	
1TH9-02-10SP/OG	R1/8"X28	M10X1	8.1X1.6	21	26.5	11	14	
1TH9-02-12SP/OG	R1/8"X28	M12X1.5	9.3X2.4	21	32	11	17	
1TH9-04-12SP/OG	R1/4"X19	M12X1.5	9.3X2.4	25.5	32	14	17	
1TH9-04-14SP/OG	R1/4"X19	M14X1.5	11.3X2.4	25.5	32	14	19	
1TH9-04-18SP/OG	R1/4"X19	M18X1.5	15.3X2.4	28	37	19	24	
1TH9-06-14SP/OG	R3/8"X19	M14X1.5	11.3X2.4	28.5	34	16	19	
1TH9-06-16SP/OG	R3/8"X19	M16X1.5	13.3X2.4	28.5	34.8	16	22	
1TH9-08-18SP/OG	R1/2"X14	M18X1.5	15.3X2.4	36	39.5	22	24	
1TH9-08-20SP/OG	R1/2"X14	M20X1.5	17.3X2.4	36	40	22	27	
1TH9-08-22SP/OG	R1/2"X14	M22X1.5	19.3X2.4	36	40.2	22	27	
1TH9-12-22SP/OG	R3/4"X14	M22X1.5	19.3X2.4	43.5	43.5	27	27	
1TH9-12-27SP/OG	R3/4"X14	M27X2	23.5X3	43.5	48.5	27	32	
1TH9-16-27SP/OG	R1"X11	M27X2	23.5X3	50	52	33	32	
1TH9-16-33SP/OG	R1"X11	M33X2	29.2X3	50	52.5	33	41	
1TH9-20-42SP/OG	R1.1/4"X11	M42X2	38.5X3	56.5	57.2	41	50	
1TH9-24-48SP/OG	R1.1/2"X11	M48X2	44.5X3	62.5	62.7	48	55	

注：可与ISO 9974-1油口相配，去掉挡圈与ISO 6149-1油口相配。
Note: fit for ISO 9974-1 port or ISO 6149-1 port when useless of retaining ring.

www.fitsch.cn




1TO9-OG/SP

90° 英锥管外螺纹 / 美制 SAE 外螺纹 O 形圈
90° BSPT MALE/SAE O-RING BOSS

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	S1	S2	
1TO9-04OG/SP	R1/4"X19	7/16"X20		O904	26	31	14	17	
1TO9-04-06OG/SP	R1/4"X19	9/16"X18		O906	26	31.8	14	19	
1TO9-06OG/SP	R3/8"X19	9/16"X18		O906	28.5	33.3	16	19	
1TO9-06-08OG/SP	R3/8"X19	3/4"X16		O908	31	37	19	24	
1TO9-06-10OG/SP	R3/8"X19	7/8"X14		O910	33.5	44	22	27	
1TO9-08OG/SP	R1/2"X14	3/4"X16		O908	37	40.5	22	24	
1TO9-08-10OG/SP	R1/2"X14	7/8"X14		O910	38	44	22	27	
1TO9-08-12OG/SP	R1/2"X14	1.1/16"X12		O912	41	51	27	32	
1TO9-12-10OG/SP	R3/4"X14	7/8"X14		O910	43	47	27	27	
1TO9-12OG/SP	R3/4"X14	1.1/16"X12		O912	43.5	51	27	32	
1TO9-12-16OG/SP	R3/4"X14	1.5/16"X12		O916	47.5	54.5	33	41	
1TO9-16OG/SP	R3/4"X14	1.5/16"X12		O916	50	54.5	33	41	
1TO9-20OG/SP	R1.1/4"X11	1.5/8"X12		O920	56.5	59.5	41	50	
1TO9-16-20OG/SP	R1"X11	1.5/8"X12		O920	55.5	59	41	50	

www.fitsch.cn




1T-SP

英锥管外螺纹
BSPT MALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	
1T-02SP	R1/8"X28	R1/8"X28			10	10	26	12	
1T-02-04SP	R1/8"X28	R1/4"X19			10	14.5	30.5	14	
1T-02-06SP	R1/8"X28	R3/8"X19			10	15	31	17	
1T-04SP	R1/4"X19	R1/4"X19			14.5	14.5	34	14	
1T-04-06SP	R1/4"X19	R3/8"X19			14.5	15	35	17	
1T-04-08SP	R1/4"X19	R1/2"X14			15	20	43	22	
1T-06SP	R3/8"X19	R3/8"X19			15	15	36	17	
1T-06-08SP	R3/8"X19	R1/2"X14			15	20	43	22	
1T-08SP	R1/2"X14	R1/2"X14			20	20	46	22	
1T-08-12SP	R1/2"X14	R3/4"X14			20	20	48	27	
1T-12SP	R3/4"X14	R3/4"X14			20	20	48	27	
1T-12-16SP	R3/4"X14	R1"X11			20	25.5	55.5	36	
1T-16SP	R1"X11	R1"X11			25.5	25.5	61	36	
1T-16-20SP	R1"X11	R1.1/4"X11			25.5	26.5	64.5	46	
1T-20SP	R1.1/4"X11	R1.1/4"X11			26.5	26.5	65.5	46	
1T-20-24SP	R1.1/4"X11	R1.1/2"X11			26.5	26.5	67	50	
1T-24SP	R1.1/2"X11	R1.1/2"X11			26.5	26.5	67	50	
1T-24-32SP	R1.1/2"X11	R2"X11			26.5	30	71.5	65	
1T-32SP	R2"X11	R2"X11			30	30	75	65	

www.fitsch.cn




4TN-GM

英锥管外螺纹内六角堵头
BSPT MALE HOLLOW HEX

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E				L	S1			
4TN-02GM	R1/8"X28				8	5			
4TN-04GM	R1/4"X19				9	6			
4TN-06GM	R3/8"X19				10	8			
4TN-08GM	R1/2"X14				12	10			
4TN-12GM	R3/4"X14				12	12			
4TN-16GM	R1"X11				17	17			

www.fitsch.cn




4T-SP

英锥管外螺纹堵头
BSPT MALE PLUG

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E				A	L	S1		
4T-02SP	R1/8"X28				10	16	12		
4T-04SP	R1/4"X19				14.5	20	14		
4T-06SP	R3/8"X19				15	21	17		
4T-08SP	R1/2"X14				20	27	22		
4T-12SP	R3/4"X14				20	29	27		
4T-16SP	R1"X11				25.5	36.5	36		
4T-20SP	R1.1/4"X11				26.5	38.5	46		
4T-24SP	R1.1/2"X11				26.5	42	50		
4T-32SP	R2"X11				30	47	65		

www.fitsch.cn




5GT

英管外螺纹 O 形圈 / 英锥管内螺纹
BSP MALE O-RING / BSPT FEMALE

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E端		A	L	S1		
5GT-02	G1/8"X28	Rc1/8"X28	O011		9.5	26	14		
5GT-04	G1/4"X19	Rc1/4"X19	O111		10	32	19		
5GT-06	G3/8"X19	Rc3/8"X19	O113		11.5	37	22		
5GT-08-06	G1/2"X14	Rc3/8"X19	O115		14	38	27		
5GT-08	G1/2"X14	Rc1/2"X14	O115		14	46	27		
5GT-12	G3/4"X14	Rc3/4"X14	O119		15.5	49.5	36		
5GT-16	G1"X11	Rc1"X11	O217		18	52	41		

www.fitsch.cn




5OT

SAE 外螺纹带 O 形圈 / 英锥管内螺纹
SAE O-RING BOSS/BSPT FEMALE

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	L	S1		
5OT-04	7/16"X20	Rc1/4"X19	O904		9.1	30.5	19		
5OT-04-02	7/16"X20	Rc1/8"X28	O904		9.1	26	17		
5OT-06	9/16"X18	Rc3/8"X19	O906		9.9	32.5	22		
5OT-06-04	9/16"X18	Rc1/4"X19	O906		9.9	31.5	19		
5OT-08	3/4"X16	Rc1/2"X14	O908		11.1	40	30		
5OT-08-02	3/4"X16	Rc1/8"X28	O908		11.1	22	22		
5OT-08-04	3/4"X16	Rc1/4"X19	O908		11.1	32.5	22		
5OT-08-06	3/4"X16	Rc3/8"X19	O908		11.1	34	22		
5OT-10-06	7/8"X14	Rc3/8"X19	O910		12.7	35.5	27		
5OT-10-08	7/8"X14	Rc1/2"X14	O910		12.7	41.5	30		
5OT-12-06	1.1/16"X12	Rc3/8"X19	O912		15.1	30.5	32		
5OT-12-08	1.1/16"X12	Rc1/2"X14	O912		15.1	42	32		
5OT-16	1.5/16"X12	Rc1"X11	O916		15.1	51.5	41		
5OT-16-08	1.5/16"X12	Rc1/2"X14	O916		15.1	42	38		
5OT-16-12	1.5/16"X12	Rc3/4"X14	O916		15.1	43	38		

www.fitsch.cn




5T9-SP

90° 弯英锥管外螺纹 / 英锥管内螺纹
90° ELBOW BSPT MALE / BSPT FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
5T9-02SP	R1/8"X28	Rc1/8"X28			24.5	23	16		
5T9-04SP	R1/4"X19	Rc1/4"X19			28.5	25	19		
5T9-06SP	R3/8"X19	Rc3/8"X19			33.5	25	24		
5T9-08SP	R1/2"X14	Rc1/2"X14			40.8	31.5	30		
5T9-12SP	R3/4"X14	Rc3/4"X14			47.5	37	33		
5T9-16SP	R1"X11	Rc1"X11			56.5	43	41		
5T9-20SP	R1.1/4"X11	Rc1.1/4"X11			61	50	48		
5T9-24SP	R1.1/2"X11	Rc1.1/2"X11			75	55	63		

www.fitsch.cn

过渡接头 ADAPTER




5T-SP

英锥管外螺纹 / 英锥管内螺纹
BSPT MALE / BSPT FEMALE

件号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	L	S1		
5T-02-04SP	R1/8"X28	Rc1/4"X19			11	32.5	19		
5T-04-02SP	R1/4"X19	Rc1/8"X28			14.5	20.5	14		
5T-04SP	R1/4"X19	Rc1/4"X19			14.5	36	19		
5T-04-06SP	R1/4"X19	Rc3/8"X19			14.5	38	22		
5T-06-02SP	R3/8"X19	Rc1/8"X28			15	23	19		
5T-06-04SP	R3/8"X19	Rc1/4"X19			15	23	19		
5T-06SP	R3/8"X19	Rc3/8"X19			15	38.5	22		
5T-06-08SP	R3/8"X19	Rc1/2"X14			15	44	27		
5T-08-04SP	R1/2"X14	Rc1/4"X19			20	30	24		
5T-08-06SP	R1/2"X14	Rc3/8"X19			20	30	24		
5T-08SP	R1/2"X14	Rc1/2"X14			20	49	27		
5T-08-12SP	R1/2"X14	Rc3/4"X14			20	51	36		
5T-12-06SP	R3/4"X14	Rc3/8"X19			20	31	30		
5T-12-08SP	R3/4"X14	Rc1/2"X14			20	31	30		
5T-12SP	R3/4"X14	Rc3/4"X14			20	51	36		
5T-12-16SP	R3/4"X14	Rc1"X11			20	56.5	41		
5T-16-08SP	R1"X11	Rc1/2"X14			25.5	37	36		
5T-16-12SP	R1"X11	Rc3/4"X14			25.5	37	36		
5T-16SP	R1"X11	Rc1"X11			25.5	60	41		
5T-16-20SP	R1"X11	Rc1.1/4"X11			25.5	64	50		
5T-20-12SP	R1.1/4"X11	Rc3/4"X14			26.5	38	46		
5T-20-16SP	R1.1/4"X11	Rc1"X11			26.5	38	46		
5T-20SP	R1.1/4"X11	Rc1.1/4"X11			26.5	64.5	50		
5T-24-16SP	R1.1/2"X11	Rc1"X11			26.5	41	50		
5T-24-20SP	R1.1/2"X11	Rc1.1/4"X11			26.5	41	50		
5T-32-20SP	R2"X11	Rc1.1/4"X11			30	45	65		
5T-32-24SP	R2"X11	Rc1.1/2"X11			30	45	65		

www.fitsch.cn

过渡接头 ADAPTER




7T

英锥管内螺纹
BSPT FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			L	S1			
7T-02	Rc1/8"X28	Rc1/8"X28			20	14			
7T-02-04	Rc1/8"X28	Rc1/4"X19			30	19			
7T-04	Rc1/4"X19	Rc1/4"X19			30	19			
7T-04-06	Rc1/4"X19	Rc3/8"X19			30	22			
7T-04-08	Rc1/4"X19	Rc1/2"X14			40	27			
7T-06	Rc3/8"X19	Rc3/8"X19			30	22			
7T-06-08	Rc3/8"X19	Rc1/2"X14			40	27			
7T-06-12	Rc3/8"X19	Rc3/4"X14			37	36			
7T-08	Rc1/2"X14	Rc1/2"X14			40	27			
7T-08-12	Rc1/2"X14	Rc3/4"X14			42	36			
7T-12	Rc3/4"X14	Rc3/4"X14			42	36			
7T-12-16	Rc3/4"X14	Rc1"X11			50	41			
7T-16	Rc1"X11	Rc1"X11			50	41			
7T-16-20	Rc1"X11	Rc1.1/4"X11			52	50			
7T-20	Rc1.1/4"X11	Rc1.1/4"X11			55	50			
7T-24	Rc1.1/2"X11	Rc1.1/2"X11			55	55			
7T-32	Rc2"X11	Rc2"X11			65	70			

www.fitsch.cn




7T4-PK

45° 英锥管内螺纹
45° BSPT FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
7T4-04PK	R1/4"X19	R1/4"X19			20	20	19		
7T4-06PK	R3/8"X19	R3/8"X19			22	22	24		
7T4-08PK	R1/2"X14	R1/2"X14			27.5	27.5	27		
7T4-12PK	R3/4"X14	R3/4"X14			31.5	31.5	33		
7T4-16PK	R1"X11	R1"X11			35	35	41		

www.fitsch.cn




7T9-PK

90° 弯英锥管内螺纹
90° ELBOW BSPT FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
7T9-02PK	Rc1/8"X28	Rc1/8"X28			20	20	16		
7T9-02-04PK	Rc1/8"X28	Rc1/4"X19			20	22.5	19		
7T9-04PK	Rc1/4"X19	Rc1/4"X19			22.5	22.5	19		
7T9-06PK	Rc3/8"X19	Rc3/8"X19			26	26	24		
7T9-08PK	Rc1/2"X14	Rc1/2"X14			31	31	27		
7T9-12PK	Rc3/4"X14	Rc3/4"X14			34	34	33		
7T9-16PK	Rc1"X11	Rc1"X11			42	42	41		
7T9-20PK	Rc1.1/4"X11	Rc1.1/4"X11			48	48	50		
7T9-24PK	Rc1.1/2"X11	Rc1.1/2"X11			53	53	60		
7T9-32PK	Rc2"X11	Rc2"X11			62	62	70		

www.fitsch.cn




AT-SP

英锥管外螺纹
BSPT MALE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	
AT-02SP	R1/8"X28	R1/8"X28	R1/8"X28			21	21	21	11	
AT-04SP	R1/4"X19	R1/4"X19	R1/4"X19			25.5	25.5	25.5	14	
AT-06SP	R3/8"X19	R3/8"X19	R3/8"X19			28.5	28.5	28.5	16	
AT-08SP	R1/2"X14	R1/2"X14	R1/2"X14			36	36	36	22	
AT-12SP	R3/4"X14	R3/4"X14	R3/4"X14			43.5	43.5	43.5	27	
AT-16SP	R1"X11	R1"X11	R1"X11			50	50	50	33	
AT-20SP	R1.1/4"X11	R1.1/4"X11	R1.1/4"X11			57.5	57.5	57.5	41	
AT-24SP	R1.1/2"X11	R1.1/2"X11	R1.1/2"X11			62.5	62.5	62.5	48	
AT-32SP	R2"X11	R2"X11	R2"X11			75	75	75	63	

www.fitsch.cn




CTTB-SP

英锥管外螺纹 / 英锥管外螺纹 / 英管内螺纹 60° 外锥
BSPT MALE/BSPT MALE/BSP FEMALE 60° CONE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	S2
CTTB-04SP	R1/4"X19	R1/4"X19	G1/4"X19			25.5	25.5	5.5	14	14
CTTB-06SP	R3/8"X19	R3/8"X19	G3/8"X19			28.5	28.5	6.3	16	16
CTTB-08SP	R1/2"X14	R1/2"X14	G1/2"X14			36	36	7.5	22	22
CTTB-12SP	R3/4"X14	R3/4"X14	G3/4"X14			43.5	43.5	10.9	27	27
CTTB-16SP	R1"X11	R1"X11	G1"X11			50	50	11.7	33	33
CTTB-20SP	R1.1/4"X11	R1.1/4"X11	G1.1/4"X11			56.5	56.5	11	41	41

www.fitsch.cn




GT-PK

英锥管内螺纹 三通
BSPT FEMALE TEE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	
GT-02PK	Rc1/8"X28	Rc1/8"X28	Rc1/8"X28			20	20	20	16	
GT-04PK	Rc1/4"X19	Rc1/4"X19	Rc1/4"X19			22.5	22.5	22.5	19	
GT-06PK	Rc3/8"X19	Rc3/8"X19	Rc3/8"X19			26	26	26	24	
GT-08PK	Rc1/2"X14	Rc1/2"X14	Rc1/2"X14			31	31	31	27	
GT-12PK	Rc3/4"X14	Rc3/4"X14	Rc3/4"X14			34	34	34	33	
GT-16PK	Rc1"X11	Rc1"X11	Rc1"X11			42	42	42	41	
GT-20PK	Rc1.1/4"X11	Rc1.1/4"X11	Rc1.1/4"X11			48	48	48	50	
GT-24PK	Rc1.1/2"X11	Rc1.1/2"X11	Rc1.1/2"X11			53	53	53	60	
GT-32K	Rc2"X11	Rc2"X11	Rc2"X11			62	62	62	70	

www.fitsch.cn




HT

英锥管内螺纹 / 英锥管内螺纹 / 英锥管外螺纹
BSPT FEMALE/BSPT FEMALE/BSPT MALE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	
HT-02	Rc1/8"X28	Rc1/8"X28	Rc1/8"X28			20	20	24	16	
HT-04	Rc1/4"X19	Rc1/4"X19	R1/4"X19			25	25	28	19	
HT-06	Rc3/8"X19	Rc3/8"X19	R3/8"X19			27	27	33.5	24	
HT-08	Rc1/2"X14	Rc1/2"X14	R1/2"X14			31.2	31.2	40.8	30	
HT-12	Rc3/4"X14	Rc3/4"X14	R3/4"X14			37	37	47.5	33	

www.fitsch.cn




ZT

英锥管内螺纹 四通
BSPT FEMALE CROSS

代 号 PART NO.	螺 纹 THREAD E，F，G,H				尺 寸 DIMENSIONS A,B,C,D	S1			
ZT-02	Rc1/8"X28				20	16			
ZT-04	Rc1/4"X19				22.5	19			
ZT-06	Rc3/8"X19				26	24			
ZT-08	Rc1/2"X14				31	27			
ZT-12	Rc3/4"X14				34	33			
ZT-16	Rc1"X11				42	41			
ZT-20	Rc1.1/4"X11				48	50			

www.fitsch.cn




2LA

公制外螺纹组合垫圈/英管内螺纹球面

METRIC MALE WITH BONDED SEAL/BSP FEMALE MULTISEAL

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
2LA-14-06	M14x1.5	G3/8"X19			12	5	34	19	22
2LA-16-06	M16x1.5	G3/8"X19			12	5	34	22	22
2LA-18-06	M18x1.5	G3/8"X19			12	5	36	24	22
2LA-22-08	M22x1.5	G1/2"X14			14	6	41.5	27	27
2LA-22-12	M22x1.5	G3/4"X14			14	9	43	30	32
2LA-27-12	M27x2	G3/4"X14			16	9	46	36	32
2LA-27-16	M27x2	G1"X11			16	10.5	47	36	41
2LA-33-16	M33x2	G1"X11			18	10.5	51.5	41	41
2LA-42-20	M42x2	G1.1/4"X11			20	10	57	50	50




2TA-SP

英锥管外螺纹/英管内螺纹球面

BSPT MALE / BSP FEMALE MULTISEAL

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
2TA-02SP	R1/8"X28	G1/8"X28			10	2	28.5	12	14
2TA-04SP	R1/4"X19	G1/4"X19			14.5	4	33	17	19
2TA-06SP	R3/8"X19	G3/8"X19			15	5	35.5	19	22
2TA-08SP	R1/2"X14	G1/2"X14			20	6	43.5	22	27
2TA-12SP	R3/4"X14	G3/4"X14			20	9	47	30	32
2TA-16SP	R1"X11	G1"X11			25.5	10.5	54	36	41
2TA-20SP	R1.1/4"X11	G1.1/4"X11			26.5	10	59	46	50
2TA-24SP	R1.1/2"X11	G1.1/2"X11			26.5	11	62.5	50	55
2TA-32SP	R2"X11	G2"X11			30	15	70	65	70

www.fitsch.cn




2WA

焊接管/英管内螺纹球面

BUTT- WELD TUBE/BSP FEMALE MULTISEAL

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.		F			B	D	L	S2	
2WA-08-04		G1/4"X19			4	8	40	19	
2WA-10-04		G1/4"X19			4	10	35	19	
2WA-10-06		G3/8"X19			5	10	30	22	
2WA-13-04		G1/4"X19			4	13	40	19	
2WA-12-06		G3/8"X19			5	12	40	22	
2WA-14-06		G3/8"X19			5	14	40	22	
2WA-16-08		G1/2"X14			6	16	45	27	
2WA-17-06		G3/8"X19			5	17	45	22	
2WA-18-08		G1/2"X14			6	18	45	27	
2WA-21-08		G1/2"X14			6	21	50	27	
2WA-21-12		G3/4"X14			9	21	50	32	
2WA-22-12		G3/4"X14			9	22	50	32	
2WA-27-12		G3/4"X14			9	27	50	32	
2WA-27-16		G1"X11			10.5	27	50	41	
2WA-28-16		G1"X11			10.5	28	50	41	
2WA-33-16		G1"X11			10.5	33	55	41	
2WA-34-20		G1.1/4"X11			10	34	55	50	
2WA-42-20		G1.1/4"X11			10	42	55	50	
2WA-42-32		G2"X11			15	42	55	70	
2WA-50-32		G2"X11			15	50	55	70	
2WA-57-32		G2"X11			15	57	60	70	



9A


英管内螺纹球面堵头

BSP FEMALE MULTISEAL PLUG

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E				A	L	S2		
9A-02	G1/8"X28				2	14.5	14		
9A-04	G1/4"X19				4	15	19		
9A-06	G3/8"X19				5	16	22		
9A-08	G1/2"X14				6	18	27		
9A-10	G5/8"X14				8	19	30		
9A-12	G3/4"X14				9	20	32		
9A-16	G1"X11				10.5	21	41		
9A-20	G1.1/4"X11				10	23.5	50		
9A-24	G1.1/2"X11				11	25	55		
9A-32	G2"X11				15	27	70		

www.fitsch.cn

过渡接头 ADAPTER



DA

英管内螺纹球面

BSP FEMALE MULTISEAL

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A ,B ,C	S1	S2 ,S3 ,S4		
DA-02	G1/8"X28	G1/8"X28	G1/8"X28			2	11	14		
DA-04	G1/4"X19	G1/4"X19	G1/4"X19			4	11	19		
DA-06	G3/8"X19	G3/8"X19	G3/8"X19			5	14	22		
DA-08	G1/2"X14	G1/2"X14	G1/2"X14			5	19	27		
DA-12	G3/4"X14	G3/4"X14	G3/4"X14			9	24	32		
DA-16	G1"X11	G1"X11	G1"X11			10.5	30	41		
DA-20	G1.1/4"X11	G1.1/4"X11	G1.1/4"X11			10	41	50		
DA-24	G1.1/2"X11	G1.1/2"X11	G1.1/2"X11			11	48	55		

www.fitsch.cn

PERETE

派 瑞 特

派瑞特（天津）液压件制造有限公司

PAIRUITE(TIANJIN)HYDRAULIC PARTS MANUFACTURING CO.,LTD

地址：中国·天津市南开区黄河道519号

Add:Huang hedao 519 Nankai District Tianjin,p.r.CHINNA

邮编/P.C..300112

电话/Tel:86-22-87805990

传真/Fax:86-22-87805087

E-mail:perete@163.com

perete@126.com

Http://www.perete.cn

Http://www.tjperike.com



国际标准液压流体连接件供应商

Hydraulic Fluid Fitting

www.fitsch.cn