

直通接头
STRAIGHT FITTINGS


1C **1C-RN**
1D **1D-RN**


代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS						压力等级 MPa
	E	F	D1	D2	I1	L1	S1	S2	S3		
1C-12	M12X1.5	M12X1.5	6	6	10	39	12	14	14		31.5 轻系列 L
1C-14	M14X1.5	M14X1.5	8	8	11	40	14	17	17		
1C-16	M16X1.5	M16X1.5	10	10	13	42	17	19	19		
1C-18	M18X1.5	M18X1.5	12	12	14	43	19	22	22		
1C-22	M22X1.5	M22X1.5	15	15	16	46	24	27	27		
1C-26	M26X1.5	M26X1.5	18	18	16	48	27	32	32		
1C-30	M30X2	M30X2	22	22	20	52	32	36	36		16 轻系列 L
1C-36	M36X2	M36X2	28	28	21	54	41	41	41		
1C-45	M45X2	M45X2	35	35	20	63	46	50	50		
1C-52	M52X2	M52X2	42	42	21	66	55	60	60		
1D-14	M14X1.5	M14X1.5	6	6	16	45	14	17	17		63 重系列 S
1D-16	M16X1.5	M16X1.5	8	8	18	47	17	19	19		
1D-18	M18X1.5	M18X1.5	10	10	17	49	19	22	22		
1D-20	M20X1.5	M20X1.5	12	12	19	51	22	24	24		
1D-22	M22X1.5	M22X1.5	14	14	22	57	24	27	27		
1D-24	M24X1.5	M24X1.5	16	16	21	57	27	30	30		40 重系列 S
1D-30	M30X2	M30X2	20	20	23	66	32	36	36		
1D-36	M36X2	M36X2	25	25	26	74	41	46	46		
1D-42	M42X2	M42X2	30	30	27	80	46	50	50		
1D-52	M52X2	M52X2	38	38	29	90	55	60	60		31.5重系列S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如1C9-30RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1C9-30RN.

www.fitsch.cn

DIN 2353 Tube Fittings ISO 8434-1 Connector





直通变径接头
STRAIGHT REDUCERS


1C
1D


1C-RN
1D-RN

代 号	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS					压力等级
PART NO.	E	F	D1	D2	L1	I1	S1	S2	S3	MPa
1C-12-14	M12X1.5	M14X1.5	6	8	40	11	14	15	17	
1C-12-16	M12X1.5	M16X1.5	6	10	41	12	17	15	19	
1C-12-18	M12X1.5	M18X1.5	6	12	42	13	19	15	22	
1C-14-16	M14X1.5	M16X1.5	8	10	41	13	17	17	19	31.5
1C-14-18	M14X1.5	M18X1.5	8	12	42	13	19	17	22	轻系列
1C-16-18	M16X1.5	M18X1.5	10	12	43	14	19	19	22	L
1C-16-22	M16X1.5	M22X1.5	10	15	44.5	15	24	19	27	
1C-16-26	M16X1.5	M26X1.5	10	18	46	15.5	27	19	32	
1C-18-22	M18X1.5	M22X1.5	12	15	44.5	15	24	22	27	
1C-18-26	M18X1.5	M26X1.5	12	18	46	15.5	27	22	32	
1C-18-30	M18X1.5	M30X2	12	22	48	17.5	32	22	36	
1C-22-26	M22X1.5	M26X1.5	15	18	47.5	16.5	27	27	32	
1C-22-30	M22X1.5	M30X2	15	22	49.5	18.5	32	27	36	
1C-26-30	M26X1.5	M30X2	18	22	50	18	32	32	36	16
1C-26-36	M26X1.5	M36X2	18	28	51.5	19	41	32	41	轻系列
1C-30-36	M30X2	M36X2	22	28	53.5	21	41	36	41	L
1C-30-45	M30X2	M45X2	22	35	58.5	21	46	36	50	
1C-36-45	M36X2	M45X2	28	35	59	21	46	41	50	
1D-14-16	M14X1.5	M16X1.5	6	8	47	18	17	17	19	
1D-14-18	M14X1.5	M18X1.5	6	10	48	17.5	19	17	22	
1D-14-20	M14X1.5	M20X1.5	6	12	50	19.5	22	17	24	63
1D-16-18	M16X1.5	M18X1.5	8	10	48	17.5	19	19	22	
1D-16-20	M16X1.5	M20X1.5	8	12	50	19.5	22	19	24	重系列
1D-18-20	M18X1.5	M20X1.5	10	12	51	19	22	22	24	S
1D-18-22	M18X1.5	M22X1.5	10	14	54	20.5	24	22	27	
1D-18-30	M18X1.5	M30X2	10	20	59.5	22	32	22	36	
1D-20-22	M20X1.5	M22X1.5	12	14	54	20.5	24	24	27	
1D-20-24	M20X1.5	M24X1.5	12	16	54	20	27	24	30	
1D-20-30	M20X1.5	M30X2	12	20	59.5	22	32	24	36	
1D-22-24	M22X1.5	M24X1.5	14	16	57	21.5	27	27	30	
1D-24-30	M24X1.5	M30X2	16	20	62.5	23	32	30	36	40
1D-24-36	M24X1.5	M36X2	16	25	67.5	25.5	41	30	46	重系列
1D-30-36	M30X2	M36X2	20	25	71	25.5	41	36	46	S
1D-30-42	M30X2	M42X2	20	30	74	26	46	36	50	
1D-36-42	M36X2	M42X2	25	30	77	26.5	46	46	50	
1D-42-52	M42X2	M52X2	30	38	86.5	28.5	55	50	60	31.5重系列S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如1C9-30RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1C9-30RN.

www.fitsch.cn





90° 弯曲接头
90° ELBOW FITTINGS


1C9
1D9


1C9-RN
1D9-RN

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS						压力等级 MPa
	E	F	D1	D2	I1,I2	L1,L2	S1	S2,S3			
1C9-12	M12X1.5	M12X1.5	6	6	12	27	12	14			31.5 轻系列 L
1C9-14	M14X1.5	M14X1.5	8	8	14	29	12	17			
1C9-16	M16X1.5	M16X1.5	10	10	15	30	14	19			
1C9-18	M18X1.5	M18X1.5	12	12	17	32	17	22			
1C9-22	M22X1.5	M22X1.5	15	15	21	36	19	27			
1C9-26	M26X1.5	M26X1.5	18	18	23.5	40	24	32			
1C9-30	M30X2	M30X2	22	22	27.5	44	27	36			16 轻系列 L
1C9-36	M36X2	M36X2	28	28	30.5	47	36	41			
1C9-45	M45X2	M45X2	35	35	34.5	56	41	50			
1C9-52	M52X2	M52X2	42	42	40	63	50	60			
1D9-14	M14X1.5	M14X1.5	6	6	16	31	12	17			63 重系列 S
1D9-16	M16X1.5	M16X1.5	8	8	17	32	14	19			
1D9-18	M18X1.5	M18X1.5	10	10	17.5	34	17	22			
1D9-20	M20X1.5	M20X1.5	12	12	21.5	38	17	24			
1D9-22	M22X1.5	M22X1.5	14	14	22	40	19	27			
1D9-24	M24X1.5	M24X1.5	16	16	24.5	43	24	30			40 重系列 S
1D9-30	M30X2	M30X2	20	20	26.5	48	27	36			
1D9-36	M36X2	M36X2	25	25	30	54	36	46			
1D9-42	M42X2	M42X2	30	30	35.5	62	41	50			31.5 重系列S
1D9-52	M52X2	M52X2	38	38	41	72	50	60			

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如1C9-30RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1C9-30RN.

DIN 2353 Tube Fittings ISO 8434-1 Connector





英管螺纹 60° 锥密封或
组合垫密封两用柱端
BSP THREAD 60° CONE SEALING
OR BONDED SEAL STUD ENDS

1CB
1DB


1CB-RN
1DB-RN


代 号	螺 纹 THREAD		管子外径 TUBE O.D.	尺 寸 DIMENSIONS						压力等级
PART NO.	E	F	D1	B	I1	L1	L	S1	S2	MPa
1CB-12-02	M12X1.5	G1/8"X28	6	10	8	23	24	14	14	31.5 轻系列 L
1CB-12-04	M12X1.5	G1/4"X19	6	12	9	24	28	19	14	
1CB-14-02	M14X1.5	G1/8"X28	8	10	8	23	25	14	17	
1CB-14-04	M14X1.5	G1/4"X19	8	12	9	25	28	19	17	
1CB-14-06	M14X1.5	G3/8"X19	8	13.5	9	24	28.5	22	17	
1CB-16-04	M16X1.5	G1/4"X19	10	12	10	25	28	19	19	
1CB-16-06	M16X1.5	G3/8"X19	10	13.5	12.5	25	33	22	19	
1CB-16-08	M16X1.5	G1/2"X14	10	16	11	26	32	27	19	
1CB-18-04	M18X1.5	G1/4"X19	12	12	10	25	29	19	22	
1CB-18-06	M18X1.5	G3/8"X19	12	13.5	10	25	30.5	22	22	
1CB-18-08	M18X1.5	G1/2"X14	12	16	11	26	33	27	22	
1CB-18-12	M18X1.5	G3/4"X14	12	18.5	11	26	36.5	32	22	
1CB-22-06	M22X1.5	G3/8"X19	15	13.5	11	26	31.5	24	27	
1CB-22-08	M22X1.5	G1/2"X14	15	16	12	27	34	27	27	
1CB-26-08	M26X1.5	G1/2"X14	18	16	11.5	28	35	27	32	
1CB-26-12	M26X1.5	G3/4"X14	18	18.5	11.5	28	35.5	32	32	
1CB-30-12	M30X2	G3/4"X14	22	18.5	13.5	30	39.5	32	36	16 轻系列 L
1CB-36-16	M36X2	G1"X11	28	20.5	14.5	31	42.5	41	41	
1CB-45-20	M45X2	G1.1/4"X11	35	20.5	15.5	37	45.5	50	50	
1CB-52-24	M52X2	G1.1/2"X11	42	23	16	39	50	55	60	
1DB-14-04	M14X1.5	G1/4"X19	6	12	13	28	30	19	17	63 重系列 S
1DB-16-04	M16X1.5	G1/4"X19	8	12	13	28	32	19	19	
1DB-16-06	M16X1.5	G3/8"X19	8	13.5	15	32	35.5	22	19	
1DB-18-04	M18X1.5	G1/4"X19	10	12	12.5	29	32	19	22	
1DB-18-06	M18X1.5	G3/8"X19	10	13.5	14.5	31	33.5	22	22	
1DB-18-08	M18X1.5	G1/2"X14	10	16	14.5	31	36	27	22	
1DB-20-04	M20X1.5	G1/4"X19	12	12	14.5	31	34	22	24	
1DB-20-06	M20X1.5	G3/8"X19	12	13.5	14.5	31	35.5	22	24	
1DB-20-08	M20X1.5	G1/2"X14	12	16	14.5	31	38	27	24	
1DB-22-08	M22X1.5	G1/2"X14	14	16	16	34	40	27	27	
1DB-24-06	M24X1.5	G3/8"X19	16	13.5	15.5	34	37.5	27	30	40 重系列 S
1DB-24-08	M24X1.5	G1/2"X14	16	16	15.5	34	40	27	30	
1DB-24-12	M24X1.5	G3/4"X14	16	18.5	17.5	36	44.5	32	30	
1DB-30-12	M30X2	G3/4"X14	20	18.5	17.5	39	48.5	32	36	
1DB-36-08	M36X2	G1/2"X14	25	16	19	43	48	38	46	
1DB-36-12	M36X2	G3/4"X14	25	18.5	19	43	50.5	38	46	
1DB-36-16	M36X2	G1"X11	25	20.5	20	44	52.5	41	46	
1DB-42-20	M42X2	G1.1/4"X11	30	20.5	21.5	48	54.5	50	50	
1DB-52-24	M52X2	G1.1/2"X11	38	23	23	54	62	55	60	31.5 重系列 S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”，如 1DB-20-08RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1DB-20-08RN.

www.fitsch.cn

DIN 2353 Tube Fittings ISO 8434-1 Connector





英管螺纹胶垫密封柱端
BSP THREAD WITH CAPTIVE SEAL

1CB-WD
1DB-WD


1CB-WD/RN
1DB-WD/RN

代 号 PART NO.	螺 纹 THREAD E	F	管子外径 TUBE O.D. D1		尺 寸 DIMENSIONS B	l1	L1	S1	S2		压力等级 MPa
1CB-12-02WD	M12X1.5	G1/8"X28	6		8	8.5	23.5	14	14		31.5 轻系列 L
1CB-12-04WD	M12X1.5	G1/4"X19	6		12	10	25	19	14		
1CB-12-06WD	M12X1.5	G3/8"X19	6		12	11.5	26.5	22	14		
1CB-14-02WD	M14X1.5	G1/8"X28	8		8	9	24	14	17		
1CB-14-04WD	M14X1.5	G1/4"X19	8		12	10	24	19	17		
1CB-14-06WD	M14X1.5	G3/8"X19	8		12	11	26	22	17		
1CB-16-04WD	M16X1.5	G1/4"X19	10		12	11	24.5	19	19		
1CB-16-06WD	M16X1.5	G3/8"X19	10		12	12.5	26	22	19		
1CB-16-08WD	M16X1.5	G1/2"X14	10		14	13	28	27	19		
1CB-18-04WD	M18X1.5	G1/4"X19	12		12	12	27	19	22		
1CB-18-06WD	M18X1.5	G3/8"X19	12		12	12.5	26	22	22		
1CB-18-08WD	M18X1.5	G1/2"X14	12		14	14	28	27	22		
1CB-22-04WD	M22X1.5	G1/4"X19	15		12	13	28	24	27		
1CB-22-06WD	M22X1.5	G3/8"X19	15		12	13.5	28	24	27		
1CB-22-08WD	M22X1.5	G1/2"X14	15		14	14	29	27	27		
1CB-22-12WD	M22X1.5	G3/4"X14	15		16	15	29	32	27		
1CB-26-08WD	M26X1.5	G1/2"X14	18		14	14.5	31	27	32		
1CB-26-12WD	M26X1.5	G3/4"X14	18		16	14.5	31	32	32		
1CB-30-12WD	M30X2	G3/4"X14	22		16	16.5	33	32	36		16 轻系列 L
1CB-36-16WD	M36X2	G1"X11	28		18	17.5	34	41	41		
1CB-45-20WD	M45X2	G1.1/4"X11	35		20	17.5	39	50	50		
1CB-52-24WD	M52X2	G1.1/2"X11	42		22	19	42	55	60		
1DB-14-04WD	M14X1.5	G1/4"X19	6		12	15		19	17		63 重系列 S
1DB-16-04WD	M16X1.5	G1/4"X19	8		12	15	30	19	19		
1DB-16-06WD	M16X1.5	G3/8"X19	8		12	15.5	30	22	19		
1DB-18-04WD	M18X1.5	G1/4"X19	10		12	14.5	31	19	22		
1DB-18-06WD	M18X1.5	G3/8"X19	10		12	14.5	31	22	22		
1DB-18-08WD	M18X1.5	G1/2"X14	10		14	17.5	34	27	22		
1DB-20-04WD	M20X1.5	G1/4"X19	12		12	16.5	33	22	24		
1DB-20-06WD	M20X1.5	G3/8"X19	12		12	15	33	22	24		
1DB-20-08WD	M20X1.5	G1/2"X14	12		14	17.5	34	27	24		
1DB-22-08WD	M22X1.5	G1/2"X14	14		14	19	37	27	27		
1DB-24-06WD	M24X1.5	G3/8"X19	16		12	18	36.5	27	30		40 重系列 S
1DB-24-08WD	M24X1.5	G1/2"X14	16		14	18.5	37	27	30		
1DB-24-12WD	M24X1.5	G3/4"X14	16		16	20.5	39	32	30		
1DB-30-12WD	M30X2	G3/4"X14	20		16	20.5	42	32	36		
1DB-36-08WD	M36X2	G1/2"X14	25		14	23	47	41	46		
1DB-36-12WD	M36X2	G3/4"X14	25		16	23	47	41	46		
1DB-36-16WD	M36X2	G1"X11	25		18	23	47	41	46		
1DB-42-20WD	M42X2	G1.1/4"X11	30		20	23.5	50	50	50		
1DB-52-24WD	M52X2	G1.1/2"X11	38		22	26	57	55	60		31.5 重系列 S


注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 1DB-20-08WD/RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1DB-20-08WD/RN.

www.fitsch.cn

DIN 2353 Tube Fittings ISO 8434-1 Connector



1CB9
1DB9



1CB9-RN
1DB9-RN


90° 弯英管螺纹60° 锥密封
90° ELBOW BSP THREAD
60° CONE SEALING


代 号	螺 纹 THREAD		管子外径 TUBE O.D.	尺 寸 DIMENSIONS						压力等级
PART NO.	E	F	D1	I1	L1	L2	S1	S2		MPa
1CB9-12-04	M12X1.5	G1/4"X19	6	15.5	30.5	24.5	14	14		
1CB9-14-04	M14X1.5	G1/4"X19	8	15.5	30.5	24.5	14	17		
1CB9-14-06	M14X1.5	G3/8"X19	8	16.5	31.5	27.5	16	17		
1CB9-16-04	M16X1.5	G1/4"X19	10	17.5	32.5	26.5	16	19		
1CB9-16-06	M16X1.5	G3/8"X19	10	17.5	32.5	27.5	16	19		
1CB9-16-08	M16X1.5	G1/2"X14	10	21	36	34.5	22	19		31.5
1CB9-18-04	M18X1.5	G1/4"X19	12	19	34	27.5	19	22		轻系列
1CB9-18-06	M18X1.5	G3/8"X19	12	19	36	28.5	19	22		L
1CB9-18-08	M18X1.5	G1/2"X14	12	21	35.5	34.5	22	22		
1CB9-22-06	M22X1.5	G3/8"X19	15	22	37	31	22	27		
1CB9-22-08	M22X1.5	G1/2"X14	15	22	37	34.5	22	27		
1CB9-26-08	M26X1.5	G1/2"X14	18	25.5	42	37.5	27	32		
1CB9-30-12	M30X2	G3/4"X14	22	29.5	46	41	30	36		
1CB9-36-16	M36X2	G1"X11	28	33.3	49.8	47.5	36	41		16
1CB9-45-20	M45X2	G1.1/4"X11	35	39.2	60.7	54.5	48	50		轻系列
1CB9-52-24	M52X2	G1.1/2"X11	42	44.8	67.8	63	55	60		L
1DB9-14-04	M14X1.5	G1/4"X19	6	17.5	32.5	24.5	14	17		
1DB9-16-04	M16X1.5	G1/4"X19	8	18.7	33.7	26.5	16	19		
1DB9-16-06	M16X1.5	G3/8"X19	8	18.7	33.7	27.5	16	19		63
1DB9-18-04	M18X1.5	G1/4"X19	10	19.5	36	27.5	19	22		重系列
1DB9-18-06	M18X1.5	G3/8"X19	10	19.5	36	28.5	19	22		S
1DB9-18-08	M18X1.5	G1/2"X14	10	21.5	38	34.5	22	22		
1DB9-20-04	M20X1.5	G1/4"X19	12	19.5	36	27.5	19	24		
1DB9-20-06	M20X1.5	G3/8"X19	12	19.5	36	28.5	19	24		
1DB9-20-08	M20X1.5	G1/2"X14	12	21.5	38	34.5	22	24		
1DB9-22-08	M22X1.5	G1/2"X14	14	23	41	34.5	22	27		
1DB9-24-06	M24X1.5	G3/8"X19	16	24	42.5	32	24	30		
1DB9-24-08	M24X1.5	G1/2"X14	16	24	42.5	35	24	30		
1DB9-24-12	M24X1.5	G3/4"X14	16	26	44.5	40	27	30		
1DB9-30-12	M30X2	G3/4"X14	20	28.3	49.8	41	30	36		40
1DB9-36-08	M36X2	G1/2"X14	25	32.8	56.8	42.5	36	46		重系列
1DB9-36-12	M36X2	G3/4"X14	25	32.8	56.8	43.5	36	46		S
1DB9-36-16	M36X2	G1"X11	25	32.8	56.8	47.5	36	46		
1DB9-42-20	M42X2	G1.1/4"X11	30	36.2	62.7	50.5	41	50		
1DB9-52-24	M52X2	G1.1/2"X11	38	45.8	76.8	63	55	60		31.5重系列S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 1DB9-24-12RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1DB9-24-12RN.

www.fitsch.cn

DIN 2353 Tube Fittings ISO 8434-1 Connector





英管螺纹O形圈密封柱端
BSP THREAD STUD ENDS
WITH O-RING SEALING


1CG
1DG


1CG-RN
1DG-RN

代　　号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.	尺 寸 DIMENSIONS						压力等级 MPa
	E	F	D1	B	I1	L1	S1	S2		
1CG-12-02	M12X1.5	G1/8"X28	6	9.5	8.5	23	14	14		31.5 轻系列 L
1CG-12-04	M12X1.5	G1/4"X19	6	10	10	25	19	14		
1CG-14-04	M14x1.5	G1/4"X19	8	10	10	25	19	17		
1CG-14-06	M14x1.5	G3/8"X19	8	11.5	11.5	26	22	17		
1CG-14-08	M14x1.5	G1/2"X14	8	14	13	27.5	27	34		
1CG-16-04	M16x1.5	G1/4"X19	10	10	11	26	19	19		
1CG-16-06	M16x1.5	G3/8"X19	10	11.5	12.5	27	22	19		
1CG-16-08	M16x1.5	G1/2"X14	10	14	14	29	27	19		
1CG-18-06	M18x1.5	G3/8"X19	12	11.5	12.5	27	22	22		
1CG-18-08	M18x1.5	G1/2"X14	12	14	13	28	27	22		
1CG-22-06	M22x1.5	G3/8"X19	15	11.5	13.5	29	24	27		
1CG-22-08	M22x1.5	G1/2"X14	15	14	14	29	27	27		
1CG-22-12	M22x1.5	G3/4"X14	15	15.5	20	30	32	32		
1CG-26-08	M26x1.5	G1/2"X14	18	14	14.5	31	27	32		
1CG-26-12	M26x1.5	G3/4"X14	18	15.5	14.5	32	32	32		
1CG-30-12	M30x2	G3/4"X14	22	15.5	16.5	33	32	36		16 轻系列 L
1CG-30-16	M30x2	G1"X11	22	18	17.5	35	41	36		
1CG-36-16	M36x2	G1"X11	28	18	17.5	34	41	41		
1CG-45-20	M45x2	G1.1/4"X11	35	20	17.5	39	50	50		
1CG-52-20	M52X2	G1.1/4"X11	42	20	19	42	55	60		
1CG-52-24	M52x2	G1.1/2"X11	42	21.5	19	42	55	60		
1CG-52-32	M52x2	G2"X11	42	24.5	25	44	70	60		
1DG-14-04	M14X1.5	G1/4"X19	6	10	13	28	19	17		63 重系列 S
1DG-16-04	M16X1.5	G1/4"X19	8	10	15	31	19	19		
1DG-18-04	M18x1.5	G1/4"X19	10	10	14.5	31	19	22		
1DG-18-06	M18x1.5	G3/8"X19	10	11.5	15	31	22	22		
1DG-20-06	M20x1.5	G3/8"X19	12	11.5	17	32	22	24		
1DG-20-08	M20x1.5	G1/2"X14	12	14	17.5	34	27	24		
1DG-22-06	M22x1.5	G3/8"X19	14	11.5	19	37	24	27		
1DG-22-08	M22x1.5	G1/2"X14	14	14	19	37	27	27		
1DG-24-04	M24x1.5	G1/4"X19	16	11	18	37	27	30		
1DG-24-08	M24x1.5	G1/2"X14	16	14	18.5	37	27	30		40 重系列 S
1DG-30-12	M30x2	G3/4"X14	20	15.5	20.5	42	32	36		
1DG-36-12	M36x2	G3/4"X14	25	15.5	23	47	41	46		
1DG-36-16	M36x2	G1"X11	25	18	17.5	47	41	46		
1DG-42-16	M42x2	G1"X11	30	18	23.5	48	46	50		
1DG-42-20	M42x2	G1.1/4"X11	30	20	23.5	50	50	50		
1DG-52-24	M52x2	G1.1/2"X11	38	21.5	26	57	55	60		31.5重系列S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 1DG-20-08RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1DG-20-08RN.

www.fitsch.cn







45° 弯英管螺纹可调向O形圈密封柱端
45° ELBOW BSP THREAD ADJUSTABLE STUD ENDS WITH O-RING SEALING

1CG4-OG **1CG4-OG/RN**
1DG4-OG **1DG4-OG/RN**

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.	尺 寸 DIMENSIONS						压力等级 MPa
	E	F	D1	I1	L1	L2	S1	S2	S3	
1CG4-12-02OG	M12X1.5	G1/8"X28	6	10	25	24	11	14	14	31.5 轻系列 L
1CG4-14-04OG	M14X1.5	G1/4"X19	8	11	26	27	14	17	19	
1CG4-16-04OG	M16X1.5	G1/4"X19	10	12.3	27.3	27	16	19	19	
1CG4-16-06OG	M16X1.5	G3/8"X19	10	12.3	27.3	30	16	19	22	
1CG4-18-06OG	M18X1.5	G3/8"X19	12	13	28	31	19	22	22	
1CG4-22-08OG	M22X1.5	G1/2"X14	15	15	30	36	22	27	27	
1CG4-26-08OG	M26X1.5	G1/2"X14	18	16.5	33	37.5	27	32	27	
1CG4-26-12OG	M26X1.5	G3/4"X14	18	16.5	33	42	27	32	32	
1CG4-30-12OG	M30X2	G3/4"X14	22	19.7	36.2	42.5	30	36	32	16 轻系列 L
1CG4-36-16OG	M36X2	G1"X11	28	21.5	38	44.5	36	41	41	
1CG4-45-20OG	M45X2	G1.1/4"X11	35	25.5	47	50.5	48	50	50	
1DG4-14-04OG	M14X1.5	G1/4"X19	6	13	28	27	14	17	19	63 重系列 S
1DG4-16-04OG	M16X1.5	G1/4"X19	8	13.3	28.3	27	16	19	19	
1DG4-18-06OG	M18X1.5	G3/8"X19	10	13.5	30	31	19	22	22	
1DG4-20-06OG	M20X1.5	G3/8"X19	12	13.5	30	31	19	24	22	
1DG4-22-08OG	M22X1.5	G1/2"X14	14	16.3	34.3	36	22	27	27	
1DG4-24-08OG	M24X1.5	G1/2"X14	16	16.2	34.7	36.5	24	30	27	40 重系列 S
1DG4-30-12OG	M30X2	G3/4"X14	20	18.7	40.2	42.5	30	36	32	
1DG4-36-16OG	M36X2	G1"X11	25	21	45	44.5	36	46	41	
1DG4-42-20OG	M42X2	G1.1/4"X11	30	24.3	50.8	47.5	41	50	50	

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 1CG4-30-12OG/RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1CG4-30-12OG/RN.





90° 弯英管螺纹可调向O形圈密封柱端
90° ELBOW BSP THREAD ADJUSTABLE
STUD ENDS WITH O-RING SEALING


1CG9-OG
1DG9-OG


1CG9-OG/RN
1DG9-OG/RN

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.	尺 寸 DIMENSIONS						压力等级 MPa
	E	F	D1	I1	L1	L2	S1	S2	S3	
1CG9-12-02OG	M12X1.5	G1/8"X28	6	13	28	26.2	11	14	14	31.5 轻系列 L
1CG9-14-04OG	M14X1.5	G1/4"X19	8	15.5	30.5	31.3	14	17	19	
1CG9-16-04OG	M16X1.5	G1/4"X19	10	17.5	32.5	32.5	16	19	19	
1CG9-16-06OG	M16X1.5	G3/8"X19	10	17.5	32.5	35.8	16	19	22	
1CG9-18-06OG	M18X1.5	G3/8"X19	12	19	34	36.8	19	22	22	
1CG9-22-08OG	M22X1.5	G1/2"X14	15	22	37	43.2	22	27	27	
1CG9-26-08OG	M26X1.5	G1/2"X14	18	25.5	42	46	27	32	27	
1CG9-26-12OG	M26X1.5	G3/4"X14	18	25.5	42	49.3	27	32	32	
1CG9-30-12OG	M30X2	G3/4"X14	22	29.3	45.8	52	30	36	32	16 轻系列 L
1CG9-30-16OG	M30X2	G1"X11	22	31.5	48	53	33	36	41	
1CG9-36-16OG	M36X2	G1"X11	28	33	49.8	56	36	41	41	
1CG9-36-20OG	M36X2	G1.1/4"X11	28	36	52.8	59	41	41	50	
1CG9-45-20OG	M45X2	G1.1/4"X11	35	39.2	60.7	63	48	50	50	
1CG9-52-24OG	M52X2	G1.1/2"X11	42	44.8	67.8	68.5	55	60	55	
1DG9-14-04OG	M14X1.5	G1/4"X19	6	17.5	32.5	31.3	14	17	19	63 重系列 S
1DG9-16-04OG	M16X1.5	G1/4"X19	8	18.7	33.7	32.5	16	19	19	
1DG9-16-06OG	M16X1.5	G3/8"X19	8	18.7	33.7	35.8	16	19	22	
1DG9-18-06OG	M18X1.5	G3/8"X19	10	19.5	36	36.8	19	22	22	
1DG9-20-06OG	M20X1.5	G3/8"X19	12	19.5	36	36.8	19	24	22	
1DG9-22-08OG	M22X1.5	G1/2"X14	14	23	41	43.2	22	27	27	
1DG9-24-08OG	M24X1.5	G1/2"X14	16	24	42.5	43	24	30	27	40 重系列 S
1DG9-30-12OG	M30X2	G3/4"X14	20	28	49.5	52	30	36	32	
1DG9-36-16OG	M36X2	G1"X11	25	32.8	56.8	56	36	46	41	
1DG9-42-20OG	M42X2	G1.1/4"X11	30	36.2	62.7	58	41	50	50	
1DG9-52-24OG	M52X2	G1.1/2"X11	38	45.8	76.8	68.5	55	60	55	31.5重系列S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 1CG9-30-12OG/RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1CG9-30-12OG/RN.

DIN 2353 Tube Fittings ISO 8434-1 Connector





公制外螺纹柱端 ISO 6149
METRIC THREAD STUD ENDS
ISO 6149


1CH
1DH


1CH-RN
1DH-RN

代 号	螺 纹 THREAD		管子外径 D1	O 形 圈	尺 寸 DIMENSIONS						压力等级
PART NO.	E	F	TUBE O.D.	O RING	B	l1	L1	S1	S2		MPa
1CH-12-10	M12X1.5	M10X1	6	O08.1X1.6	8.5	9.5	23	14	14		31.5 轻系列 L
1CH-14	M14X1.5	M14X1.5	8	O11.3X2.4	11	10	25	19	17		
1CH-14-12	M14X1.5	M12X1.5	8	O09.3X2.4	11	10	25	17	17		
1CH-16-14	M16X1.5	M14X1.5	10	O11.3X2.4	11	13	26	19	19		
1CH-18-14	M18X1.5	M14X1.5	12	O11.3X2.4	11	11	25.5	19	22		
1CH-14-18	M14X1.5	M18X1.5	8	O15.3X2.4	12.5	11.5	26.5	24	17		
1CH-16	M16X1.5	M16X1.5	10	O13.3X2.4	11.5	13	28	22	19		
1CH-16-18	M16X1.5	M18X1.5	10	O15.3X2.4	12.5	12.5	28	24	19		
1CH-18-16	M18X1.5	M16X1.5	12	O13.3X2.4	11.5	12	27	22	22		
1CH-22-16	M22X1.5	M16X1.5	15	O13.3X2.4	11.5	13.5	29.5	24	27		
1CH-22-18	M22X1.5	M18X1.5	15	O15.3X2.4	12.5	13.5	29	24	27		
1CH-16-22	M16X1.5	M22X1.5	10	O19.3X2.4	13	14	29.5	27	19		
1CH-22-20	M22X1.5	M20X1.5	15	O17.3X2.4	12	15	30.5	27	27		
1CH-22	M22X1.5	M22X1.5	15	O19.3X2.4	13	15	31	27	27		
1CH-26-22	M26X1.5	M22X1.5	18	O19.3X2.4	13	14.5	31	27	32		
1CH-26	M26X1.5	M26X1.5	18	O23.5X3.0	13.5	13.5	31	32	32		
1CH-26-27	M26X1.5	M27X2	18	O23.5X3.0	16	14.5	32	32	32		
1CH-26-33	M26X1.5	M33X2	18	O29.5X3.0	16	15.5	33	41	32		
1CH-30-22	M30X2	M22X1.5	22	O19.3X2.4	13	17.5	33	32	41		16 轻系列 L
1CH-30-27	M30X2	M27X2	22	O23.5X3.0	16	16.5	33	32	36		
1CH-30	M30X2	M30X2	22	O26.5X3.0	16	17.5	33	36	36		
1CH-36-27	M36X2	M27X2	28	O23.5X3.0	16	17.5	34	41	41		
1CH-36-33	M36X2	M33X2	28	O29.5X3.0	16	17.5	34	41	41		
1CH-36-42	M36X2	M42X2	28	O38.5X3.0	16	18.5	35	50	41		
1CH-45-33	M45X2	M33X2	35	O29.5X3.0	16	17.5	37	46	50		
1CH-45-42	M45X2	M42X2	35	O38.5X3.0	16	17.5	37	50	50		
1CH-52-48	M52X2	M48X2	42	O44.5X3.0	17.5	19		55	60		
1DH-14	M14X1.5	M14X1.5	6	O11.3X2.4	11	15	28	19	17		63 重系列 S
1DH-14-12	M14X1.5	M12X1.5	6	O09.3X2.4	11	13	28	17	17		
1DH-16-14	M16X1.5	M14X1.5	8	O11.3X2.4	11	15	30	19	19		
1DH-18-16	M18X1.5	M16X1.5	10	O13.3X2.4	11.5	15	31	22	22		
1DH-20-14	M20X1.5	M14X1.5	12	O11.3X2.4	11	15	31	22	24		
1DH-20-16	M20X1.5	M16X1.5	12	O13.3X2.4	11.5	15	31	22	24		
1DH-20-18	M20X1.5	M18X1.5	12	O15.3X2.4	12.5	17	33	24	24		
1DH-20-22	M20X1.5	M22X1.5	12	O19.3X2.4	13	17.5	35	27	30		
1DH-24-22	M24X1.5	M22X1.5	16	O19.3X2.4	13	18.5	37	27	30		40 重系列 S
1DH-30	M30X2	M30X2	20	O26.5X3.0	16	20.5	42	36	36		
1DH-30-27	M30X2	M27X2	20	O23.5X3.0	16	20.5	42	32	36		
1DH-30-33	M30X2	M33X2	20	O29.5X3.0	16	22.5	42	41	36		
1DH-36-27	M36X2	M27X2	25	O23.5X3.0	16	23	47	41	46		
1DH-36-33	M36X2	M33X2	25	O29.5X3.0	16	23	47	41	46		
1DH-42	M42X2	M42X2	30	O38.5X3.0	16	23.5	50	50	50		
1DH-42-48	M42X2	M48X2	30	O44.5X3.0	17.5	26.5	52	55	50		

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 1DH-20-18RN。

www.fitsch.cn





90° 弯公制外螺纹可调向柱端 ISO 6149
90° ELBOW METRIC THREAD ADJUSTABLE STUD ENDS ISO 6149


1CH9-OG
1DH9-OG


1CH9-OG/RN
1DH9-OG/RN

代 号 PART NO.	螺 纹 THREAD		管子外径D1	O 形 圈	尺 寸 DIMENSIONS						压力等级 MPa
	E	F	TUBE O.D.	O RING	I1	L1	L2	S1	S2	S3	
1CH9-12-10OG	M12X1.5	M10X1	6	O08.1X1.6	13	28	26.5	11	14	14	31.5 轻系列 L
1CH9-14-12OG	M14X1.5	M12X1.5	8	O09.3X2.4	15.5	30.5	32	14	17	17	
1CH9-16-14OG	M16X1.5	M14X1.5	10	O11.3X2.4	17.5	32.5	34	16	19	19	
1CH9-18-16OG	M18X1.5	M16X1.5	12	O13.3X2.4	19	34	36	19	22	22	
1CH9-22-18OG	M22X1.5	M18X1.5	15	O15.3X2.4	22	37	39.5	22	27	24	
1CH9-26-22OG	M26X1.5	M22X1.5	18	O19.3X2.4	25.5	42	43.5	27	32	27	
1CH9-30-27OG	M30X2	M27X2	22	O23.5X3.0	29.3	45.8	50	30	36	32	16 轻系列L
1CH9-36-33OG	M36X2	M33X2	28	O29.5X3.0	33.3	49.8	54	36	41	41	
1DH9-14-12OG	M14X1.5	M12X1.5	6	O09.3X2.4	17.5	32.5	32	14	17	17	63 重系列 S
1DH9-16-14OG	M16X1.5	M14X1.5	8	O11.3X2.4	18.7	33.7	34	16	19	19	
1DH9-18-16OG	M18X1.5	M16X1.5	10	O13.3X2.4	19.5	36	36	19	22	22	
1DH9-20-18OG	M20X1.5	M18X1.5	12	O15.3X2.4	19.5	36	37	19	24	24	
1DH9-22-20OG	M22X1.5	M20X1.5	14	O17.3X2.4	23	41	40	22	27	27	
1DH9-24-22OG	M24X1.5	M22X1.5	16	O19.3X2.4	24	42	37.5	24	30	27	
1DH9-30-27OG	M30X2	M27X2	20	O23.5X3.0	28.3	49.8	50	30	36	32	40 重系列 S
1DH9-36-33OG	M36X2	M33X2	25	O29.5X3.0	32.8	56.8	54	36	46	41	
1DH9-42OG	M42X2	M42X2	30	O38.5X3.0	36.2	62.7	57.2	41	50	50	

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 1DH9-20-18OG/RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1DH9-20-18OG/RN.

www.fitsch.cn





1CH4-OG
1DH4-OG


1CH4-OG/RN
1DH4-OG/RN


45° 弯公制外螺纹24° 锥/公制外螺纹可调向柱端ISO 6149-2
45° ELBOW METRIC MALE 24° CONE/METRIC MALE ADJUSTABLE STUD END ISO 6149-2

代 号 PART NO.	螺 纹 THREAD E	F	管子外径 D1 TUBE O.D.	O 形 圈 O RING	尺 寸 DIMENSIONS I1	L1	L2	S1	S2	S3	压力等级 MPa
1CH4-12-10OG	M12X1.5	M10X1	6	O08.1X1.6	10	25	25.5	11	14	14	
1CH4-14-12OG	M14X1.5	M12X1.5	8	O09.3X2.4	11	26	30	14	17	17	31.5
1CH4-16-14OG	M16X1.5	M14X1.5	10	O11.3X2.4	12.3	27.3	30.5	16	19	19	轻系列
1CH4-18-16OG	M18X1.5	M16X1.5	12	O13.3X2.4	13	28	34	19	22	22	L
1CH4-22-18OG	M22X1.5	M18X1.5	15	O15.3X2.4	15	30	38	22	27	24	
1CH4-26-22OG	M26X1.5	M22X1.5	18	O19.3X2.4	16.5	33	40.5	27	32	27	
1CH4-30-27OG	M30X2	M27X2	22	O23.5X3.0	19.7	36.2	48	30	36	32	16
1CH4-36-33OG	M36X2	M33X2	28	O29.5X3.0	21.5	38	49.5	36	41	41	轻系列
1CH4-45-42OG	M45X2	M42X2	35	O38.5X3.0	25.5	47	55	48	50	50	L
1DH4-14-12OG	M14X1.5	M12X1.5	6	O09.3X2.4	13	28	30	14	17	17	
1DH4-16-14OG	M16X1.5	M14X1.5	8	O11.3X2.4	13.3	28.3	30.5	16	19	19	40
1DH4-18-16OG	M18X1.5	M16X1.5	10	O13.3X2.4	13.5	30	34	19	22	22	重系列
1DH4-20-18OG	M20X1.5	M18X1.5	12	O15.3X2.4	13.5	30	37	19	24	24	S
1DH4-24-22OG	M24X1.5	M22X1.5	16	O19.3X2.4	16.2	34.7	40	24	30	27	
1DH4-30-27OG	M30X2	M27X2	20	O23.5X3.0	18.7	40.2	48	30	36	32	
1DH4-36-33OG	M36X2	M33X2	25	O29.5X3.0	21	45	49.5	36	46	41	31.5重系列S
1DH4-42-42OG	M42X2	M42X2	30	O38.5X3.0	24.3	50.8	54	41	50	50	25重系列S

注：1 如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如1CH4-30-27OG/RN。 2 F端与ISO 9974-1油口相配，去掉挡圈则与ISO 6149-1油口相配。
Note：1 In case if you are interested to order the adapter in complete set with cutting ring and nut ,it isnecessary to insert suffix "RN" after our part no.，for example 1CH4-30-27OG/RN. 2 F end is connectedwith ISO 9974-1 port and connected with ISO 6149-1 port without retaining ring.

www.fitsch.cn





公制螺纹铰接接头
METRIC BANJO


1CI
1DI

1CI-RN
1DI-RN


代 号 PART NO.	螺 纹THREAD		管子外径D1	尺 寸 DIMENSIONS								螺栓 BOLT	O 形圈 O-RING	密封垫圈 SEAL	压力等级 MPa
	E	F	TUBE O.D.	l	l1	L1	l2	L2	S1	S2	S3				
1CI-12-10	M12X1.5	M10X1	6	8	11	25.5	12	27	14	17	14	700M-10I	O08.1X1.6	ZHD-10	
1CI-14-12	M14X1.5	M12X1.5	8	12	14.5	33	14.5	29	17	22	17	700M-12I	O09.3X2.4	ZHD-12	31.5 轻系列 L
1CI-16-14	M16X1.5	M14X1.5	10	12	14.5	33	16.5	31	19	24	19	700M-14I	O11.3X2.4	ZHD-14	
1CI-18-16	M18X1.5	M16X1.5	12	12	17	39	19	34	22	27	22	700M-16I	O13.3X2.4	ZHD-16	
1CI-22-18	M22X1.5	M18X1.5	15	12	18.5	42	21.5	37	24	30	27	700M-18I	O15.3X2.4	ZHD-18	
1CI-26-22	M26X1.5	M22X1.5	18	14	21.5	49	22	38	27	32	32	700M-22I	O19.3X2.4	ZHD-22	
1CI-30-26	M30X2	M26X1.5	22	16	24	56	28.5	45	36	41	36	700M-26I	O23.5X3.0	ZHD-27	16 轻系列 L
1CI-36-33	M36X2	M33X2	28	18	30.5	71	33	50	41	50	41	700M-33I	O29.5X3.0	ZHD-33	
1CI-45-42	M45X2	M42X2	35	20	35.5	82	37	59	50	60	50	700M-42I	O38.5X3.0	ZHD-42	
1CI-52-48	M52X2	M48X2	42	22	40.5	93	41.5	64	55	70	60	700M-48I	O44.5X3.0	ZHD-48	
1DI-14-12	M14X1.5	M12X1.5	6	12	14.5	33	16.5	31	17	22	17	700M-12I	O09.3X2.4	ZHD-12	
1DI-16-14	M16X1.5	M14X1.5	8	12	14.5	33	17.5	32	19	24	19	700M-14I	O11.3X2.4	ZHD-14	
1DI-18-16	M18X1.5	M16X1.5	10	12	17	39	19.5	36	22	27	22	700M-16I	O13.3X2.4	ZHD-16	63 重系列 S
1DI-20-18	M20X1.5	M18X1.5	12	12	18.5	42	21	37	24	30	24	700M-18I	O15.3X2.4	ZHD-18	
1DI-22-20	M22X1.5	M20X1.5	14	14	20	46	23.5	41	27	32	27	700M-20I	O17.3X2.4	ZHD-20	
1DI-24-22	M24X1.5	M22X1.5	16	14	21.5	49	23	41	27	32	30	700M-22I	O19.3X2.4	ZHD-22	
1DI-30-27	M30X2	M27X2	20	16	24	56	27.5	49	36	41	36	700M-27I	O23.5X3.0	ZHD-27	
1DI-36-33	M36X2	M33X2	25	18	30.5	71	32.5	57	41	50	46	700M-33I	O29.5X3.0	ZHD-33	40 重系列 S
1DI-42	M42X2	M42X2	30	20	35.5	82	38	65	50	60	50	700M-42I	O38.5X3.0	ZHD-42	
1DI-52-48	M52X2	M48X2	38	22	40.5	93	42.5	73	55	70	60	700M-48I	O44.5X3.0	ZHD-48	

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 1D1-36-33RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1D1-36-33RN.

www.fitsch.cn



1CI-B
1DI-B



1CI-B/RN
1DI-B/RN


英管螺纹铰接接头
BSP BANJO


代 号 PART NO.	螺 纹THREAD E	F	管子外径D1 TUBE O.D.	尺 寸 DIMENSIONS l	l1	L1	l2	L2	S1	S2	S3	螺栓 BOLT	O形圈 O-RING	密封垫圈 SEAL	压力等级 MPa
1CI-12-B02	M12X1.5	G1/8"	6	8	11	25.5	12	27	14	17	14	720B-02I	O08.1X1.6	ZHD-10	
1CI-14-B04	M14X1.5	G1/4"	8	12	14.5	33	15.5	30	19	24	17	720B-04I	O11.3X2.4	ZHD-14	
1CI-16-B04	M16X1.5	G1/4"	10	12	14.5	33	16.5	31	19	24	19	720B-04I	O11.3X2.4	ZHD-14	31.5
1CI-18-B06	M18X1.5	G3/8"	12	12	16.5	38	19	34.5	24	27	22	720B-06I	O15.3X2.4	ZHD-18	轻系列
1CI-22-B08	M22X1.5	G1/2"	15	14	21.5	49	22.5	38	27	32	27	720B-08I	O19.3X2.4	ZHD-22	L
1CI-26-B08	M26X1.5	G1/2"	18	14	21.5	49	22	38	27	32	32	720B-08I	O19.3X2.4	ZHD-22	
1CI-30-B12	M30X2	G3/4"	22	16	24	56	28.5	45	36	41	36	720B-12I	O23.5X3.0	ZHD-27	
1CI-36-B16	M36X2	G1"	28	18	30.5	71	33	50	41	50	41	720B-16I	O29.5X3.0	ZHD-33	16
1CI-45-B20	M45X2	G1.1/4"	35	20	35.5	82	37	59	50	60	50	720B-20I	O38.5X3.0	ZHD-42	轻系列
1CI-52-B24	M52X2	G1.1/2"	42	22	40.5	93	41.5	64	55	70	60	720B-24I	O44.5X3.0	ZHD-48	L
1DI-14-B04	M14X1.5	G1/4"	6	12	14.5	33	17.5	32	19	24	17	720B-04I	O11.3X2.4	ZHD-14	
1DI-16-B04	M16X1.5	G1/4"	8	12	14.5	33	17.5	32	19	24	19	720B-04I	O11.3X2.4	ZHD-14	
1DI-18-B06	M18X1.5	G3/8"	10	12	16.5	38	21	38	24	30	22	720B-06I	O15.3X2.4	ZHD-18	
1DI-20-B06	M20X1.5	G3/8"	12	12	16.5	38	21	38	24	30	24	720B-06I	O15.3X2.4	ZHD-18	63
1DI-22-B08	M22X1.5	G1/2"	14	14	21.5	49	23.5	41	27	32	27	720B-08I	O19.3X2.4	ZHD-22	重系列
1DI-24-B08	M24X1.5	G1/2"	16	14	21.5	49	23	41	27	32	30	720B-08I	O19.3X2.4	ZHD-22	S
1DI-30-B12	M30X2	G3/4"	20	16	24	56	27.5	49	36	41	36	720B-12I	O23.5X3.0	ZHD-27	
1DI-36-B16	M36X2	G1"	25	18	30.5	71	32.5	57	41	50	46	720B-16I	O29.5X3.0	ZHD-33	40
1DI-42-B20	M42X2	G1.1/4"	30	20	35.5	82	38	65	50	60	50	720B-20I	O38.5X3.0	ZHD-42	重系列
1DI-52-B24	M52X2	G1.1/2"	38	22	40.5	93	42.5	73	55	70	60	720B-24I	O44.5X3.0	ZHD-48	S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 1D1-36-B16RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1D1-36-B16RN.

www.fitsch.cn

DIN 2353 Tube Fittings ISO 8434-1 Connector





美制JIC74°锥密封
JIC 74° CONE SEALING


1CJ
1DJ


1CJ-RN
1DJ-RN

代 号 PART NO.	螺 纹 THREAD E	F	管子外径 TUBE O.D. D1	尺 寸 DIMENSIONS B	l1	L1	S1	S2		压力等级 MPa
1CJ-10-04LL	M10x1	7/16"X20	6	14	6.5	20	12	12		31.5 轻系列 L
1CJ-12A-04LL	M12x1	7/16"X20	8	14	8.5	22	12	14		
1CJ-12-04	M12x1.5	7/16"X20	6	14	9	24	14	14		
1CJ-14-04	M14x1.5	7/16"X20	8	14	8	23	15	17		
1CJ-14-06	M14x1.5	9/16"X18	8	14.1	8	23	15	17		
1CJ-16-06	M16x1.5	9/16"X18	10	14.1	9	24	17	19		
1CJ-18-06	M18x1.5	9/16"X18	12	14.1	10	25	19	22		
1CJ-18-08	M18x1.5	3/4"X16	12	16.7	10	25	22	22		
1CJ-22-08	M22x1.5	3/4"X16	15	16.7	10.8	26	24	27		
1CJ-22-10	M22x1.5	7/8"X14	15	19.3	11	26	24	27		
1CJ-26-10	M26X1.5	7/8"X14	18	19.3	11.5	28	27	32		
1CJ-26-12	M26X1.5	1.1/16"X12	18	21.9	11.6	28	30	32		
1CJ-30-12	M30x2	1.1/16"X12	22	21.9	13.5	30	32	36		16 轻系列 L
1CJ-30D-12	M30X1.5	1.1/16"X12	22	21.9	13.5	30	32	36		
1CJ-30D-16	M30X1.5	1.5/16"X12	22	23.1	14.5	31	36	36		
1CJ-36-16	M36x2	1.5/16"X12	28	23.1	14.5	31	41	41		
1CJ-36D-12	M36X1.5	1.1/16"X12	28	21.9	14.5	31	41	41		
1CJ-36D-16	M36X1.5	1.5/16"X12	28	23.1	14.5	31	41	41		
1CJ-45-20	M45X2	1.5/8"X12	35	24.3	14.5	36	46	50		
1CJ-45D-20	M45X1.5	1.5/8"X12	35	24.3	15.5	37	46	50		
1CJ-52-20	M52X2	1.5/8"X12	42	24.3	16	39	55	60		
1CJ-52-24	M52X2	1.7/8"X12	42	27.5	16	39	55	60		
1DJ-14-04	M14x1.5	7/16"X20	6	14	11	26	14	14		63 重系列 S
1DJ-16-04	M16x1.5	7/16"X20	8	14	13	28	17	19		
1DJ-16-06	M16x1.5	9/16"X18	8	14.1	12.9	28	17	34		
1DJ-18-04	M18x1.5	7/16"X20	10	14	12.5	29	19	22		
1DJ-18-06	M18x1.5	9/16"X18	10	14.1	12.5	29	19	22		
1DJ-20-06	M20x1.5	9/16"X18	12	14.1	14.5	31	22	24		
1DJ-20-08	M20x1.5	3/4"X16	12	16.7	14.3	31	22	24		
1DJ-22-08	M22x1.5	3/4"X16	14	16.7	16	34	24	27		
1DJ-24-08	M24x1.5	3/4"X16	16	16.7	15.5	34	27	30		40 重系列 S
1DJ-24-10	M24x1.5	7/8"X14	16	19.3	15.5	34	27	30		
1DJ-30-12	M30x2	1.1/16"X12	20	21.9	17.5	39	32	36		
1DJ-36-12	M36x2	1.1/16X12	25	21.9	19	43	38	46		
1DJ-36-16	M36x2	1.5/16X12	25	23.1	19	43	38	46		
1DJ-42-20	M42x2	1.5/8"X12	30	24.3	20.5	47	46	50		
1DJ-52-24	M52X2	1.7/8"X12	38	27.5	23	54	55	60		31.5重系列S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 1DJ-20-18RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1DJ-20-18RN.

www.fitsch.cn





公制螺纹60° 锥密封或
组合垫密封两用柱端
METRIC THREAD 60° CONE SEALING
OR BONDED SEAL STUD ENDS


1CM **1CM-RN**
1DM **1DM-RN**


代 号 PART NO.	螺 纹 THREAD E	F	管子外径 TUBE O.D. D1		尺 寸 DIMENSIONS B	l1	L1	S1	S2		压力等级 MPa
1CM-12-10	M12X1.5	M10X1	6		8	8.5	23	14	14		31.5 轻系列 L
1CM-14-12	M14X1.5	M12X1.5	8		12	10	25	17	17		
1CM-14-18	M14X1.5	M18X1.5	8		12	11.5	26	24	17		
1CM-16-14	M16X1.5	M14X1.5	10		12	11	26	19	19		
1CM-16	M16X1.5	M16X1.5	10		12	12	27	22	19		
1CM-16-18	M16X1.5	M18X1.5	10		12	12.5	27	24	19		
1CM-16-22	M16X1.5	M22X1.5	10		14	14	29	27	19		
1CM-18-14	M18X1.5	M14X1.5	12		12	11	26	19	22		
1CM-18-16	M18X1.5	M16X1.5	12		12	12	27	22	22		
1CM-18	M18X1.5	M18X1.5	12		12	12.5	27	24	22		
1CM-18-22	M18X1.5	M22X1.5	12		14	14	29	27	22		
1CM-22-16	M22X1.5	M16X1.5	15		12	13	28	24	27		
1CM-22-18	M22X1.5	M18X1.5	15		12	13.5	29	24	27		
1CM-22	M22X1.5	M22X1.5	15		14	15	30	27	27		
1CM-26-18	M26X1.5	M18X1.5	18		12	14	30	27	32		
1CM-26-22	M26X1.5	M22X1.5	18		14	14.5	31	27	32		
1CM-30-22	M30X2	M22X1.5	22		14	16.5	33	32	36		16 轻系列 L
1CM-30-26	M30X2	M26X1.5	22		16	16.5	33	32	36		
1CM-30-27	M30X2	M27X2	22		16	18.5	35	32	36		
1CM-36-33	M36X2	M33X2	28		18	17.5	34	41	41		
1CM-45-42	M45X2	M42X2	35		20	17.5	39	50	50		
1CM-52-48	M52X2	M48X2	42		22	19	42	55	60		
1DM-14-12	M14X1.5	M12X1.5	6		12	13	28	17	17		63 重系列 S
1DM-16-14	M16X1.5	M14X1.5	8		12	15	30	19	19		
1DM-18-16	M18X1.5	M16X1.5	10		12	15	31	22	22		
1DM-20-18	M20X1.5	M18X1.5	12		12	17	33	24	24		
1DM-20-22	M20X1.5	M22X1.5	12		14	17.5	34	27	24		
1DM-22-20	M22X1.5	M20X1.5	14		14	19	37	27	27		
1DM-24-18	M24X1.5	M18X1.5	16		12	18	36	27	30		40 重系列 S
1DM-24-22	M24X1.5	M22X1.5	16		14	18.5	37	27	30		
1DM-30-27	M30X2	M27X2	20		16	20.5	42	32	36		
1DM-36-33	M36X2	M33X2	25		18	23	47	41	46		
1DM-42	M42X2	M42X2	30		20	23.5	50	50	50		25 重系列S
1DM-52-48	M52X2	M48X2	38		22	57	55	60			

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 1DM-20-18RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1DM-20-18RN.

www.fitsch.cn

DIN 2353 Tube Fittings ISO 8434-1 Connector





公制螺纹胶垫密封柱端
METRIC THREAD WITH
CAPTIVE SEAL

1CM-WD
1DM-WD


1CM-WD/RN
1DM-WD/RN


代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS						压力等级 MPa
	E	F	D1		B	I1	L1	S1	S2		
1CM-12-10WD	M12X1.5	M10X1	6		8	8.5	23	14	14		31.5 轻系列 L
1CM-14-12WD	M14X1.5	M12X1.5	8		12	10	25	17	17		
1CM-16-12WD	M16X1.5	M12X1.5	10		12	11	25	17	19		
1CM-16-14WD	M16X1.5	M14X1.5	10		12	11	26	19	19		
1CM-16-18WD	M16X1.5	M18X1.5	10		12	12.5	27	24	19		
1CM-18-16WD	M18X1.5	M16X1.5	12		12	12.5	27	22	22		
1CM-18WD	M18X1.5	M18X1.5	12		12	12.5	27	24	22		
1CM-18-22WD	M18X1.5	M22X1.5	12		14	14	29	27	22		
1CM-22-18WD	M22X1.5	M18X1.5	15		12	13.5	29	24	27		
1CM-22WD	M22X1.5	M22X1.5	15		14	15	30	27	27		
1CM-26-22WD	M26X1.5	M22X1.5	18		14	14.5	31	27	32		
1CM-30-26WD	M30X2	M26X1.5	22		16	16.5	33	32	36		16 轻系列 L
1CM-30-27WD	M30X2	M27X2	22		16	16.5	33	32	36		
1CM-36-33WD	M36X2	M33X2	28		18	17.5	34	41	41		
1CM-45-42WD	M45X2	M42X2	35		20	17.5	39	50	50		
1CM-52-48WD	M52X2	M48X2	42		22	19	42	55	60		
1DM-14-12WD	M14X1.5	M12X1.5	6		12	13	28	17	17		63 重系列 S
1DM-16-14WD	M16X1.5	M14X1.5	8		12	15	30	19	19		
1DM-18-16WD	M18X1.5	M16X1.5	10		12	15	31	22	22		
1DM-20-18WD	M20X1.5	M18X1.5	12		12	17	33	24	24		
1DM-22-20WD	M22X1.5	M20X1.5	14		14	19	37	27	27		
1DM-24-22WD	M24X1.5	M22X1.5	16		14	18.5	37	27	30		40 重系列 S
1DM-30-27WD	M30X2	M27X2	20		16	20.5	42	32	36		
1DM-36-33WD	M36X2	M33X2	25		18	23	47	41	46		
1DM-42WD	M42X2	M42X2	30		20	23.5	50	50	50		
1DM-52-48WD	M52X2	M48X2	38		22	26	57	55	60		31.5重系列S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如1DM-20-18WD/RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1DM-20-18WD/RN.

www.fitsch.cn

DIN 2353 Tube Fittings ISO 8434-1 Connector





布锥管外螺纹
NPT MALE


1CN
1DN

1CN-RN
1DN-RN


代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.	尺 寸 DIMENSIONS					压力等级 MPa
	E	F	D1	I1	L1	S1	S2		
1CN-08-02	M8X1	Z1/8"X27	4	14.4	24.4	11	10		10 特轻系列 LL
1CN-10-02LL	M10X1	Z1/8"X27	6	12.9	24.4	11	12		
1CN-12-02LL	M12X1	Z1/8"X27	8	13.9	25.4	12	14		
1CN-12-02	M12X1.5	Z1/8"X27	6	13.4	28.4	12	14		31.5 轻系列 L
1CN-12-04	M12X1.5	Z1/4"X18	6	17.2	32.2	17	14		
1CN-14-04	M14X1.5	Z1/4"X18	8	17.2	32.2	14	17		
1CN-16-04	M16X1.5	Z1/4"X18	10	18.2	33.2	17	19		
1CN-16-06	M16X1.5	Z3/8"X18	10	19.9	53.0	19	19		
1CN-18-04	M18X1.5	Z1/4"X18	12	19.2	34.2	19	22		
1CN-18-06	M18X1.5	Z3/8"X18	12	19.9	34.9	19	22		
1CN-18-08	M18X1.5	Z1/2"X14	12	21.4	36.4	22	22		
1CN-22-08	M22X1.5	Z1/2"X14	15	22.4	37.4	24	27		
1CN-22-20	M22X1.5	Z1.1/4"X11.5	15	29.8	37.4	46	27		
1CN-26-08	M26X1.5	Z1/2"X14	18	22.9	39.4	27	32		16 轻系列 L
1CN-26-12	M26X1.5	Z3/4"X14	18	22.4	38.9	30	32		
1CN-30-08	M30X2	Z1/2"X14	22	24.4	40.5	32	36		
1CN-30-12	M30X2	Z3/4"X14	22	24.4	40.9	32	36		
1CN-36-16	M36X2	Z1"X11.5	28	29.8	46.3	41	41		
1CN-36-20	M36X2	Z1.1/4"X11.5	28	31.3	46.3	46	41		
1CN-45-20	M45X2	Z1.1/4"X11.5	35	30.3	51.8	46	50		
1CN-52-20	M52X2	Z1.1/4"X11.5	42	31.8	55.8	55	60		
1CN-52-24	M52X2	Z1.1/2"X11.5	42	32.8	55.8	55	60		
1DN-14-04	M14X1.5	Z1/4"X18	6	22.2	37.2	17	17		63 重系列 S
1DN-16-04	M16X1.5	Z1/4"X18	8	22.2	37.2	17	19		
1DN-18-04	M18X1.5	Z1/4"X18	10	21.7	38.2	19	22		
1DN-18-06	M18X1.5	Z3/8"X18	10	22.4	38.9	19	22		
1DN-20-04	M20X1.5	Z1/4"X18	12	23.7	40.2	22	24		
1DN-20-06	M20X1.5	Z3/8"X18	12	24.4	40.9	22	24		
1DN-20-08	M20X1.5	Z1/2"X14	12	25.9	42.4	22	24		
1DN-22-08	M22X1.5	Z1/2"X14	14	27.4	45.4	24	27		
1DN-24-08	M24X1.5	Z1/2"X14	16	26.9	45.4	27	30		
1DN-30-12	M30X2	Z3/4"X14	20	28.4	49.9	32	36		40 重系列 S
1DN-36-12	M36X2	Z3/4"X14	25	30.9	34.0	41	46		
1DN-36-16	M36X2	Z1"X11.5	25	35.3	59.3	41	46		
1DN-42-16	M42X2	Z1"X11.5	30	35.8	59.3	46	46		
1DN-42-20	M42X2	Z1.1/4"X11.5	30	36.3	62.8	46	50		
1DN-52-24	M52X2	Z1.1/2"X11.5	38	39.8	70.8	55	60		

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如10N-30-12RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 10N-30-12RN.

www.fitsch.cn



1CN9
1DN9



1CN9-RN
1DN9-RN


90° 弯布锥管外螺纹
90° ELBOW NPT MALE


代 号 PART NO.	螺 纹 THREAD E	F	管子外径 TUBE O.D. D1		尺 寸 DIMENSIONS I1	L1	L2	S1	S2		压力等级 MPa
1CN9-12-02	M12X1.5	Z1/8"X27	6		13	28	21	11	14		31.5 轻系列 L
1CN9-12-04	M12X1.5	Z1/4"X18	6		15.5	30.5	25.5	14	14		
1CN9-14-04	M14X1.5	Z1/4"X18	8		15.5	30.5	25.5	14	17		
1CN9-16-06	M16X1.5	Z3/8"X18	10		17.5	32.5	29.5	16	19		
1CN9-18-04	M18X1.5	Z1/4"X18	12		19	34	28	19	22		
1CN9-18-06	M18X1.5	Z3/8"X18	12		19	34	31	19	22		
1CN9-18-08	M18X1.5	Z1/2"X14	12		21	36	36.7	22	22		
1CN9-22-06	M22X1.5	Z3/8"X18	15		22	37	32.5	22	27		
1CN9-22-08	M22X1.5	Z1/2"X14	15		22	37	36.7	22	27		
1CN9-26-08	M26X1.5	Z1/2"X14	18		25.5	42	40	27	32		16 轻系列 L
1CN9-26-12	M26X1.5	Z3/4"X14	18		25.5	42	44	27	32		
1CN9-30-12	M30X2	Z3/4"X14	22		29.3	45.8	45	30	36		
1CN9-30-16	M30X2	Z1"X11.5	22		32		50	33	36		
1CN9-36-16	M36X2	Z1"X11.5	28		33.3	49.8	51.5	36	41		
1CN9-45-20	M45X2	Z1.1/4"X11.5	35		39.2	60.7	63	48	50		
1CN9-52-24	M52X2	Z1.1/2"X11.5	42		44.8	67.8	65	55	60		
1DN9-14-04	M14X1.5	Z1/4"X18	6		17.5	32.5	25.5	14	17		63 重系列 S
1DN9-16-04	M16X1.5	Z1/4"X18	8		18.5	33.7	26.5	16	19		
1DN9-18-06	M18X1.5	Z3/8"X18	10		19.5	36	31	19	22		
1DN9-20-04	M20X1.5	Z1/4"X18	12		19.5	36	28	19	24		
1DN9-20-06	M20X1.5	Z3/8"X18	12		19.5	36	31	19	24		
1DN9-22-06	M22X1.5	Z3/8"X18	14		23	41	32.5	22	27		
1DN9-22-08	M22X1.5	Z1/2"X14	14		23	41	36.7	22	27		
1DN9-24-06	M24X1.5	Z3/8"X18	16		24	42.5	33.5	24	30		
1DN9-24-08	M24X1.5	Z1/2"X14	16		24	42.5	37.5	24	30		
1DN9-30-08	M30X2	Z1/2"X14	20		28	49.8	41	30	36		40 重系列 S
1DN9-30-12	M30X2	Z3/4"X14	20		28	49.8	45	30	36		
1DN9-36-12	M36X2	Z3/4"X14	25		32.8	56.8	49	36	46		
1DN9-36-16	M36X2	Z1"X11.5	25		32.8	56.8	51.5	36	46		
1DN9-42-16	M42X2	Z1"X11.5	30		36.2	62.7	54.5	41	50		
1DN9-42-20	M42X2	Z1.1/4"X11.5	30		36.2	62.7	54.5	41	50		
1DN9-52-20	M52X2	Z1.1/4"X11.5	38		45.8	76.8	65	55	60		
1DN9-52-24	M52X2	Z1.1/2"X11.5	38		45.8	76.8	65	55	60		

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如1CN9-30-12RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1CN9-30-12RN.

www.fitsch.cn

DIN 2353 Tube Fittings ISO 8434-1 Connector





美制螺纹O形圈密封柱端
UN、UNF THREAD STUD ENDS
WITH O-RING SEALING


1CO
1DO

1CO-RN
1DO-RN

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS						压力等级 MPa
	E	F	D1		B	I1	L1	S1	S2		
1CO-14-04	M14X1.5	7/16"X20	8		9	10	25	17	17		31.5 轻系列 L
1CO-16-04	M16X1.5	7/16"X20	10		9	11	26	17	19		
1CO-18-06	M18X1.5	9/16"X18	12		10	11	26	19	22		
1CO-18-08	M18X1.5	3/4"X16	12		11	13	28	24	22		
1CO-18-10	M18X1.5	7/8"X14	12		12.7	14.3	29	27	22		
1CO-22-08	M22X1.5	3/4"X16	15		11	14	29	24	27		
1CO-22-10	M22X1.5	7/8"X14	15		12.7	15.3	30	27	27		
1CO-22-12	M22X1.5	1.1/16"X12	15		15.09	11.91	30	32	27		
1CO-26-08	M26X1.5	3/4"X16	18		11	14.5	31	27	32		
1CO-26-10	M26X1.5	7/8"X14	18		12.7	14.8	31	27	32		
1CO-30-08	M30X2	3/4"X16	18		11.13	13.87	33	32	36		16 轻系列 L
1CO-30-10	M30X2	7/8"X14	22		12.7	16.8	33	32	36		
1CO-30-12	M30X2	1.1/16"X12	22		15	16.5	33	32	36		
1CO-30-16	M30X2	1.5/16"X12	22		15	17.5	34	41	36		
1CO-36-12	M36X2	1.1/16"X12	28		15.09	14.41	34	41	41		
1CO-36-16	M36X2	1.5/16"X12	28		15	17.5	34	41	41		
1CO-45-16	M45X2	1.5/16"X12	35		15	17.5	39	46	50		
1CO-45-20	M45X2	1.5/8"X12	35		15.09	16.41	39	50	50		
1CO-52-20	M52X2	1.5/8"X12	42		15.09	15.91	42	55	60		
1DO-16-04	M16X1.5	7/16"X20	8		9	15	30	17	19		63 重系列 S
1DO-18-06	M18X1.5	9/16"X18	10		10	14.5	31	19	22		
1DO-20-06	M20X1.5	9/16"X18	12		10	14.5	31	22	24		
1DO-20-08	M20X1.5	3/4"X16	12		11	17.5	34	24	24		
1DO-24-08	M24X1.5	3/4"X16	16		11	15.5	34	24	30		40 重系列 S
1DO-24-10	M24X1.5	7/8"X14	16		12.7	18.8	37	27	30		
1DO-30-08	M30X2	3/4"X16	20		11	20.5	42	32	36		
1DO-30-10	M30X2	7/8"X14	20		12.7	20.8	42	32	36		
1DO-30-12	M30X2	1.1/16"X12	20		15	20.5	42	32	36		
1DO-36-12	M36X2	1.1/16"X12	25		15.09	19.91	47	41	46		
1DO-36-16	M36X2	1.5/16"X12	25		15	23	47	41	46		
1DO-42-16	M42X2	1.5/16"X12	30		15	23.5	50	46	50		
1DO-42-20	M42X2	1.5/8"X12	30		15	23.5	50	50	50		
1DO-52-20	M52X2	1.5/8"X12	38		15.09	22.9	53.9	55	60		31.5重系列S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如1C9-30RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1C9-30RN.

www.fitsch.cn




90° 弯美制螺纹可调向O形圈密封柱端
90° ELBOW UN、UNF THREAD ADJUSTABLE STUD ENDS WITH O-RING SEALING


1CO9-OG **1CO9-OG/RN**
1DO9-OG **1DO9-OG/RN**

代 号 PART NO.	螺 纹 THREAD E	F	管子外径 TUBE O.D. D1	尺 寸 DIMENSIONS l1	L1	L2	S1	S2	S3	压力等级 MPa
1CO9-12-04OG	M12X1.5	7/16"X20	6	13	28	27.2	11	14	17	31.5 轻系列 L
1CO9-14-06OG	M14X1.5	9/16"X18	8	15.5	30.5	31.8	14	17	19	
1CO9-16-06OG	M16X1.5	9/16"X18	10	17.5	32.5	33.3	16	19	19	
1CO9-18-08OG	M18X1.5	3/4"X16	12	19	34	37.5	19	22	24	
1CO9-22-10OG	M22X1.5	7/8"X14	15	22	37	44	22	27	27	
1CO9-22-08OG	M22X1.5	3/4"X16	15	22	37	39.5	22	27	24	
1CO9-26-12OG	M26X1.5	1.1/16"X12	18	25.5	42	51	27	32	32	
1CO9-30-12OG	M30X2	1.1/16"X12	22	29.3	45.8	53.5	30	36	32	16 轻系列 L
1CO9-36-12OG	M36X2	1.1/16"X12	28	33.5	47.8	57.5	36	41	41	
1CO9-36-16OG	M36X2	1.5/16"X12	28	33.3	49.8	57.5	36	41	41	
1CO9-45-20OG	M45X2	1.5/8"X12	35	39.2	60.7	63	48	50	50	
1CO9-52-24OG	M52X2	1.7/8"X12	42	44.8	67.8	70.5	55	60	55	
1DO9-14-04OG	M14X1.5	7/16"X20	6	17.5	32.5	30	14	17	17	63 重系列 S
1DO9-16-06OG	M16X1.5	9/16"X18	8	18.7	33.7	33.3	16	19	19	
1DO9-18-06OG	M18X1.5	9/16"X18	10	19.5	36	33.5	19	22	19	
1DO9-18-08OG	M18X1.5	3/4"X16	10	19.5	36	37.5	19	22	24	
1DO9-20-08OG	M20X1.5	3/4"X16	12	19.5	36	37.5	19	24	24	
1DO9-22-10OG	M22X1.5	7/8"X14	14	23	41	44	22	27	27	
1DO9-24-10OG	M24X1.5	7/8"X14	16	24	42.5	46.5	24	30	27	40 重系列 S
1DO9-30-12OG	M30X2	1.1/16"X12	20	28.3	49.8	53.5	30	36	32	
1DO9-36-16OG	M36X2	1.5/16"X12	25	32.8	56.8	57.5	36	46	41	
1DO9-42-20OG	M42X2	1.5/8"X12	30	36.2	62.7	59.5	41	50	50	
1DO9-52-24OG	M52X2	1.7/8"X12	38	45.8	76.8	70.5	55	60	55	31.5重系列S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如1CO9-30-120G/RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1CO9-30-120G/RN.

www.fitsch.cn





90° 弯英锥管外螺纹
90° ELBOW BSPT MALE


1CT9-SP
1DT9-SP


1CT9-SP/RN
1DT9-SP/RN

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS						压力等级 MPa
	E	F	D1		I1	L1	L2	S1	S2		
1CT9-12-02SP	M12X1.5	R1/8"X28	6		13	28	21	11	14		31. 5 轻系列 L
1CT9-12-04SP	M12X1.5	R1/4"X19	6		15.5	30.5	25.5	14	14		
1CT9-14-02SP	M14X1.5	R1/8"X28	8		15.5	30.5	23.5	14	17		
1CT9-14-04SP	M14X1.5	R1/4"X19	8	8	15.5	30.5	25.5	14	17		
1CT9-16-04SP	M16X1.5	R1/4"X19	10		17.5	32.5	26.5	16	19		
1CT9-16-06SP	M16X1.5	R3/8"X19	10	10	17.5	32.5	28.5	16	19		
1CT9-16-08SP	M16X1.5	R1/2"X14	10		21	36	36	22	19		
1CT9-18-04SP	M18X1.5	R1/4"X19	12	12	21	34	28	19	22		
1CT9-18-06SP	M18X1.5	R3/8"X19	12		19	34	30.5	19	22		
1CT9-18-08SP	M18X1.5	R1/2"X14	12		21	36	36	22	22		
1CT9-22-06SP	M22X1.5	R3/8"X19	15	15	22	37	32.5	22	27		
1CT9-22-08SP	M22X1.5	R1/2"X14	15	15	22	37	36	22	27		
1CT9-22-12SP	M22X1.5	R3/4"X14	15		25.5	40.5	43.5	27	27		
1CT9-26-08SP	M26X1.5	R1/2"X14	18	18	25.5	42	39.5	27	32		16 轻系列 L
1CT9-26-12SP	M26X1.5	R3/4"X14	18	18	25.5	42	43.5	27	32		
1CT9-30-12SP	M30X2	R3/4"X14	22	22	29.5	45.8	45.3	30	36		
1CT9-30-16SP	M30X2	R1"X11	22		31.5	48	50	33	36		
1CT9-36-16SP	M36X2	R1"X11	28	28	33.3	49.8	52	36	41		
1CT9-36-20SP	M36X2	R1.1/4"X11	28		36.2	52.7	57	41	41		
1CT9-45-20SP	M45X2	R1.1/4"X11	35	35	39.2	60.7	61	48	50		
1CT9-52-24SP	M52X2	R1.1/2"X11	42	42	44.8	67.8	68	55	60		
1DT9-14-04SP	M14X1.5	R1/4"X19	6	6	17.5	32.5	25.5	14	17		63 重系列 S
1DT9-16-04SP	M16X1.5	R1/4"X19	8		18.7	33.7	26.5	16	19		
1DT9-18-06SP	M18X1.5	R3/8"X19	10		19.5	36	30.5	19	22		
1DT9-20-04SP	M20X1.5	R1/4"X19	12		19.5	36	28	19	24		
1DT9-20-06SP	M20X1.5	R3/8"X19	12		19.5	36	30.5	19	24		
1DT9-22-06SP	M22X1.5	R3/8"X19	14		23	41	32.5	22	27		
1DT9-22-08SP	M22X1.5	R1/2"X14	14		23	41	36	22	27		
1DT9-24-06SP	M24X1.5	R3/8"X19	16		24	42.5	33.5	24	30		
1DT9-24-08SP	M24X1.5	R1/2"X14	16		24	42.5	37.3	24	30		
1DT9-30-08SP	M30X2	R1/2"X14	20		28.3	49.8	41	30	36		40 重系列 S
1DT9-30-12SP	M30X2	R3/4"X14	20		28.3	49.8	45.3	30	36		
1DT9-36-12SP	M36X2	R3/4"X14	25		33.3	57.3	52	36	46		
1DT9-36-16SP	M36X2	R1"X11	25		32.8	56.8	52.5	36	46		
1DT9-42-16SP	M42X2	R1"X11	30		36.2	62.7	56.5	41	50		
1DT9-42-20SP	M42X2	R1.1/4"X11	30		36.2	62.7	57	41	50		
1DT9-52-20SP	M52X2	R1.1/4"X11	38		45.8	76.8	67	55	60		
1DT9-52-24SP	M52X2	R1.1/2"X11	38		45.8	76.8	68	55	60		

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如1CT9-30-12SP/RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1CT9-30-12SP/RN.

www.fitsch.cn





英锥管外螺纹
BSPT MALE


1CT-SP
1DT-SP


1CT-SP/RN
1DT-SP/RN

代 号 PART NO.	螺 纹 THREAD E	F	管子外径 TUBE O.D. D	尺 寸 DIMENSIONS I1	L1	S1	S2			压力等级 MPa
1CT-12-02SP	M12x1.5	R1/8"x28	6	13	28	12	14			
1CT-12-04SP	M12x1.5	R1/4"x19	8	8		14	14			
1CT-14-04SP	M14x1.5	R1/4"x19	8	16.5	31.5	14	17			
1CT-14-06SP	M14x1.5	R3/8"x19	8	17.6	32.6	19	17			31.5
1CT-16-04SP	M16x1.5	R1/4"x19	10	17.5	32.5	17	19			
1CT-16-06SP	M16x1.5	R3/8"x19	10	18.6	33.6	19	19			轻系列
1CT-16-08SP	M16x1.5	R1/2"x14	10	21.8	36.8	22	19			
1CT-16-12SP	M16x1.5	R3/4"x14	10	21.5	36.5	30	19			L
1CT-18-04SP	M18x1.5	R1/4"x19	12	18.5	33.5	19	22			
1CT-18-06SP	M18x1.5	R3/8"x19	12	18.6	33.6	19	22			
1CT-18-08SP	M18x1.5	R1/2"x14	12	21.8	36.8	22	22			
1CT-22-08SP	M22x1.5	R1/2"x14	15	22.8	37.8	24	27			
1CT-26-08SP	M26x1.5	R1/2"x14	18	23.3	39.8	27	32			
1CT-26-12SP	M26x1.5	R3/4"x14	18	22	38.5	30	32			
1CT-30-12SP	M30x2	R3/4"x14	22	24	40.5	32	36			16
1CT-36-16SP	M36x2	R1"x11	28	29.6	46.1	38	41			
1CT-36-20SP	M36x2	R1.1/4"x11	28	29.3	45.8	46	41			轻系列
1CT-45-16SP	M45x2	R1"x11	35	29.6	51.1	46	50			
1CT-45-20SP	M45x2	R1.1/4"x11	35	28.3	49.8	46	50			L
1CT-52-20SP	M52x2	R1.1/4"x11	42	29.8	52.8	55	60			
1CT-52-24SP	M52x2	R1.1/2"x11	42	29.8	52.8	55	60			
1DT-14-04SP	M14x1.5	R1/4"x19	6	13	36.5	17	17			
1DT-16-04SP	M16x1.5	R1/4"x19	8	21.5	36.5	17	19			
1DT-18-04SP	M18x1.5	R1/4"x19	10	21	37.5	19	22			63
1DT-20-04SP	M20x1.5	R1/4"x19	12	23	39.5	22	24			
1DT-20-06SP	M20x1.5	R3/8"x19	12	23.1	39.6	22	24			重系列
1DT-22-06SP	M22x1.5	R3/8"x19	14	24.6	42.6	24	27			
1DT-22-08SP	M22x1.5	R1/2"x14	14	27.8	45.8	24	27			S
1DT-24-06SP	M24x1.5	R3/8"x19	16	24.1	42.6	27	30			
1DT-24-08SP	M24x1.5	R1/2"x14	16	27.3	45.8	27	30			
1DT-30-12SP	M30x2	R3/4"x14	20	28	49.5	32	36			
1DT-36-12SP	M36x2	R3/4"x14	25	29.5	53.5	38	46			
1DT-36-16SP	M36x2	R1"x11	25	34.1	58.1	38	46			40
1DT-42-16SP	M42x2	R1"x11	30	35.6	62.1	46	50			重系列
1DT-42-20SP	M42x2	R1.1/4"x11	30	34.3	60.8	46	50			S
1DT-52-20SP	M52x2	R1.1/4"x11	38	36.8	67.8	55	60			
1DT-52-24SP	M52x2	R1.1/2"x11	38	36.8	67.8	55	60			

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 1DT-22-08SP/RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1DT-22-08SP/RN.

www.fitsch.cn





焊接接头
WELD FITTINGS


1CW
1DW


1CW-RN
1DW-RN

代　号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS						压力等级 MPa
	E		D1	D2	B	D	I1	L1	S1	S2	
1CW-12-06	M12x1.5		6	6	7	10	7	22	12	14	31.5 轻系列 L
1CW-14-08	M14x1.5		8	8	8	12	8	23	14	17	
1CW-16-10	M16x1.5		10	10	8	14	9	24	17	19	
1CW-18-12	M18x1.5		12	12	8	16	10	25	19	22	
1CW-22-15	M22x1.5		15	15	10	19	11	26	22	27	
1CW-26-18	M26X1.5		18	18	10	22	11.5	28	27	32	
1CW-26-22	M26X1.5		18	22	10	27	13.5	28	27	32	16 轻系列 L
1CW-30-22	M30x2		22	22	12	27	13.5	30	32	36	
1CW-30-25	M30x2		22	25	12	31	13.5	30	32	36	
1CW-36-28	M36x2		28	28	12	32	16.5	33	38	41	
1CW-45-35	M45X2		35	35	14	40	14.5	36	46	50	
1CW-52-42	M52X2		42	42	16	46	16	39	55	60	
1DW-14-06	M14x1.5		6	6	7	11	11	26	14	17	63 重系列 S
1DW-16-08	M16x1.5		8	8	8	13	13	28	17	19	
1DW-18-10	M18x1.5		10	10	8	15	12.5	29	19	22	
1DW-20-12	M20x1.5		12	12	10	17	14.5	31	22	24	
1DW-22-14	M22x1.5		14	14	10	19	16	34	24	27	
1DW-24-16	M24x1.5		16	16	10	21	15.5	34	27	30	40 重系列 S
1DW-30-20	M30x2		20	20	12	26	17.5	39	32	36	
1DW-36-25	M36x2		25	25	12	31	20	44	41	46	
1DW-42-30	M42x2		30	30	14	36	20.5	47	46	50	
1DW-52-38	M52X2		38	38	16	44	23	54	55	60	31.5重系列S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如1C9-30RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1C9-30RN.

www.fitsch.cn





90° 焊接接头
90° WELD FITTINGS


1CW9
1DW9


1CW9-RN
1DW9-RN

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS							压力等级 MPa
	E		D1	D2	B	B1	D	I1	L1	S1	S2	
1CW9-12-06	M12x1.5		6	6	15	7	10	13	28	11	14	31.5 轻系列 L
1CW9-14-08	M14x1.5		8	8	18.5	8	12	15.5	30.5	14	17	
1CW9-16-10	M16x1.5		10	10	19.5	8	14	17.5	32.5	16	19	
1CW9-18-12	M18x1.5		12	12	21	8	16	19	34	19	22	
1CW9-22-15	M22x1.5		15	15	25.5	10	19	22	37	22	27	
1CW9-26-18	M26X1.5		18	18	28	10	22	25.5	42	27	32	
1CW9-26-22	M26X1.5		18	22	28	10	27	25.5	42	27	32	16 轻系列 L
1CW9-30-22	M30x2		22	22	32	12	27	29.3	45.8	30	36	
1CW9-30-25	M30x2		22	25	32	12	31	29.3	45.8	30	36	
1CW9-36-28	M36x2		28	28	35.5	12	32	36	52.8	36	41	
1CW9-45-35	M45X2		35	35	45	14	40	39.2	60.7	48	50	
1CW9-52-42	M52X2		42	42	48.5	16	46	40.5	63.5	50	60	
1DW9-14-06	M14x1.5		6	6	17.5	7	11	17.5	32.5	14	17	63 重系列 S
1DW9-16-08	M16x1.5		8	8	19.5	8	13	18.7	33.7	16	19	
1DW9-18-10	M18x1.5		10	10	21	8	15	19.5	36	19	22	
1DW9-20-12	M20x1.5		12	12	23	10	17	19.5	36	19	24	
1DW9-22-14	M22x1.5		14	14	25.5	10	19	23	41	22	27	
1DW9-24-16	M24x1.5		16	16	26.5	10	21	24	42.5	24	30	40 重系列 S
1DW9-30-20	M30x2		20	20	32	12	26	28	49.5	30	36	
1DW9-36-25	M36x2		25	25	35.5	12	31	32.8	56.8	36	46	
1DW9-42-30	M42x2		30	30	39.5	14	36	36.2	62.7	41	50	
1DW9-52-38	M52X2		38	38	48.5	16	44	41.5	72.5	50	60	31.5重系列S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 1DW9-20-12RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1DW9-20-12RN.

www.fitsch.cn





过板接头
STRAIGHT BULKHEAD FITTINGS


1C-Y
1D-Y


1C-Y/RN
1D-Y/RN

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS					压力等级 MPa
	E	F	D1	D2	I1	L1	d	S2,S3		
1C-12Y	M12X1.5	M12X1.5	6	6	56	85	18	14		31.5 轻系列 L
1C-14Y	M14X1.5	M14X1.5	8	8	56	85	20	17		
1C-16Y	M16X1.5	M16X1.5	10	10	58	87	22	19		
1C-18Y	M18X1.5	M18X1.5	12	12	58	87	25	22		
1C-22Y	M22X1.5	M22X1.5	15	15	70	100	28	27		
1C-26Y	M26X1.5	M26X1.5	18	18	69	101	32	32		
1C-30Y	M30X2	M30X2	22	22	73	105	36	36		16 轻系列 L
1C-36Y	M36X2	M36X2	28	28	73	106	40	41		
1C-45Y	M45X2	M45X2	35	35	71	114	50	50		
1C-52Y	M52X2	M52X2	42	42	70	115	60	60		
1D-14Y	M14X1.5	M14X1.5	6	6	60	89	20	17		63 重系列 S
1D-16Y	M16X1.5	M16X1.5	8	8	60	89	22	19		
1D-18Y	M18X1.5	M18X1.5	10	10	59	91	25	22		
1D-20Y	M20X1.5	M20X1.5	12	12	59	91	28	24		
1D-22Y	M22X1.5	M22X1.5	14	14	72	107	30	27		
1D-24Y	M24X1.5	M24X1.5	16	16	71	107	35	30		40 重系列 S
1D-30Y	M30X2	M30X2	20	20	71	114	38	36		
1D-36Y	M36X2	M36X2	25	25	72	120	45	46		
1D-42Y	M42X2	M42X2	30	30	73	126	50	50		
1D-52Y	M52X2	M52X2	38	38	72	133	60	60		31.5 重系列S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如1C9-30RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1C9-30RN.

www.fitsch.cn






英管螺纹 60° 锥密封或
组合垫密封两用柱端
BSP THREAD 60° CONE SEALING
OR BONDED SEAL STUD ENDS

1DB **1DB-RN**

代 号	螺 纹 THREAD		管子外径 TUBE O.D.	尺 寸 DIMENSIONS						压力等级
PART NO.	E	F	D1	B	I1	L1	L	S1	S2	MPa
1DB-14-04	M14X1.5	G1/4"X19	6	12	13	28	30	19	17	63 重系列 S
1DB-16-04	M16X1.5	G1/4"X19	8	12	13	28	32	19	19	
1DB-16-06	M16X1.5	G3/8"X19	8	13.5	15	30	33.5	22	19	
1DB-18-04	M18X1.5	G1/4"X19	10	12	12.5	29	32	19	22	
1DB-18-06	M18X1.5	G3/8"X19	10	13.5	14.5	31	33.5	22	22	
1DB-18-08	M18X1.5	G1/2"X14	10	16	14.5	31	36	27	22	
1DB-20-04	M20X1.5	G1/4"X19	12	12	14.5	31	34	22	24	
1DB-20-06	M20X1.5	G3/8"X19	12	13.5	14.5	31	35.5	22	24	
1DB-20-08	M20X1.5	G1/2"X14	12	16	14.5	31	38	27	24	
1DB-22-08	M22X1.5	G1/2"X14	14	16	16	34	40	27	27	
1DB-24-06	M24X1.5	G3/8"X19	16	13.5	15.5	34	37.5	27	30	40 重系列 S
1DB-24-08	M24X1.5	G1/2"X14	16	16	15.5	34	40	27	30	
1DB-24-12	M24X1.5	G3/4"X14	16	18.5	17.5	36	44.5	32	30	
1DB-30-12	M30X2	G3/4"X14	20	18.5	17.5	39	48.5	32	36	
1DB-30-08	M30X2	G1/2"X14	20	16	17.5		44	32	36	
1DB-36-08	M36X2	G1/2"X14	25	16	19	43	48	38	46	
1DB-36-12	M36X2	G3/4"X14	25	18.5	19	43	50.5	38	46	
1DB-36-16	M36X2	G1"X11	25	20.5	20	44	52.5	41	46	
1DB-42-20	M42X2	G1.1/4"X11	30	20.5	21.5	48	54.5	50	50	
1DB-52-24	M52X2	G1.1/2"X11	38	23	23	54	62	55	60	31.5 重系列 S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 1DB-20-08RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 1DB-20-08RN.

www.fitsch.cn





英管螺纹胶垫密封柱端
BSP THREAD WITH CAPTIVE SEAL

2BC-WD
2BD-WD

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS				压力等级 MPa
	E	F	D1		A	L1	S1	S2	
2BC-02-12WD	G1/8"X28	M12X1.5	6		8	24.5	14	14	31.5 轻系列 L
2BC-04-14WD	G1/4"X19	M14X1.5	8		12	29.5	19	17	
2BC-04-16WD	G1/4"X19	M16X1.5	10		12	27.5	19	19	
2BC-06-18WD	G3/8"X19	M18X1.5	12		12	34	22	22	
2BC-08-22WD	G1/2"X14	M22X1.5	15		14	32	27	27	
2BC-08-26WD	G1/2"X14	M26X1.5	18		14	31.5	27	32	
2BC-12-30WD	G3/4"X14	M30X2	22		16	32.5	32	36	16 轻系列 L
2BC-16-36WD	G1"X11	M36X2	28		18	35	41	41	
2BC-20-45WD	G1.1/4"X11	M45X2	35		20	42.5	50	50	
2BC-24-52WD	G1.1/2"X11	M52X2	42		22	46.5	55	60	
2BD-04-14WD	G1/4"X19	M14X1.5	6		12	27	19	17	63 重系列 S
2BD-04-16WD	G1/4"X19	M16X1.5	8		12	29.5	19	19	
2BD-06-18WD	G3/8"X19	M18X1.5	10		12	32	22	22	
2BD-06-20WD	G3/8"X19	M20X1.5	12		12	34	22	24	
2BD-08-22WD	G1/2"X14	M22X1.5	14		14	36.5	27	27	
2BD-08-24WD	G1/2"X14	M24X1.5	16		14	37	27	30	40 重系列 S
2BD-12-30WD	G3/4"X14	M30X2	20		16	43	32	36	
2BD-16-36WD	G1"X11	M36X2	25		18	48	41	46	
2BD-20-42WD	G1.1/4"X11	M42X2	30		20	51	50	50	
2BD-24-52WD	G1.1/2"X11	M52X2	38		22	60	55	60	31.5 重系列 S

www.fitsch.cn






外螺纹内螺纹转换接头
REDUCER TUBE ADAPTOR
WITH SWIVEL NUT


2C **2C-RN**

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS						压力等级 MPa
	E	F	D1	D2	I1	L1	S1	S2	S3		
2C-12-14	M12X1.5	M14X1.5	6	8	23.5	38	12	14	17		31.5 轻系列 L
2C-12-16	M12X1.5	M16X1.5	6	10	25	40	14	14	19		
2C-14-16	M14X1.5	M16X1.5	8	10	25	40	14	17	19		
2C-12-18	M12X1.5	M18X1.5	6	12	25	40	17	14	22		
2C-14-18	M14X1.5	M18X1.5	8	12	25	40	17	17	22		
2C-16-18	M16X1.5	M18X1.5	10	12	26	41	17	19	22		
2C-12-22	M12X1.5	M22X1.5	6	15	28.5	43	19	14	27		
2C-14-22	M14X1.5	M22X1.5	8	15	28.5	43	19	17	27		
2C-16-22	M16X1.5	M22X1.5	10	15	29.5	44	19	19	27		
2C-18-22	M18X1.5	M22X1.5	12	15	29.5	44	19	22	27		
2C-12-26	M12X1.5	M26X1.5	6	18	28	43	24	14	32		
2C-22-26	M22X1.5	M26X1.5	15	18	30	45	24	27	32		
2C-12-30	M12X1.5	M30X2	6	22	32	47	27	14	36		16 轻系列 L
2C-14-30	M14X1.5	M30X2	8	22	32	47	27	17	36		
2C-16-30	M16X1.5	M30X2	10	22	33	48	27	19	36		
2C-18-30	M18X1.5	M30X2	12	22	33	48	27	22	36		
2C-22-30	M22X1.5	M30X2	15	22	34	49	27	27	36		
2C-26-30	M26X1.5	M30X2	18	22	33.5	50	27	32	36		
2C-12-36	M12X1.5	M36X2	6	28	34	49	36	14	41		
2C-14-36	M14X1.5	M36X2	8	28	34	49	36	17	41		
2C-16-36	M16X1.5	M36X2	10	28	35	50	36	19	41		
2C-18-36	M18X1.5	M36X2	12	28	35	50	36	22	41		
2C-22-36	M22X1.5	M36X2	15	28	36	51	36	27	41		
2C-26-36	M26X1.5	M36X2	18	28	35.5	52	36	32	41		
2C-30-36	M30X2	M36X2	22	28	37.5	54	36	36	41		
2C-12-45	M12X1.5	M45X2	6	35	37	52	41	14	50		
2C-14-45	M14X1.5	M45X2	8	35	37	52	41	17	50		
2C-16-45	M16X1.5	M45X2	10	35	38	53	41	19	50		
2C-18-45	M18X1.5	M45X2	12	35	38	53	41	22	50		
2C-22-45	M22X1.5	M45X2	15	35	39	54	41	27	50		
2C-26-45	M26X1.5	M45X2	18	35	38.5	55	41	32	50		
2C-30-45	M30X2	M45X2	22	35	40.5	57	41	36	50		
2C-36-45	M36X2	M45X2	28	35	40.5	57	41	41	50		
2C-12-52	M12X1.5	M52X2	6	42	40.5	55	50	14	60		
2C-14-52	M14X1.5	M52X2	8	42	40.5	55	50	17	60		
2C-16-52	M16X1.5	M52X2	10	42	41.5	56	50	19	60		
2C-18-52	M18X1.5	M52X2	12	42	41.5	56	50	22	60		
2C-22-52	M22X1.5	M52X2	15	42	42.5	58	50	27	60		
2C-26-52	M26X1.5	M52X2	18	42	42	58	50	32	60		
2C-30-52	M30X2	M52X2	22	42	44	60	50	36	60		
2C-36-52	M36X2	M52X2	28	42	44	61	50	41	60		
2C-45-52	M45X2	M52X2	35	42	43	65	50	50	60		

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”，如 2C-30-52RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 2C-30-52RN.

www.fitsch.cn





外螺纹内螺纹转换接头 90° 弯
REDUCER TUBE ADAPTOR
WITH SWIVEL NUT 90° ELBOW


2C9
2D9

2C9-RN
2D9-RN

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS						压力等级 MPa
	E	F	D1	D2	I1	L1	L2	S1	S2	S3	
2C9-12	M12X1.5	M12X1.5	6	6	12	27	26	12	14	14	25 轻系列 L
2C9-14	M14X1.5	M14X1.5	8	8	14	29	27.5	12	17	17	
2C9-16	M16X1.5	M16X1.5	10	10	15	30	29	14	19	19	
2C9-18	M18X1.5	M18X1.5	12	12	17	32	29.5	17	22	22	
2C9-22	M22X1.5	M22X1.5	15	15	21	36	32.5	19	27	27	
2C9-26	M26X1.5	M26X1.5	18	18	23.5	40	35.5	24	32	32	
2C9-30	M30X2	M30X2	22	22	27.5	44	38.5	27	36	36	16 轻系列 L
2C9-36	M36X2	M36X2	28	28	30.5	47	41.5	36	41	41	
2C9-45	M45X2	M45X2	35	35	34.5	56	51	41	50	50	
2C9-52	M52X2	M52X2	42	42	40	63	56	50	60	60	
2D9-14	M14X1.5	M14X1.5	6	6	16	31	27	12	17	17	63 重系列 S
2D9-16	M16X1.5	M16X1.5	8	8	17	32	27.5	14	19	19	
2D9-18	M18X1.5	M18X1.5	10	10	17.5	34	30	17	22	22	
2D9-20	M20X1.5	M20X1.5	12	12	21.5	38	31	17	24	24	
2D9-22	M22X1.5	M22X1.5	14	14	22	40	35	19	27	27	
2D9-24	M24X1.5	M24X1.5	16	16	24.5	43	36.5	24	30	30	40 重系列 S
2D9-30	M30X2	M30X2	20	20	26.5	48	44.5	27	36	36	
2D9-36	M36X2	M36X2	25	25	30	54	50	36	46	46	
2D9-42	M42X2	M42X2	30	30	35.5	62	55	41	50	50	
2D9-52	M52X2	M52X2	38	38	41	72	63	50	60	60	31.5 重系列 S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 2C9-30RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 2C9-30RN.

www.fitsch.cn





2CB

公制外螺纹 24° 轻系列 / 英管内螺纹
METRIC MALE 24° L.T./BSPP FEMALE

代 号	螺 纹 THREAD		管子外径 TUBE O.D		尺 寸 DIMENSIONS				
PART NO.	E	F	D		A	B	L	S1	S2
2CB-12-02	M12X1.5	G1/8"X28	6		11	5.5	26	14	14
2CB-14-04	M14X1.5	G1/4"X19	8		13	5.5	30.5	17	19
2CB-16-04	M16X1.5	G1/4"X19	10		13.5	5.5	30.5	17	19
2CB-16-06	M16X1.5	G3/8"X19	10		13.5	6.3	32	17	22
2CB-16-08	M16X1.5	G1/2"X14	10		13.5	7.5	33.5	19	27
2CB-18-06	M18X1.5	G3/8"X19	12		13.5	6.3	32	19	22
2CB-22-06	M22X1.5	G3/8"X19	15		13.5	6.3	33.5	24	22
2CB-22-08	M22X1.5	G1/2"X14	15		13.5	7.5	35.5	24	27
2CB-26-08	M26X1.5	G1/2"X14	18		14	7.5	38	27	27
2CB-30-12	M30X2	G3/4"X14	22		18	10.9	44	32	32
2CB-36-12	M36X2	G3/4"X14	28		18	10.9	44	38	32
2CB-36-16	M36X2	G1"X11	28		18	11.7	45	38	41
2CB-45-20	M45X2	G1.1/4"X11	35		19	11	50.5	46	50
2CB-52-24	M52X2	G1.1/2"X11	42		19	13	53	55	55

www.fitsch.cn






外螺纹内螺纹转换接头
REDUCER TUBE ADAPTOR
WITH SWIVEL NUT

2D **2D-RN**

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS						压力等级 MPa
	E	F	D1	D2	I1	L1	S1	S2	S3		
2D-14-16	M14X1.5	M16X1.5	6	8	27	42	14	17	19		63 重系列 S
2D-14-18	M14X1.5	M18X1.5	6	10	27.5	42	17	17	22		
2D-16-18	M16X1.5	M18X1.5	8	10	27.5	42	17	19	22		
2D-14-20	M14X1.5	M20X1.5	6	12	29	44	17	17	24		
2D-16-20	M16X1.5	M20X1.5	8	12	29	44	17	19	24		
2D-18-20	M18X1.5	M20X1.5	10	12	31	46	19	22	24		
2D-14-22	M14X1.5	M22X1.5	6	14	31.5	46	19	17	27		
2D-16-22	M16X1.5	M22X1.5	8	14	31.5	46	19	19	27		
2D-18-22	M18X1.5	M22X1.5	10	14	31	47	19	22	27		
2D-20-22	M20X1.5	M22X1.5	12	14	31	47	22	24	27		
2D-14-24	M14X1.5	M24X1.5	6	16	32	47	22	17	30		40 重系列 S
2D-16-24	M16X1.5	M24X1.5	8	16	32	47	22	19	30		
2D-18-24	M18X1.5	M24X1.5	10	16	31.5	48	22	22	30		
2D-20-24	M20X1.5	M24X1.5	12	16	33.5	50	22	24	30		
2D-22-24	M22X1.5	M24X1.5	14	16	33	51	24	27	30		
2D-14-30	M14X1.5	M30X2	6	20	36	51	27	17	36		
2D-16-30	M16X1.5	M30X2	8	20	36	51	27	19	36		
2D-18-30	M18X1.5	M30X2	10	20	35.5	52	27	22	36		
2D-20-30	M20X1.5	M30X2	12	20	35.5	52	27	24	36		
2D-22-30	M22X1.5	M30X2	14	20	37	55	27	27	36		
2D-24-30	M24X1.5	M30X2	16	20	37.5	55	30	30	36		
2D-14-36	M14X1.5	M36X2	6	25	38.5	53	36	17	46		
2D-16-36	M16X1.5	M36X2	8	25	38.5	53	36	19	46		
2D-18-36	M18X1.5	M36X2	10	25	38	54	36	22	46		
2D-20-36	M20X1.5	M36X2	12	25	38	54	36	24	46		
2D-22-36	M22X1.5	M36X2	14	25	39.5	57	36	27	46		
2D-24-36	M24X1.5	M36X2	16	25	39	57	36	30	46		
2D-30-36	M30X2	M36X2	20	25	39	61	36	36	46		
2D-14-42	M14X1.5	M42X2	6	30	44	59	41	17	50		
2D-16-42	M16X1.5	M42X2	8	30	44	59	41	19	50		
2D-18-42	M18X1.5	M42X2	10	30	43.5	60	41	22	50		
2D-20-42	M20X1.5	M42X2	12	30	43.5	60	41	24	50		
2D-22-42	M22X1.5	M42X2	14	30	45	63	41	27	50		
2D-24-42	M24X1.5	M42X2	16	30	44.5	63	41	30	50		
2D-30-42	M30X2	M42X2	20	30	44.5	66	41	36	50		
2D-36-42	M36X2	M42X2	25	30	44	69	41	46	50		
2D-14-52	M14X1.5	M52X2	6	38	47.5	62	50	17	60		31.5 重系列 S
2D-16-52	M16X1.5	M52X2	8	38	47.5	62	50	19	60		
2D-18-52	M18X1.5	M52X2	10	38	47	63	50	22	60		
2D-20-52	M20X1.5	M52X2	12	38	47	63	50	24	60		
2D-22-52	M22X1.5	M52X2	14	38	48.5	66	50	27	60		
2D-24-52	M24X1.5	M52X2	16	38	48	66	50	30	60		
2D-30-52	M30X2	M52X2	20	38	48	70	50	36	60		
2D-36-52	M36X2	M52X2	25	38	48.5	73	50	46	60		
2D-42-52	M42X2	M52X2	30	38	49	76	50	50	60		

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如2D-30-52RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 2D-30-52RN.

www.fitsch.cn




2DB

公制外螺纹 24° 重系列 / 英管内螺纹
METRIC MALE 24° H.T./BSPP FEMALE

代 号	螺 纹 THREAD		管子外径 TUBE O.D		尺 寸 DIMENSIONS				
PART NO.	E	F	D		A	B	L	S1	S2
2DB-14-04	M14X1.5	G1/4"X19	6		13.5	5.5	30.5	17	19
2DB-16-04	M16X1.5	G1/4"X19	8		13.5	5.5	30.5	17	19
2DB-18-06	M18X1.5	G3/8"X19	10		13.5	6.3	31.5	19	22
2DB-20-06	M20X1.5	G3/8"X19	12		13.5	6.3	33.5	22	22
2DB-22-08	M22X1.5	G1/2"X14	14		14	7.5	36	24	27
2DB-24-08	M24X1.5	G1/2"X14	16		14	7.5	38	27	27
2DB-30-12	M30X2	G3/4"X14	20		19	10.9	45	32	32
2DB-36-12	M36X2	G3/4"X14	25		20	10.9	47	41	32
2DB-36-16	M36X2	G1"X11	25		20	11.7	49	41	41
2DB-42-20	M42X2	G1.1/4"X11	30		20	11	51.5	46	50
2DB-52-24	M52X2	G1.1/2"X11	38		22	13	56	55	55

www.fitsch.cn




英管螺纹 O 形圈密封柱端
BSP THREAD STUD ENDS
WITH O-RING SEALING

2GC
2GD

代 号 PART NO.	螺 纹 THREAD E	F	管子外径 TUBE O.D. D1	尺 寸 DIMENSIONS A	L1	S1	S2			压力等级 MPa
2GC-02-12	G1/8"X28	M12X1.5	6	9.5	20.5	14	14			31.5 轻系列 L
2GC-04-14	G1/4"X19	M14X1.5	8	10	23.5	19	17			
2GC-04-16	G1/4"X19	M16X1.5	10	10	24	19	19			
2GC-06-18	G3/8"X19	M18X1.5	12	11.5	25.5	22	22			
2GC-08-22	G1/2"X14	M22X1.5	15	14	28.5	27	27			
2GC-08-26	G1/2"X14	M26X1.5	18	14	29	27	32			
2GC-12-30	G3/4"X14	M30X2	22	15.5	32	32	36			16 轻系列 L
2GC-16-36	G1"X11	M36X2	28	18	35	41	41			
2GC-20-45	G1.1/4"X11	M45X2	35	20	38	50	50			
2GC-24-52	G1.1/2"X11	M52X2	42	21.5	41.5	55	60			
2GD-04-14	G1/4"X19	M14X1.5	6	10	23	19	17			63 重系列 S
2GD-04-16	G1/4"X19	M16X1.5	8	10	26	19	19			
2GD-06-18	G3/8"X19	M18X1.5	10	11.5	25	22	22			
2GD-06-20	G3/8"X19	M20X1.5	12	11.5	28.5	22	24			
2GD-08-22	G1/2"X14	M22X1.5	14	14	31.5	27	27			
2GD-08-24	G1/2"X14	M24X1.5	16	14	30	27	30			40 重系列 S
2GD-12-30	G3/4"X14	M30X2	20	15.5	36	32	36			
2GD-16-36	G1"X11	M36X2	25	18	38.5	41	46			
2GD-20-42	G1.1/4"X11	M42X2	30	20	42	50	50			
2GD-24-52	G1.1/2"X11	M52X2	38	21.5	47.5	55	60			31.5重系列S

www.fitsch.cn

DIN 2353 Tube Fittings ISO 8434-1 Connector




美制 JIC 74° 锥密封
JIC 74° CONE SEALING

2JC
2JD

代 号 PART NO.	螺 纹 THREAD E	F	管子外径 TUBE O.D. D1	尺 寸 DIMENSIONS A	L1	S1	S2			压力等级 MPa
2JC-04-12	7/16"X20	M12x1.5	6	14	23.5	14	17			31.5 轻系列 L
2JC-04-14	7/16"X20	M14X1.5	8	14	21.5	14	19			
2JC-05-14	1/2"X20	M14X1.5	8	14	21.5	14	19			
2JC-05-16	1/2"X20	M16X1.5	10	14	22	17	22			
2JC-06-14	9/16"X18	M14X1.5	8	14.1	21.5	17	19			
2JC-06-16	9/16"X18	M16X1.5	10	14.1	22	17	22			
2JC-06-18	9/16"X18	M18X1.5	12	14.1	22	17	24			
2JC-08-18	3/4"X16	M18X1.5	12	16.7	23	22	24			
2JC-08-22	3/4"X16	M22X1.5	15	16.7	25.5	22	27			
2JC-10-22	7/8"X14	M22X1.5	15	19.3	25.5	24	27			
2JC-10-26	7/8"X14	M26X1.5	18	19.3	26	27	32			
2JC-12-26	1.1/16"X12	M26X1.5	18	21.9	26	30	32			
2JC-12-30	1.1/16"X12	M30X2	22	21.9	29	30	36			16 轻系列 L
2JC-12-30D	1.1/16"X12	M30X1.5	22	21.9	29	30	36			
2JC-16-36	1.5/16X12	M36X2	28	23.1	32	36	41			
2JC-16-36D	1.5/16X12	M36X1.5	28	23.1	32	36	41			
2JC-16-45	1.5/16X12	M45X2	35	23.1	39	41	50			
2JC-16-45D	1.5/16X12	M45X1.5	35	23.1	39	41	50			
2JC-20-45	1.5/8"X12	M45X2	35	24.3	39	46	50			
2JC-20-52	1.5/8"X12	M52X2	42	24.3	43	50	60			
2JC-24-52	1.7/8"X12	M52X2	42	27.5	43	50	60			
2JD-04-14	7/16"X20	M14X1.5	6	14	24	14	17			63 重系列 S
2JD-04-16	7/16"X20	M16X1.5	8	14	24.5	17	19			
2JD-04-18	7/16"X20	M18X1.5	10	14	22.5	17	24			
2JD-05-18	1/2"X20	M18X1.5	10	14	22.5	17	24			
2JD-06-16	9/16"X18	M16X1.5	8	14.1	24.5	17	19			
2JD-06-18	9/16"X18	M18X1.5	10	14.1	22.5	17	24			
2JD-06-20	9/16"X18	M20X1.5	12	14.1	24	19	27			
2JD-06-22	9/16"X18	M22X1.5	14	14.1	28.5	22	27			
2JD-08-22	3/4"X16	M22X1.5	14	16.7	28.5	22	27			
2JD-08-24	3/4"X16	M24X1.5	16	16.7	27	24	30			40 重系列 S
2JD-10-30	7/8"X14	M30X2	20	19.3	31	30	36			
2JD-10-36	7/8"X14	M36X2	25	19.3	34.5	36	46			
2JD-12-30	1.1/16"X12	M30X2	20	21.9	31	30	36			
2JD-12-36	1.1/16"X12	M36X2	25	21.9	34.5	36	46			
2JD-16-42	1.5/16"X12	M42X2	30	23.1	43.5	41	50			
2JD-20-42	1.5/8"X12	M42X2	30	24.3	43	46	50			
2JD-20-52	1.5/8"X12	M52X2	38	24.3	47.5	50	60			
2JD-24-52	1.7/8"X12	M52X2	38	27.5	47	50	60			

www.fitsch.cn




公制螺纹胶垫密封柱端
METRIC THREAD WITH CAPTIVE SEAL

2MC-WD
2MD-WD

代 号 PART NO.	螺 纹 THREAD		管子外径TUBE O.D.		尺 寸 DIMENSIONS				压力等级 MPa
	E	F	D1		A	L1	S1	S2	
2MC-10-12WD	M10X1	M12X1.5	6		8	24.5	14	14	31.5 轻系列 L
2MC-12-14WD	M12X1.5	M14X1.5	8		12	26.5	17	17	
2MC-14-16WD	M14X1.5	M16X1.5	10		12	27.5	19	19	
2MC-16-18WD	M16X1.5	M18X1.5	12		12	30.5	22	22	
2MC-18-22WD	M18X1.5	M22X1.5	15		12	31.5	24	27	
2MC-22-26WD	M22X1.5	M26X1.5	18		14	31.5	27	32	
2MC-26-30WD	M26X1.5	M30X2	22		16	32.5	32	36	16 轻系列 L
2MC-33-36WD	M33X2	M36X2	28		18	35	41	41	
2MC-42-45WD	M42X2	M45X2	35		20	42.5	50	50	
2MC-48-52WD	M48X2	M52X2	42		22	46.5	55	60	
2MD-12-14WD	M12X1.5	M14X1.5	6		12	27	17	17	63 重系列 S
2MD-14-16WD	M14X1.5	M16X1.5	8		12	29.5	19	19	
2MD-16-18WD	M16X1.5	M18X1.5	10		12	32	22	22	
2MD-18-20WD	M18X1.5	M20X1.5	12		12	34	24	24	
2MD-20-22WD	M20X1.5	M22X1.5	14		14	36.5	27	27	
2MD-22-24WD	M22X1.5	M24X1.5	16		14	37	27	30	40 重系列 S
2MD-27-30WD	M27X2	M30X2	20		16	43	32	36	
2MD-33-36WD	M33X2	M36X2	25		18	48	41	46	
2MD-42-42WD	M42X2	M42X2	30		20	51	50	50	
2MD-48-52WD	M48X2	M52X2	38		22	60	55	60	31.5重系列S

www.fitsch.cn




焊接接头
WELD FITTINGS

2WC
2WD

代 号 PART NO.	螺 纹 THREAD F	管子尺寸 TUBE SIZE D1xt		尺 寸 DIMENSIONS L	D0	D2	S2		压力等级 MPa
2WC-6X1.5	M12X1.5	6X1.5		30	2.5	6	14		25 轻系列L
2WC-8X2.0	M14X1.5	8X2.0		30	4	8	17		
2WC-10X2.0	M16X1.5	10X2.0		31	6	10	19		
2WC-12X2.0	M18X1.5	12X2.0		31	7.5	12	22		
2WC-15X2.0	M22X1.5	15X2.0		35	10	15	27		
2WC-18X2.0	M26X1.5	18X2.0		35	13	18	32		
2WC-22X2.0	M30X2	22X2.0		35	17	22	36		16 轻系列 L
2WC-28X2.5	M36X2	28X2.5		41	23	28	41		
2WC-35X3.0	M45X2	35X3.0		48	29	35	50		
2WC-42X3.0	M52X2	42X3.0		50.5	36	42	60		
2WD-6X1.5	M14X1.5	6X1.5		28.5	2.5	6	17		63 重系列 S
2WD-8X2.0	M16X1.5	8X2.0		29	4	8	19		
2WD-10X1.0	M18X1.5	10X1.0		32	6.5	10	22		
2WD-10X1.5	M18X1.5	10X1.5		32	6.5	10	22		
2WD-10X2.0	M18X1.5	10X2.0		32	6	10	22		
2WD-12X1.5	M20X1.5	12X1.5		32.5	8	12	27		
2WD-12X2.0	M20X1.5	12X2.0		32.5	8	12	27		
2WD-12X2.5	M20X1.5	12X2.5		32.5	7	12	27		
2WD-16X1.5	M24X1.5	16X1.5		39	13	16	30		40 重系列 S
2WD-16X2.0	M24X1.5	16X2.0		39	12	16	30		
2WD-16X2.5	M24X1.5	16X2.5		39	11	16	30		
2WD-16X3.0	M24X1.5	16X3.0		39	10	16	30		
2WD-20X2.0	M30X2	20X2.0		43	15	20	36		
2WD-20X2.5	M30X2	20X2.5		43	15	20	36		
2WD-20X3.0	M30X2	20X3.0		43	14	20	36		
2WD-20X4.0	M30X2	20X4.0		43	12	20	36		
2WD-25X2.5	M36X2	25X2.5		50	20	25	46		
2WD-25X3.0	M36X2	25X3.0		50	19	25	46		
2WD-25X4.0	M36X2	25X4.0		50	17	25	46		
2WD-25X5.0	M36X2	25X5.0		50	15	25	46		
2WD-30X3.0	M42X2	30X3.0		52	24	30	50		25 重系列 S
2WD-30X4.0	M42X2	30X4.0		52	22	30	50		
2WD-30X5.0	M42X2	30X5.0		52	20	30	50		
2WD-30X6.0	M42X2	30X6.0		52	18	30	50		
2WD-38X4.0	M52X2	38X4.0		56.5	30	38	60		
2WD-38X5.0	M52X2	38X5.0		56.5	28	38	60		
2WD-38X6.0	M52X2	38X6.0		56.5	26	38	60		
2WD-38X7.0	M52X2	38X7.0		56.5	24	38	60		

www.fitsch.cn





内螺纹直通接头
STRAIGHT TUBE ADAPTERS
WITH SWIVEL NUT

3C
3D

代 号 PART NO.	螺 纹 THREAD E,F		管子外径 TUBE O.D. D1,D2		尺 寸 DIMENSIONS L1	L2	S1,S2			压力等级 MPa
3C-12	M12X1.5		6		33	32	14			31.5 轻系列 L
3C-14	M14X1.5		8		33	32	17			
3C-16	M16X1.5		10		34	33	19			
3C-18	M18X1.5		12		34	33	22			
3C-22	M22X1.5		15		39	38	27			
3C-26	M26X1.5		18		41	39	32			
3C-30	M30X2		22		44	42	36			16 轻系列 L
3C-36	M36X2		28		48	46	46			
3C-45	M45X2		35		52	48	50			
3C-52	M52X2		42		57	52	60			
3D-14	M14X1.5		6		33	32	17			63 重系列 S
3D-16	M16X1.5		8		34	33	19			
3D-18	M18X1.5		10		35	33	22			
3D-20	M20X1.5		12		38	36	24			
3D-22	M22X1.5		14		41	39	27			
3D-24	M24X1.5		16		42	39	30			40 重系列 S
3D-30	M30X2		20		48	44	36			
3D-36	M36X2		25		53	46	46			
3D-42	M42X2		30		62	52	50			
3D-52	M52X2		38		67	52	60			31.5 重系列 S

www.fitsch.cn





堵头
PLUG

4C
4D


4C-RN
4D-RN


代　号 PART NO.	螺　纹　THREAD E	管子外径 TUBE O.D. D1	尺　寸　DIMENSIONS l1	 L1	 S1	 S2			压力等级 MPa
4C-12	M12x1.5	6	7	22	12	14			31.5 轻系列 L
4C-14	M14x1.5	8	8	23	14	17			
4C-16	M16x1.5	10	9	24	17	19			
4C-18	M18x1.5	12	10	25	19	22			
4C-22	M22x1.5	15	11	26	24	27			
4C-26	M26X1.5	18	11.5	28	27	32			
4C-30	M30x2	22	13.5	30	32	36			16 轻系列 L
4C-30D	M30x1.5	22	13.5	30	32	36			
4C-36	M36x2	28	14.5	31	41	41			
4C-36D	M36x1.5	28	14.5	31	41	41			
4C-45	M45X2	35	14.5	36	46	50			
4C-45D	M45X1.5	35	14.5	36	46	50			
4C-52	M52X2	42	16	39	55	60			
4D-14	M14X1.5	6	11	26	14	17			63 重系列 S
4D-16	M16X1.5	8	13	28	17	19			
4D-18	M18x1.5	10	12.5	29	19	22			
4D-20	M20x1.5	12	14.5	31	22	24			
4D-22	M22x1.5	14	16	34	24	27			
4D-24	M24x1.5	16	15.5	34	27	30			40 重系列 S
4D-30	M30x2	20	17.5	39	32	36			
4D-36	M36x2	25	20	44	38	46			
4D-42	M42x2	30	20.5	47	46	50			
4D-52	M52X2	38	23	54	55	60			31.5 重系列 S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 4C-30RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 4C-30RN.

www.fitsch.cn

DIN 2353 Tube Fittings ISO 8434-1 Connector





英管内螺纹柱端接头
BSP FEMALE STUD FITTINGS


5CB
5DB


5CB-RN
5DB-RN

代 号 PART NO.	螺 纹 THREAD E	F	管子外径 TUBE O.D. D1		尺 寸 DIMENSIONS B	l1	L1	S1	S2		压力等级 MPa
5CB-12-02	M12X1.5	G1/8"X28	6		12	19	34	14	14		31.5 轻系列 L
5CB-12-04	M12X1.5	G1/4"X19	6		16	23	36	19	17		
5CB-14-04	M14X1.5	G1/4"X19	8		17	24	39	19	17		
5CB-14-06	M14X1.5	G3/8"X19	8		17	25	40	24	17		
5CB-14-08	M14X1.5	G1/2"X14	8		20	29	44	27	17		
5CB-16-04	M16X1.5	G1/4"X19	10		17	25	40	19	19		
5CB-16-06	M16X1.5	G3/8"X19	10		17	26	41	24	19		
5CB-16-08	M16X1.5	G1/2"X14	10		20	30	45	27	19		
5CB-18-04	M18X1.5	G1/4"X19	12		17	23	38	19	22		
5CB-18-06	M18X1.5	G3/8"X19	12		17	26	41	24	22		
5CB-18-08	M18X1.5	G1/2"X14	12		20	30	45	27	22		
5CB-22-06	M22X1.5	G3/8"X19	15		17	28	43	24	27		
5CB-22-08	M22X1.5	G1/2"X14	15		20	31	46	27	27		
5CB-26-08	M26X1.5	G1/2"X14	18		20	30.5	47	27	32		
5CB-30-12	M30X2	G3/4"X14	22		22	35.5	52	36	36		16 轻系列 L
5CB-36-16	M36X2	G1"X11	28		24.5	38	55	41	41		
5CB-45-20	M45X2	G1.1/4"X11	35		26.5	41	63	55	50		
5CB-52-24	M52X2	G1.1/2"X11	42		28.5	42.5	65	60	60		
5DB-14-04	M14X1.5	G1/4"X19	6		17	26	41	19	17		63 重系列 S
5DB-16-04	M16X1.5	G1/4"X19	8		17	26	41	19	19		
5DB-18-06	M18X1.5	G3/8"X19	10		17	26.5	43	24	22		
5DB-20-06	M20X1.5	G3/8"X19	12		17	27.5	28	24	24		
5DB-20-08	M20X1.5	G1/2"X14	12		20	30.5	31	24	24		
5DB-22-08	M22X1.5	G1/2"X14	14		20	32	50	30	27		
5DB-24-08	M24X1.5	G1/2"X14	16		20	31.5	50	30	30		40 重系列 S
5DB-30-12	M30X2	G3/4"X14	20		22	34.5	56	36	36		
5DB-36-16	M36X2	G1"X11	25		24.5	37.5	62	41	46		
5DB-42-20	M42X2	G1.1/4"X11	30		26.5	42	69	55	50		
5DB-52-24	M52X2	G1.1/2"X11	38		28.5	43.5	74	60	60		31.5 重系列 S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 5CB-45-20RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 5CB-45-20RN.

www.fitsch.cn






钢垫密封英管压力表接头
BSP PRESSURE GAUGE CONNECTOR
WITH DKI SEALING RING

5CB-GDK
5DB-GDK

5CB-GDK/RN
5DB-GDK/RN

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.	尺 寸 DIMENSIONS					密封钢垫 SEALING RING DKI	压力等级 MPa
	E	F	D1	I1	L1	B	S1	S2		
5CB-12-04GDK	M12X1.5	G1/4"X19	6	7.5	37	14.5	19	14	DP-B04DK	31.5 轻系列 L
5CB-14-04GDK	M14X1.5	G1/4"X19	8	7.5	37	14.5	19	17	DP-B04DK	
5CB-16-04GDK	M16X1.5	G1/4"X19	10	8.5	38	14.5	19	19	DP-B04DK	
5CB-18-04GDK	M18X1.5	G1/4"X19	12	8.5	38	14.5	19	22	DP-B04DK	
5DB-14-08GDK	M14X1.5	G1/2"X14	6	11	46	20	27	17	DP-B08DK	63 重系列 S
5DB-16-08GDK	M16X1.5	G1/2"X14	8	11	46	20	27	19	DP-B08DK	
5DB-18-08GDK	M18X1.5	G1/2"X14	10	10.5	47	20	27	22	DP-B08DK	
5DB-20-08GDK	M20X1.5	G1/2"X14	12	10.5	47	20	27	24	DP-B08DK	

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 5CB-18-04GDK/RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 5CB-18-04GDK/RN.





钢垫密封英管压力表接头
BSP PRESSURE GAUGE CONNECTOR
WITH DKI SEALING RING

7BC-GDK/S
7BD-GDK/S

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.	尺 寸 DIMENSIONS					密封钢垫 SEALING RING DKI	压力等级 MPa
	E	F	D1	I1	L1	S1	S2			
7BC-04-12GDK/S	G1/4"X19	M12X1.5	6	14.5	35.5	19	14		DP-B04DK	31.5 轻系列 L
7BC-04-14GDK/S	G1/4"X19	M14X1.5	8	14.5	35.5	19	17		DP-B04DK	
7BC-04-16GDK/S	G1/4"X19	M16X1.5	10	14.5	36	19	19		DP-B04DK	
7BC-04-18GDK/S	G1/4"X19	M18X1.5	12	14.5	36	19	22		DP-B04DK	
7BD-04-14GDK/S	G1/4"X19	M14X1.5	6	14.5	35.5	19	17		DP-B04DK	63 重系列 S
7BD-04-16GDK/S	G1/4"X19	M16X1.5	8	14.5	35.5	19	19		DP-B04DK	
7BD-04-18GDK/S	G1/4"X19	M18X1.5	10	14.5	36	19	22		DP-B04DK	
7BD-04-20GDK/S	G1/4"X19	M20X1.5	12	14.5	39	19	24		DP-B04DK	
7BD-08-14GDK/S	G1/2"X14	M14X1.5	6	20	42.5	27	17		DP-B08DK	
7BD-08-16GDK/S	G1/2"X14	M16X1.5	8	20	43	27	19		DP-B08DK	
7BD-08-18GDK/S	G1/2"X14	M18X1.5	10	20	43.5	27	22		DP-B08DK	
7BD-08-20GDK/S	G1/2"X14	M20X1.5	12	20	45	27	24		DP-B08DK	

www.fitsch.cn





公制内螺纹柱端接头
METRIC FEMALE STUD FITTINGS


5CM
5DM

5CM-RN
5DM-RN


代 号 PART NO.	螺 纹 THREAD E	F	管子外径 TUBE O.D. D1		尺 寸 DIMENSIONS B	l1	L1	S1	S2		压力等级 MPa
5CM-12-10	M12X1.5	M10X1	6		12.5	19.5	34	14	14		25 轻系列 L
5CM-14-12	M14X1.5	M12X1.5	8		17	24	39	17	17		
5CM-16-14	M16X1.5	M14X1.5	10		17	25	40	19	19		
5CM-18-16	M18X1.5	M16X1.5	12		17	26	41	22	22		
5CM-22-18	M22X1.5	M18X1.5	15		17	28	43	24	27		
5CM-26-22	M26X1.5	M22X1.5	18		19	29.5	46	30	32		
5CM-30-26	M30X2	M26X1.5	22		21	34.5	51	32	36		16 轻系列 L
5CM-36-33	M36X2	M33X2	28		24	37.5	54	41	41		
5CM-45-42	M45X2	M42X2	35		26	40.5	62	55	50		
5CM-52-48	M52X2	M48X2	42		28	42	65	60	60		
5DM-14-12	M14X1.5	M12X1.5	6		17	26	41	17	17		63 重系列 S
5DM-16-14	M16X1.5	M14X1.5	8		17	26	41	19	19		
5DM-18-16	M18X1.5	M16X1.5	10		17	26.5	43	22	22		
5DM-20-18	M20X1.5	M18X1.5	12		17	27.5	44	24	24		
5DM-22-20	M22X1.5	M20X1.5	14		19	31	49	27	27		
5DM-24-22	M24X1.5	M22X1.5	16		19	30.5	49	30	30		40 重系列 S
5DM-30-27	M30X2	M27X2	20		22	34.5	56	36	36		
5DM-36-33	M36X2	M33X2	25		24	37	61	41	46		
5DM-42	M42X2	M42X2	30		26	41.5	68	55	50		
5DM-52-48	M52X2	M48X2	38		28	43	74	60	60		25 重系列 S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 5DM-30-27RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example 5DM-30-27RN.


www.fitsch.cn




6C
6D



6C-LN
6D-LN



6C-RN
6D-RN



6C-LN/RN
6D-LN/RN

直通过板接头
STRAIGHT BULKHEAD FITTINGS


代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS							压力等级 MPa
	E	F	D1	D2	I1	I2	L1	L2	S1	S2,S3	S4	
6C-12	M12X1.5	M12X1.5	6	6	7	27	22	42	17	14	17	31.5 轻系列 L
6C-14	M14X1.5	M14X1.5	8	8	8	27	23	42	19	17	19	
6C-16	M16X1.5	M16X1.5	10	10	10	28	25	43	22	19	22	
6C-18	M18X1.5	M18X1.5	12	12	10	29	25	44	24	22	24	
6C-22	M22X1.5	M22X1.5	15	15	12	31	27	46	27	27	30	
6C-26	M26X1.5	M26X1.5	18	18	13.5	32.5	30	49	32	32	36	
6C-30	M30X2	M30X2	22	22	16.5	34.5	33	51	36	36	41	16 轻系列 L
6C-36	M36X2	M36X2	28	28	18.5	35.5	35	52	41	41	46	
6C-45	M45X2	M45X2	35	35	18.5	36.5	40	58	50	50	55	
6C-52	M52X2	M52X2	42	42	19	36	42	59	60	60	65	
6D-14	M14X1.5	M14X1.5	6	6	12	29	27	44	19	17	19	63 重系列 S
6D-16	M16X1.5	M16X1.5	8	8	13	29	28	44	22	19	22	
6D-18	M18X1.5	M18X1.5	10	10	14.5	29.5	31	46	24	22	24	
6D-20	M20X1.5	M20X1.5	12	12	14.5	30.5	31	47	27	24	27	
6D-22	M22X1.5	M22X1.5	14	14	17	32	35	50	30	27	30	
6D-24	M24X1.5	M24X1.5	16	16	16.5	31.5	35	50	32	30	32	40 重系列 S
6D-30	M30X2	M30X2	20	20	17.5	33.5	39	55	41	36	41	
6D-36	M36X2	M36X2	25	25	20	35	44	59	46	46	46	
6D-42	M42X2	M42X2	30	30	21.5	37.5	48	64	50	50	50	
6D-52	M52X2	M52X2	38	38	22	37	53	68	65	60	65	31.5 重系列 S


注：如需带锁母订货，则请在代号后加“LN”, 如 6C-30LN；如需带卡套及卡套螺母订货，在代号后加“RN”, 如 6C-30RN；如需带锁母、卡套及卡套螺母订货，在代号后加“LN/RN”，如 6C-30LN/RN。


Note：In case if you are interestedto order the adapter with lock nut,please insert suffix "LN" after our part no.for example 6C-30LN,order the adapter with cutting ring and nut,insert suffix "RN" after part no.,for example 6C-30RN,order the adapter with lock nut and cutting ring and nut,insert suffix "LN/RN" afterpart no.,for example 6C-30LN/RN.


www.fitsch.cn

DIN 2353 Tube Fittings ISO 8434-1 Connector









6C9
6D9

6C9-LN
6D9-LN

6C9-RN
6D9-RN

6C9-LN/RN
6D9-LN/RN


90° 弯曲过板接头
90° ELBOW BULKHEAD FITTINGS

代 号	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS								压力等级 MPa
PART NO.	E	F	D1	D2	I1	I2	I3	L1	L2	S1	S2,S3	S4	
6C9-12	M12X1.5	M12X1.5	6	6	27	12	14	42	27	12	14	17	31.5 轻系列 L
6C9-14	M14X1.5	M14X1.5	8	8	27	14	17	42	29	12	17	19	
6C9-16	M16X1.5	M16X1.5	10	10	28	15	18	43	30	14	19	22	
6C9-18	M18X1.5	M18X1.5	12	12	29	17	20	44	32	17	22	24	
6C9-22	M22X1.5	M22X1.5	15	15	31	21	23	46	36	19	27	30	
6C9-26	M26X1.5	M26X1.5	18	18	32.5	23.5	24	49	40	24	32	36	
6C9-30	M30X2	M30X2	22	22	34.5	27.5	30	51	44	27	36	41	16 轻系列 L
6C9-36	M36X2	M36X2	28	28	35.5	30.5	34	52	47	36	41	46	
6C9-45	M45X2	M45X2	35	35	36.5	34.5	39	58	56	41	50	55	
6C9-52	M52X2	M52X2	42	42	36	40	43	59	63	50	60	65	
6D9-14	M14X1.5	M14X1.5	6	6	29	16	17	44	31	12	17	19	63 重系列 S
6D9-16	M16X1.5	M16X1.5	8	8	29	17	18	44	32	14	19	22	
6D9-18	M18X1.5	M18X1.5	10	10	29.5	17.5	20	46	34	17	22	24	
6D9-20	M20X1.5	M20X1.5	12	12	30.5	21.5	21	47	38	17	24	27	
6D9-22	M22X1.5	M22X1.5	14	14	32	22	23	50	40	19	27	30	
6D9-24	M24X1.5	M24X1.5	16	16	31.5	24.5	24	50	43	24	30	32	40 重系列 S
6D9-30	M30X2	M30X2	20	20	33.5	26.5	30	55	48	27	36	41	
6D9-36	M36X2	M36X2	25	25	35	30	34	59	54	36	46	46	
6D9-42	M42X2	M42X2	30	30	37.5	35.5	39	64	62	41	50	50	
6D9-52	M52X2	M52X2	38	38	37	41	43	68	72	50	60	65	31.5重系列S

注：如需带锁母订货，则请在代号后加“LN”,如6C9-30LN；如需带卡套及卡套螺母订货，在代号后加“RN”,如6C9-30RN；如需带锁母、卡套及卡套螺母订货，在代号后加“LN/RN”，如6C9-30LN/RN。

Note：In case if you are interested to order the adapter with lock nut,please insert suffix "LN" after our part no.for example 6C9-30LN,order the adapter with cutting ring and nut,insert suffix "RN" after part no.,for example 6C9-30RN,order the adapter with lock nut and cutting ring and nut,insert suffix "LN/RN" after part no.,for example 6C9-30LN/RN.


www.fitsch.cn



700M-I

公制铰接螺栓
METRIC BOLT

代 号 PART NO.	螺 纹 E THREAD E			尺 寸 DIMENSIONS			
				A	B	C	S1
700M-10I	M10X1			27	4	6.5	14
700M-12I	M12X1.5			38	6	7	17
700M-14I	M14X1.5			38	8	7	19
700M-16I	M16X1.5			43	9	8	22
700M-18I	M18X1.5			46	11	8	24
700M-20I	M20X1.5			51	12	9	27
700M-22I	M22X1.5			54	14	9	27
700M-26I	M26X1.5			61	17	11	36
700M-27I	M27X2			61	18	11	36
700M-33I	M33X2			76	22	13	41
700M-42I	M42X2			88	27	14	50
700M-48I	M48X2			100	31	15	55




720B-I

英制铰接螺栓
BSP BOLT

代 号 PART NO.	螺 纹 E THREAD E			尺 寸 DIMENSIONS			
				A	B	C	S1
720B-02I	G1/8"X28			27	4	6.5	14
720B-04I	G1/4"X19			38	6	7	19
720B-06I	G3/8"X19			42	9	8	24
720B-08I	G1/2"X14			54	12	9	27
720B-12I	G3/4"X14			61	17	11	36
720B-16I	G1"X11			76	22	13	41
720B-20I	G1.1/4"X11			88	27	14	50
720B-24I	G1.1/2"X11			100	31	15	55

www.fitsch.cn




钢垫密封英管压力表接头
BSP PRESSURE GAUGE CONNECTOR
WITH DKI SEALING RING

7BC-GDK/S
7BD-GDK/S

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS				密封钢垫 SEALING RING DKI	压力等级 MPa
	E	F	D1		l1	L1	S1	S2		
7BC-04-12GDK/S	G1/4"X19	M12X1.5	6		14.5	35.5	19	14	DP-B04DK	31.5 轻系列 L
7BC-04-14GDK/S	G1/4"X19	M14X1.5	8		14.5	35.5	19	17	DP-B04DK	
7BC-04-16GDK/S	G1/4"X19	M16X1.5	10		14.5	36	19	19	DP-B04DK	
7BC-04-18GDK/S	G1/4"X19	M18X1.5	12		14.5	36	19	22	DP-B04DK	
7BD-04-14GDK/S	G1/4"X19	M14X1.5	6		14.5	35.5	19	17	DP-B04DK	63 重系列 S
7BD-04-16GDK/S	G1/4"X19	M16X1.5	8		14.5	35.5	19	19	DP-B04DK	
7BD-04-18GDK/S	G1/4"X19	M18X1.5	10		14.5	36	19	22	DP-B04DK	
7BD-04-20GDK/S	G1/4"X19	M20X1.5	12		14.5	39	19	24	DP-B04DK	
7BD-08-14GDK/S	G1/2"X14	M14X1.5	6		20	42.5	27	17	DP-B08DK	
7BD-08-16GDK/S	G1/2"X14	M16X1.5	8		20	43	27	19	DP-B08DK	
7BD-08-18GDK/S	G1/2"X14	M18X1.5	10		20	43.5	27	22	DP-B08DK	
7BD-08-20GDK/S	G1/2"X14	M20X1.5	12		20	45	27	24	DP-B08DK	

www.fitsch.cn




8C

公制螺纹锁母
METRIC LOCK NUT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E				A	S1			
8C-10	M10X1				6	14			
8C-12	M12x1.5				7.5	17			
8C-12(M12X1.25)	M12X1.25				7.5	17			
8C-14	M14x1.5				7.5	19			
8C-16	M16x1.5				7.5	22			
8C-16(A8.5)	M16x1.5				8.5	22			
8C-18	M18x1.5				7.5	24			
8C-20	M20x1.5				8	27			
8C-20(S24XA9)	M20x1.5				9	24			
8C-20(S30XA9)	M20x1.5				9	30			
8C-22	M22x1.5				8	27			
8C-22(S30XA9)	M22x1.5				9	30			
8C-24	M24x1.5				8	30			
8C-26	M26x1.5				8	32			
8C-27	M27x1.5				8	32			
8C-27A	M27x2				10	32			
8C-30	M30x2				10	36			
8C-33	M33x2				10	41			
8C-33A	M33X1.5				10	41			
8C-36	M36x2				10	41			
8C-42	M42x2				10	50			
8C-45	M45x2				10	55			
8C-48	M48x2				10	55			
8C-52	M52x2				10	60			
8C-60	M60x2				10	65			

www.fitsch.cn




内螺纹堵头
FEMALE PLUG


9C
9D

代　号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS				压力等级 MPa
		F	D		L	L1	S2		
9C-12		M12X1.5	6		15.5	17.5	14		31.5 轻系列 L
9C-14		M14X1.5	8		15.5	18	17		
9C-16		M16X1.5	10		16.5	18	19		
9C-18		M18X1.5	12		18	19.5	22		
9C-22		M22X1.5	15		19.5	20	27		
9C-26		M26X1.5	18		20	22	32		
9C-30		M30X2	22		21.5	22.5	36		16 轻系列 L
9C-36		M36X2	28		22.5	24.5	41		
9C-45		M45X2	35		25	29	55		
9C-52		M52X2	42		27	31.5	60		
9D-14		M14X1.5	6		16	18	17		63 重系列 S
9D-16		M16X1.5	8		16.5	18.5	19		
9D-18		M18X1.5	10		18	20	22		
9D-20		M20X1.5	12		18.5	20.5	24		
9D-22		M22X1.5	14		19	21.5	27		
9D-24		M24X1.5	16		18.5	21.5	30		40 重系列 S
9D-30		M30X2	20		22.5	25	36		
9D-36		M36X2	25		23.5	28.5	46		
9D-42		M42X2	30		25.5	32	50		
9D-52		M52X2	38		26.5	36	60		31.5 重系列 S

www.fitsch.cn

DIN 2353 Tube Fittings ISO 8434-1 Connector





三通接头
EQUAL TEES


AC
AD


AC-RN
AD-RN

代 号 PART NO.	螺 纹 THREAD E ,F ,G	管子外径 TUBE O.D. D1 , D2 ,D3	尺 寸 DIMENSIONS l1,l2,l3	 L1,L2,L3	 S1	 S2,S3,S4		压力等级 MPa
AC-08	M8X1	4	11	21	9	10		10 特轻系列 LL
AC-10	M10X1	5	9.5	21	9	12		
AC-10LL	M10X1	6	9.5	21	9	12		
AC-12LL	M12X1	8	11.5	23	12	14		
AC-12	M12X1.5	6	12	27	12	14		25 轻系列 L
AC-14	M14X1.5	8	14	29	12	17		
AC-16	M16X1.5	10	15	30	14	19		
AC-18	M18X1.5	12	17	32	17	22		
AC-22	M22X1.5	15	21	36	19	27		
AC-26	M26X1.5	18	23.5	40	24	32		
AC-30	M30X2	22	27.5	44	27	36		16 轻系列 L
AC-36	M36X2	28	30.5	47	36	41		
AC-45	M45X2	35	34.5	56	41	50		
AC-52	M52X2	42	40	63	50	60		
AD-14	M14X1.5	6	16	31	12	17		63 重系列 S
AD-16	M16X1.5	8	17	32	14	19		
AD-18	M18X1.5	10	17.5	34	17	22		
AD-20	M20X1.5	12	21.5	38	17	24		
AD-22	M22X1.5	14	22	40	19	27		
AD-24	M24X1.5	16	24.5	43	24	30		40 重系列 S
AD-30	M30X2	20	26.5	48	27	36		
AD-36	M36X2	25	30	54	36	46		
AD-42	M42X2	30	35.5	62	41	50		
AD-52	M52X2	38	41	72	50	60		31.5重系列S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如AC-22RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example AC-22RN.

www.fitsch.cn






三通变径接头
TEE REDUCERS

AC、AD　　AC-RN、AD-RN


代 号	螺 纹 THREAD			管子外径 TUBE O.D.			尺 寸 DIMENSIONS										压力等级
PART NO.	E	F	G	D1	D2	D3	l1	l2	l3	L1	L2	L3	S1	S2	S3	S4	MPa
AC-12-14-12	M12X1.5	M14X1.5	M12X1.5	6	8	6	14	14	14	29	29	29	14	14	17	14	
AC-12-16-12	M12X1.5	M16X1.5	M12X1.5	6	10	6	15	15	15	30	30	30	14	14	19	14	
AC-12-16-16	M12X1.5	M16X1.5	M16X1.5	6	10	10	15	15	15	30	30	30	14	14	19	19	
AC-14-12-14	M14X1.5	M12X1.5	M14X1.5	8	6	8	14	14	14	29	29	29	14	17	14	17	
AC-14-14-18	M14X1.5	M14X1.5	M18X1.5	8	8	12	17	17	17	32	32	32	17	17	17	22	
AC-14-16-14	M14X1.5	M16X1.5	M14X1.5	8	10	8	15	15	15	30	30	30	14	17	19	17	
AC-14-18-14	M14X1.5	M18X1.5	M14X1.5	8	12	8	17	17	17	32	32	32	17	17	22	17	
AC-16-12-16	M16X1.5	M12X1.5	M16X1.5	10	6	10	15	15	15	30	30	30	14	19	14	19	
AC-16-14-16	M16X1.5	M14X1.5	M16X1.5	10	8	10	15	15	15	30	30	30	14	19	17	19	
AC-16-16-18	M16X1.5	M16X1.5	M18X1.5	10	10	12	17	17	17	32	32	32	17	19	19	22	
AC-16-16-26	M16X1.5	M16X1.5	M26X1.5	10	10	18	24	24	24	39	39	40	24	19	19	32	
AC-16-18-16	M16X1.5	M18X1.5	M16X1.5	10	12	10	17	17	17	32	32	32	17	19	22	19	
AC-16-18-18	M16X1.5	M18X1.5	M18X1.5	10	12	12	17	17	17	32	32	32	17	19	22	22	
AC-16-22-16	M16X1.5	M22X1.5	M16X1.5	10	15	10	21	21	21	36	36	36	19	19	27	19	
AC-16-26-26	M16X1.5	M26X1.5	M26X1.5	10	18	18	24	24	24	39	40	40	24	19	32	32	
AC-18-12-18	M18X1.5	M12X1.5	M18X1.5	12	6	12	17	17	17	32	32	32	17	22	14	22	
AC-18-14-18	M18X1.5	M14X1.5	M18X1.5	12	8	12	17	17	17	32	32	32	17	22	17	22	25
AC-18-16-18	M18X1.5	M16X1.5	M18X1.5	12	10	12	17	17	17	32	32	32	17	22	19	22	轻系列
AC-18-18-22	M18X1.5	M18X1.5	M22X1.5	12	12	15	21	21	21	36	36	36	19	22	22	27	L
AC-18-22-18	M18X1.5	M22X1.5	M18X1.5	12	15	12	21	21	21	36	36	36	19	22	27	22	
AC-18-22-22	M18X1.5	M22X1.5	M22X1.5	12	15	15	21	21	21	36	36	36	19	22	27	27	
AC-18-22-30	M18X1.5	M22X1.5	M30X2	12	15	22	28	28	28	43	43	44	27	22	27	36	
AC-18-26-18	M18X1.5	M26X1.5	M18X1.5	12	18	12	24	24	24	39	40	39	24	22	32	22	
AC-22-12-22	M22X1.5	M12X1.5	M22X1.5	15	6	15	21	21	21	36	36	36	19	27	14	27	
AC-22-16-22	M22X1.5	M16X1.5	M22X1.5	15	10	15	21	21	21	36	36	36	19	27	19	27	
AC-22-18-22	M22X1.5	M18X1.5	M22X1.5	15	12	15	21	21	21	36	36	36	19	27	22	27	
AC-22-22-30	M22X1.5	M22X1.5	M30X2	15	15	22	28	28	28	43	43	44	27	27	27	36	
AC-22-26-22	M22X1.5	M26X1.5	M22X1.5	15	18	15	24	24	24	39	40	39	24	27	32	27	
AC-26-16-26	M26X1.5	M16X1.5	M26X1.5	18	10	18	23.5	24	23.5	40	39	40	24	32	19	32	
AC-26-18-26	M26X1.5	M18X1.5	M26X1.5	18	12	18	23.5	24	23.5	40	39	40	24	32	22	32	
AC-26-22-26	M26X1.5	M22X1.5	M26X1.5	18	15	18	24	24	24	40	39	40	24	32	27	32	
AC-26-26-30	M26X1.5	M26X1.5	M30X2	18	18	22	27.5	27.5	27.5	44	44	44	27	32	32	36	
AC-26-30-30	M26X1.5	M30X2	M30X2	18	22	22	27.5	27.5	27.5	44	44	44	27	32	36	36	
AC-30-16-30	M30X2	M16X1.5	M30X2	22	10	22	27.5	28	27.5	44	43	44	27	36	19	36	
AC-30-18-30	M30X2	M18X1.5	M30X2	22	12	22	27.5	28	27.5	44	43	44	27	36	22	36	
AC-30-22-30	M30X2	M22X1.5	M30X2	22	15	22	27.5	28	27.5	44	43	44	27	36	27	36	16
AC-30-26-30	M30X2	M26X1.5	M30X2	22	18	22	27.5	27.5	27.5	44	44	44	27	36	32	36	轻系列
AC-30-30-36	M30X2	M30X2	M36X2	22	22	28	30.5	30.5	30.5	47	47	47	36	36	36	41	L
AC-36-16-36	M36X2	M16X1.5	M36X2	28	10	28	30.5	31	30.5	47	46	47	36	41	19	41	
AC-36-18-36	M36X2	M18X1.5	M36X2	28	12	28	30.5	31	30.5	47	46	47	36	41	22	41	
AC-36-22-36	M36X2	M22X1.5	M36X2	28	15	28	30.5	31	30.5	47	46	47	36	41	27	41	
AC-36-26-36	M36X2	M26X1.5	M36X2	28	18	28	30.5	30.5	30.5	47	47	47	36	41	32	41	
AC-36-30-36	M36X2	M30X2	M36X2	28	22	28	30.5	30.5	30.5	47	47	47	36	41	36	41	
AD-16-16-20	M16X1.5	M16X1.5	M20X1.5	8	8	12	22	22	22	37	37	38	17	19	19	24	
AD-18-14-18	M18X1.5	M14X1.5	M18X1.5	10	6	10	17.5	18	17.5	34	33	34	17	22	17	22	63
AD-20-16-20	M20X1.5	M16X1.5	M20X1.5	12	8	12	21.5	22	21.5	38	37	38	17	24	19	24	重系列
AD-20-18-20	M20X1.5	M18X1.5	M20X1.5	12	10	12	21.5	21.5	21.5	38	38	38	17	24	22	24	S
AD-20-20-30	M20X1.5	M20X1.5	M30X2	12	12	20	26.5	26.5	29.5	46	46	48	27	24	24	36	
AD-20-24-20	M20X1.5	M24X1.5	M20X1.5	12	16	12	25.5	24.5	25.5	42	43	42	24	24	30	24	
AD-20-30-20	M20X1.5	M30X2	M20X1.5	12	20	12	26.5	29.5	26.5	46	48	46	27	24	36	24	
AD-20-30-30	M20X1.5	M30X2	M30X2	12	20	20	26.5	29.5	29.5	46	48	48	27	24	36	36	
AD-24-14-24	M24X1.5	M14X1.5	M24X1.5	16	6	16	24.5	26	24.5	43	41	43	24	30	17	30	
AD-24-16-24	M24X1.5	M16X1.5	M24X1.5	16	8	16	24.5	26	24.5	43	41	43	24	30	19	30	
AD-24-18-24	M24X1.5	M18X1.5	M24X1.5	16	10	16	24.5	25.5	24.5	43	42	43	24	30	22	30	
AD-24-20-24	M24X1.5	M20X1.5	M24X1.5	16	12	16	24.5	25.5	24.5	43	42	43	24	30	24	30	
AD-24-30-24	M24X1.5	M30X2	M24X1.5	16	20	16	28.5	26.5	28.5	47	48	47	27	30	36	30	40
AD-30-18-30	M30X2	M18X1.5	M30X2	20	10	20	26.5	29.5	26.5	48	46	48	27	36	22	36	重系列
AD-30-20-30	M30X2	M20X1.5	M30X2	20	12	20	26.5	29.5	26.5	48	46	48	27	36	24	36	S
AD-30-24-30	M30X2	M24X1.5	M30X2	20	16	20	26.5	28.5	26.5	48	47	48	27	36	30	36	
AD-30-36-30	M30X2	M36X2	M30X2	20	25	20	31.5	30	31.5	53	54	53	36	36	46	36	
AD-36-24-36	M36X2	M24X1.5	M36X2	25	16	25	30	33.5	30	54	52	54	36	46	30	46	
AD-36-30-36	M36X2	M30X2	M36X2	25	20	25	30	31.5	30	54	53	54	36	46	36	46	
AD-36-42-36	M36X2	M42X2	M36X2	25	30	25	37	35.5	37	61	62	61	41	46	50	46	

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如AC-26-26-30RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example AC-26-26-30RN.

www.fitsch.cn



ACCG-OG
ADDG-OG



ACCG-OG/RN
ADDG-OG/RN


三通右端英管螺纹可调向O形圈密封
BARREL TEE BSP THREAD ADJUSTABLE
STUD ENDS WITH O-RING SEALING


代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.	尺 寸 DIMENSIONS						压力等级 MPa
	E,F	G	D1,D2	l1,l2	L1,L2	L3	S1	S2,S3	S4	
ACCG-12-12-02OG	M12X1.5	G1/8"X28	6	13	28	26.2	11	14	14	31.5 轻系列 L
ACCG-14-14-04OG	M14X1.5	G1/4"X19	8	15.5	30.5	31.3	14	17	19	
ACCG-16-16-04OG	M16X1.5	G1/4"X19	10	17.5	32.5	32.5	16	19	19	
ACCG-18-18-06OG	M18X1.5	G3/8"X19	12	19	34	36.8	19	22	22	
ACCG-22-22-08OG	M22X1.5	G1/2"X14	15	22	37	43.2	22	27	27	
ACCG-26-26-08OG	M26X1.5	G1/2"X14	18	25.5	42	46.5	27	32	27	
ACCG-30-30-12OG	M30X2	G3/4"X14	22	29.3	45.8	52	30	36	32	16 轻系列 L
ACCG-36-36-16OG	M36X2	G1"X11	28	33.3	49.8	56	36	41	41	
ACCG-45-45-20OG	M45X2	G1.1/4"X11	35	39.2	60.7	63	48	50	50	
ADDG-14-14-04OG	M14X1.5	G1/4"X19	6	17.5	32.5	31.3	14	17	19	63 重系列 S
ADDG-16-16-04OG	M16X1.5	G1/4"X19	8	18.7	33.7	32.5	16	19	19	
ADDG-18-18-06OG	M18X1.5	G3/8"X19	10	19.5	36	36.8	19	22	22	
ADDG-20-20-06OG	M20X1.5	G3/8"X19	12	19.5	36	36.8	19	24	22	
ADDG-22-22-08OG	M22X1.5	G1/2"X14	14	23	41	43.2	22	27	27	
ADDG-24-24-08OG	M24X1.5	G1/2"X14	16	24	42.5	44	24	30	27	40 重系列 S
ADDG-30-30-12OG	M30X2	G3/4"X14	20	28.3	49.8	52	30	36	32	
ADDG-36-36-16OG	M36X2	G1"X11	25	32.8	56.8	56	36	46	41	
ADDG-42-42-20OG	M42X2	G1.1/4"X11	30	36.2	62.7	58	41	50	50	

注：如需带卡套及卡套螺母,订货时请在代号后加“RN”,如ACCG-18-18-06OG/RN。

Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our Part No.，for example ACCG-18-18-06OG/RN.

www.fitsch.cn





ACCH-OG
ADDH-OG


ACCH-OG/RN
ADDH-OG/RN


三通公制外螺纹 24° 锥 / 公制外螺纹可调向柱端 ISO 6149-2
METRIC MALE 24° CONE / METRIC MALE
ADJUSTABLE STUD END ISO 6149-2
RUN TEE

代 号 PART NO.	螺 纹 THREAD E,F	G	管子外径 D1,D2 TUBE O.D.	O 形 圈 O RING	尺 寸 DIMENSIONS l1,l2	L1,L2	L3	S1	S2,S3	S4	压力等级 MPa
ACCH-12-12-10OG	M12X1.5	M10X1	6	O08.1X1.6	13	28	26.5	11	14	14	31.5 轻系列 L
ACCH-14-14-12OG	M14X1.5	M12X1.5	8	O09.3X2.4	15.5	30.5	32	14	17	17	
ACCH-16-16-14OG	M16X1.5	M14X1.5	10	O11.3X2.4	17.5	32.5	34	16	19	19	
ACCH-18-18-16OG	M18X1.5	M16X1.5	12	O13.3X2.4	19	34	36	19	22	22	
ACCH-22-22-18OG	M22X1.5	M18X1.5	15	O15.3X2.4	22	37	39.5	22	27	24	
ACCH-26-26-22OG	M26X1.5	M22X1.5	18	O19.3X2.4	25.5	42	43.5	27	32	27	
ACCH-30-30-27OG	M30X2	M27X2	22	O23.5X3.0	29.3	45.8	50	30	36	32	16 轻系列
ACCH-36-36-33OG	M36X2	M33X2	28	O29.2X3.0	33.3	49.8	54	36	41	41	
ADDH-14-14-12OG	M14X1.5	M12X1.5	6	O09.3X2.4	17.5	32.5	32	14	17	17	63 重系列 S
ADDH-16-16-14OG	M16X1.5	M14X1.5	8	O11.3X2.4	18.7	33.7	34	16	19	19	
ADDH-18-18-16OG	M18X1.5	M16X1.5	10	O13.3X2.4	19.5	36	36	19	22	22	
ADDH-20-20-18OG	M20X1.5	M18X1.5	12	O15.3X2.4	19.5	36	37	19	24	24	
ADDH-24-24-22OG	M24X1.5	M22X1.5	16	O19.3X2.4	24	42	37.5	24	30	27	
ADDH-30-30-27OG	M30X2	M27X2	20	O23.5X3.0	28.3	49.8	50	30	36	32	40 重系列 S
ADDH-36-36-33OG	M36X2	M33X2	25	O29.2X3.0	32.8	56.8	54	36	46	41	
ADDH-42-42-42OG	M42X2	M42X2	30	O38.5X3.0	36.2	62.7	57.2	41	50	50	

注：1 如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如ACCH-30-30-27OG/RN。 2 G端与ISO 9974-1油口相配，去掉挡圈则与ISO 6149-1油口相配。
Note：1 In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example ACCH-30-30-27OG/RN. 2 G end is connected with ISO 9974-1 port and connected with ISO 6149-1 port without retaining ring.

www.fitsch.cn





ACCO-OG
ADDO-OG


ACCO-OG/RN
ADDO-OG/RN


三通右端美制螺纹可调向O形圈密封
BARREL TEE UN、UNF THREAD ADJUSTABLE
STUD ENDS WITH O-RING SEALING

代 号 PART NO.	螺 纹 THREAD		管子外径TUBE O.D.	尺 寸 DIMENSIONS						压力等级 MPa
	E,F	G	D1,D2	l1,l2	L1,L2	L3	S1	S2,S3	S4	
ACCO-12-12-04OG	M12X1.5	7/16"X20	6	13	28	27.2	11	14	17	31.5 轻系列 L
ACCO-14-14-06OG	M14X1.5	9/16"X18	8	15.5	30.5	31.8	14	17	19	
ACCO-16-16-06OG	M16X1.5	9/16"X18	10	17.5	32.5	33.3	16	19	19	
ACCO-18-18-08OG	M18X1.5	3/4"X16	12	19	34	37.5	19	22	24	
ACCO-22-22-10OG	M22X1.5	7/8"X14	15	22	37	44	22	27	27	
ACCO-26-26-12OG	M26X1.5	1.1/16"X12	18	25.5	42	51	27	32	32	
ACCO-30-30-12OG	M30X2	1.1/16"X12	22	29.3	45.8	53.5	30	36	32	16 轻系列 L
ACCO-36-36-16OG	M36X2	1.5/16"X12	28	33.3	49.8	57.5	36	41	41	
ACCO-45-45-20OG	M45X2	1.5/8"X12	35	39.2	60.7	63	48	50	50	
ADDO-14-14-04OG	M14X1.5	7/16"X20	6	17.5	32.5	30	14	17	17	63 重系列 S
ADDO-16-16-06OG	M16X1.5	9/16"X18	8	18.7	33.7	33.3	16	19	19	
ADDO-18-18-06OG	M18X1.5	9/16"X18	10	19.5	36	33.5	19	22	19	
ADDO-20-20-08OG	M20X1.5	3/4"X16	12	19.5	36	37.5	19	24	24	
ADDO-22-22-10OG	M22X1.5	7/8"X14	14	23	41	44	22	27	27	
ADDO-24-24-10OG	M24X1.5	7/8"X14	16	24	42.5	46.5	24	30	27	40 重系列 S
ADDO-30-30-12OG	M30X2	1.1/16"X12	20	28.3	49.8	53.5	30	36	32	
ADDO-36-36-16OG	M36X2	1.5/16"X12	25	32.8	56.8	57.5	36	46	41	
ADDO-42-42-20OG	M42X2	1.5/8"X12	30	36.2	62.7	59.5	41	50	50	

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如ACCO-30-30-12OG/RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix"RN" after our part no.，for example ACCO-30-30-12OG/RN.

www.fitsch.cn





ACGC-OG
ADGD-OG


ACGC-OG/RN
ADGD-OG/RN

三通中间端英管螺纹可调向O形圈密封
BRANCH TEE BSP THREAD ADJUSTABLE
STUD ENDS WITH O-RING SEALING

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.	尺 寸 DIMENSIONS						压力等级 MPa
	E,G	F	D1,D2	I1,I2	L1,L2	L3	S1	S2,S4	S3	
ACGC-12-02-12OG	M12X1.5	G1/8"X28	6	13	28	26.2	11	14	14	31.5 轻系列 L
ACGC-14-04-14OG	M14X1.5	G1/4"X19	8	15.5	30.5	31.3	14	17	19	
ACGC-16-04-16OG	M16X1.5	G1/4"X19	10	17.5	32.5	32.5	16	19	19	
ACGC-18-06-18OG	M18X1.5	G3/8"X19	12	19	34	36.8	19	22	22	
ACGC-22-08-22OG	M22X1.5	G1/2"X14	15	22	37	43.2	22	27	27	
ACGC-26-08-26OG	M26X1.5	G1/2"X14	18	25.5	42	46.5	27	32	27	
ACGC-30-12-30OG	M30X2	G3/4"X14	22	29.3	45.8	52	30	36	32	16 轻系列 L
ACGC-36-16-36OG	M36X2	G1"X11	28	33.3	49.8	56	36	41	41	
ACGC-45-20-45OG	M45X2	G1.1/4"X11	35	39.2	60.7	63	48	50	50	
ADGD-14-04-14OG	M14X1.5	G1/4"X19	6	17.5	32.5	31.3	14	17	19	63 重系列 S
ADGD-16-04-16OG	M16X1.5	G1/4"X19	8	18.7	33.7	32.5	16	19	19	
ADGD-18-06-18OG	M18X1.5	G3/8"X19	10	19.5	36	36.8	19	22	22	
ADGD-20-06-20OG	M20X1.5	G3/8"X19	12	19.5	36	36.8	19	24	22	
ADGD-22-08-22OG	M22X1.5	G1/2"X14	14	23	41	43.2	22	27	27	
ADGD-24-08-24OG	M24X1.5	G1/2"X14	16	24	42.5	44	24	30	27	40 重系列 S
ADGD-30-12-30OG	M30X2	G3/4"X14	20	28.3	49.8	52	30	36	32	
ADGD-36-16-36OG	M36X2	G1"X11	25	32.8	56.8	56	36	46	41	
ADGD-42-20-42OG	M42X2	G1.1/4"X11	30	36.2	62.7	58	41	50	50	

注：如需带卡套及卡套螺母,订货时请在代号后加“RN”,如ACGC-18-06-18OG/RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example ACGC-18-06-18OG/RN.

www.fitsch.cn



公制外螺纹 24° 锥 / 公制外螺纹
可调向柱端 ISO 6149 分支三通
METRIC MALE 24° CONE / METRIC MALE
ADJUSTABLE STUD END ISO 6149
BRANCH TEE


ACHC-OG　　ACHC-OG/RN
ADHD-OG　　ADHD-OG/RN

代 号 PART NO.	螺 纹 THREAD		管子外径 D1,D2	O 形圈	尺 寸 DIMENSIONS						压力等级 MPa
	E,G	F	TUBE O.D.	O RING	l1,l2	L1,L2	L3	S1	S2,S4	S3	
ACHC-12-10-12OG	M12X1.5	M10X1	6	O08.1X1.6	13	28	26.5	11	14	14	31.5 轻系列 L
ACHC-14-12-14OG	M14X1.5	M12X1.5	8	O09.3X2.4	15.5	30.5	32	14	17	17	
ACHC-16-14-16OG	M16X1.5	M14X1.5	10	O11.3X2.4	17.5	32.5	34	16	19	19	
ACHC-18-16-18OG	M18X1.5	M16X1.5	12	O13.3X2.4	19	34	36	19	22	22	
ACHC-22-18-22OG	M22X1.5	M18X1.5	15	O15.3X2.4	22	37	39.5	22	27	24	
ACHC-26-22-26OG	M26X1.5	M22X1.5	18	O19.3X2.4	25.5	42	43.5	27	32	27	
ACHC-30-27-30OG	M30X2	M27X2	22	O23.5X3.0	29.3	45.8	50	30	36	32	16 轻系列
ACHC-36-33-36OG	M36X2	M33X2	28	O29.2X3.0	33.3	49.8	54	36	41	41	
ADHD-14-12-14OG	M14X1.5	M12X1.5	6	O09.3X2.4	17.5	32.5	32	14	17	17	63 重系列 S
ADHD-16-14-16OG	M16X1.5	M14X1.5	8	O11.3X2.4	18.7	33.7	34	16	19	19	
ADHD-18-16-18OG	M18X1.5	M16X1.5	10	O13.3X2.4	19.5	36	36	19	22	22	
ADHD-20-18-20OG	M20X1.5	M18X1.5	12	O15.3X2.4	19.5	36	37	19	24	24	
ADHD-24-22-24OG	M24X1.5	M22X1.5	16	O19.3X2.4	24	42	37.5	24	30	27	
ADHD-30-27-30OG	M30X2	M27X2	20	O23.5X3.0	28.3	49.8	50	30	36	32	40 重系列 S
ADHD-36-33-36OG	M36X2	M33X2	25	O29.2X3.0	32.8	56.8	54	36	46	41	
ADHD-42-42-42OG	M42X2	M42X2	30	O38.5X3.0	36.2	62.7	57.2	41	50	50	


注：1如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如ACHC-30-27-30OG/RN。　2　F端与ISO 9974-1油口相配，去掉挡圈则与ISO 6149-1油口相配。

Note：1 In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example ACHC-30-27-30OG/RN.　2 F end is connected with ISO 9974-1port and connected with ISO 6149-1 port without retaining ring.

www.fitsch.cn



ACOC-OG
ADOD-OG




ACOC-OG/RN
ADOD-OG/RN


三通中间端美制螺纹可调向O形圈密封
BRANCH TEE UN、UNF THREAD ADJUSTABLE STUD ENDS WITH O-RING SEALING

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.	尺 寸 DIMENSIONS						压力等级 MPa
	E,G	F	D1,D2	I1,I2	L1,L2	L3	S1	S2,S4	S3	
ACOC-12-04-12OG	M12X1.5	7/16"X20	6	13	28	27.2	11	14	17	31.5 轻系列 L
ACOC-14-06-14OG	M14X1.5	9/16"X18	8	15.5	30.5	31.8	14	17	19	
ACOC-16-06-16OG	M16X1.5	9/16"X18	10	17.5	32.5	33.3	16	19	19	
ACOC-18-08-18OG	M18X1.5	3/4"X16	12	19	34	37.5	19	22	24	
ACOC-22-10-22OG	M22X1.5	7/8"X14	15	22	37	44	22	27	27	
ACOC-26-12-26OG	M26X1.5	1.1/16"X12	18	25.5	42	51	27	32	32	
ACOC-30-12-30OG	M30X2	1.1/16"X12	22	29.3	45.8	53.5	30	36	32	16 轻系列 L
ACOC-36-16-36OG	M36X2	1.5/16"X12	28	33.3	49.8	57.5	36	41	41	
ACOC-45-20-45OG	M45X2	1.5/8"X12	35	39.2	60.7	63	48	50	50	
ADOD-14-04-14OG	M14X1.5	7/16"X20	6	17.5	32.5	30	14	17	17	63 重系列 S
ADOD-16-06-16OG	M16X1.5	9/16"X18	8	18.7	33.7	33.3	16	19	19	
ADOD-18-06-18OG	M18X1.5	9/16"X18	10	19.5	36	33.5	19	22	19	
ADOD-20-08-20OG	M20X1.5	3/4"X16	12	19.5	36	37.5	19	24	24	
ADOD-22-10-22OG	M22X1.5	7/8"X14	14	23	41	44	22	27	27	
ADOD-24-10-24OG	M24X1.5	7/8"X14	16	24	42.5	46.5	24	30	27	40 重系列 S
ADOD-30-12-30OG	M30X2	1.1/16"X12	20	28.3	49.8	53.5	30	36	32	
ADOD-36-16-36OG	M36X2	1.5/16"X12	25	32.8	56.8	57.5	36	46	41	
ADOD-42-20-42OG	M42X2	1.5/8"X12	30	36.2	62.7	59.5	41	50	50	

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”,如ACOC-30-12-30OG/RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example ACOC-30-12-30OG/RN.

www.fitsch.cn





中间端内螺纹三通接头
BRANCH TEE FITTINGS
WITH SWIVEL NUT


BC
BD


BC-RN
BD-RN

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS						压力等级 MPa
	E,G	F	D1,D3	D2	I1,I3	L1,L3	L2	S1	S2,S4	S3	
BC-12	M12X1.5	M12X1.5	6	6	12	27	26	12	14	14	31.5 轻系列 L
BC-14	M14X1.5	M14X1.5	8	8	14	29	27.5	12	17	17	
BC-16	M16X1.5	M16X1.5	10	10	15	30	29	14	19	19	
BC-18	M18X1.5	M18X1.5	12	12	17	32	29.5	17	22	22	
BC-22	M22X1.5	M22X1.5	15	15	21	36	32.5	19	27	27	
BC-26	M26X1.5	M26X1.5	18	18	23.5	40	35.5	24	32	32	
BC-30	M30X2	M30X2	22	22	27.5	44	38.5	27	36	36	16 轻系列 L
BC-36	M36X2	M36X2	28	28	30.5	47	41.5	36	41	41	
BC-45	M45X2	M45X2	35	35	34.5	56	51	41	50	50	
BC-52	M52X2	M52X2	42	42	40	63	56	50	60	60	
BD-14	M14X1.5	M14X1.5	6	6	16	31	27	12	17	17	63 重系列 S
BD-16	M16X1.5	M16X1.5	8	8	17	32	27.5	14	19	19	
BD-18	M18X1.5	M18X1.5	10	10	17.5	34	30	17	22	22	
BD-20	M20X1.5	M20X1.5	12	12	21.5	38	31	17	24	24	
BD-22	M22X1.5	M22X1.5	14	14	22	40	35	19	27	27	
BD-24	M24X1.5	M24X1.5	16	16	24.5	43	36.5	24	30	30	40 重系列 S
BD-30	M30X2	M30X2	20	20	26.5	48	44.5	27	36	36	
BD-36	M36X2	M36X2	25	25	30	54	50	36	46	46	
BD-42	M42X2	M42X2	30	30	35.5	62	55	41	50	50	
BD-52	M52X2	M52X2	38	38	41	72	63	50	60	60	31.5 重系列 S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 BC-30RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example BC-30RN.

www.fitsch.cn





右端内螺纹三通接头
BARREL TEE FITTINGS
WITH SWIVEL NUT


CC
CD

CC-RN
CD-RN

代 号 PART NO.	螺 纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS						压力等级 MPa
	E,F	G	D1,D2	D3	l1,l2	L1,L2	L3	S1	S2,S3	S4	
CC-12	M12X1.5	M12X1.5	6	6	12	27	26	12	14	14	31.5 轻系列 L
CC-14	M14X1.5	M14X1.5	8	8	14	29	27.5	12	17	17	
CC-16	M16X1.5	M16X1.5	10	10	15	30	29	14	19	19	
CC-18	M18X1.5	M18X1.5	12	12	17	32	29.5	17	22	22	
CC-22	M22X1.5	M22X1.5	15	15	21	36	32.5	19	27	27	
CC-26	M26X1.5	M26X1.5	18	18	23.5	40	35.5	24	32	32	
CC-30	M30X2	M30X2	22	22	27.5	44	38.5	27	36	36	16 轻系列 L
CC-36	M36X2	M36X2	28	28	30.5	47	41.5	36	41	41	
CC-45	M45X2	M45X2	35	35	34.5	56	51	41	50	50	
CC-52	M52X2	M52X2	42	42	40	63	56	50	60	60	
CD-14	M14X1.5	M14X1.5	6	6	16	31	27	12	17	17	63 重系列 S
CD-16	M16X1.5	M16X1.5	8	8	17	32	27.5	14	19	19	
CD-18	M18X1.5	M18X1.5	10	10	17.5	34	30	17	22	22	
CD-20	M20X1.5	M20X1.5	12	12	21.5	38	31	17	24	24	
CD-22	M22X1.5	M22X1.5	14	14	22	40	35	19	27	27	
CD-24	M24X1.5	M24X1.5	16	16	24.5	43	36.5	24	30	30	40 重系列 S
CD-30	M30X2	M30X2	20	20	26.5	48	44.5	27	36	36	
CD-36	M36X2	M36X2	25	25	30	54	50	36	46	46	
CD-42	M42X2	M42X2	30	30	35.5	62	55	41	50	50	
CD-52	M52X2	M52X2	38	38	41	72	63	50	60	60	31.5 重系列 S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 CC-30RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example CC-30RN.

www.fitsch.cn




NL
NS

卡套螺母
RETAINING NUTS

代 号 PART NO.	螺 纹 THREAD E		管子外径 TUBE O.D.	尺 寸 DIMENSIONS C	d	S2				压力等级 MPa
NL-12	M12X1.5		6	14.5	6	14				轻系列 L
NL-14	M14X1.5		8	14.5	8	17				
NL-16	M16X1.5		10	15.5	10	19				
NL-18	M18X1.5		12	15.5	12	22				
NL-22	M22X1.5		15	17	15	27				
NL-26	M26X1.5		18	18	18	32				
NL-30	M30X2		22	20	22	36				
NL-30D	M30X1.5		22	19	22	36				
NL-36	M36X2		28	21	28	41				
NL-36D	M36X1.5		28	21	28	41				
NL-45	M45X2		35	24	35	50				
NL-45D	M45X1.5		35	25	35	50				
NL-52	M52X2		42	24	42	60				
NS-14	M14X1.5		6	16.5	6	17				重系列 S
NS-16	M16X1.5		8	16.5	8	19				
NS-18	M18X1.5		10	17.5	10	22				
NS-20	M20X1.5		12	17.5	12	24				
NS-22	M22X1.5		14	20.5	14	27				
NS-24	M24X1.5		16	20.5	16	30				
NS-30	M30X2		20	24	20	36				
NS-36	M36X2		25	27	25	46				
NS-42	M42X2		30	29	30	50				
NS-52	M52X2		38	32.5	38	60				


www.fitsch.cn



RL
RS

卡套
CUTTING RING

代 号 PART NO.			管子外径 D TUBE O.D.		尺 寸 DIMENSIONS				备注
RL-06			6		与重系列相应规格一致				轻系L列
RL-08			8						
RL-10			10						
RL-12			12						
RL-15			15						
RL-18			18						
RL-22			22						
RL-28			28						
RL-35			35						
RL-42			42						
RS-06			6						重系S列
RS-08			8						
RS-10			10						
RS-12			12						
RS-14			14						
RS-16			16						
RS-20			20						
RS-25			25						
RS-30			30						
RS-38			38						





WD

胶垫
CAPTIVE SEAL

代 号 PART NO.	螺纹 E THREAD 公制 METRIC	 英管 BSP			尺 寸 DIMENSIONS h				
WD-B02	M10X1	G1/8"X28			1				
WD-M12	M12X1.5				1.5				
WD-B04	M14X1.5	G1/4"X19			1.5				
WD-M16	M16X1.5				1.5				
WD-B06		G3/8"X19			1.5				
WD-M18	M18X1.5				1.5				
WD-M20	M20X1.5				1.5				
WD-B08		G1/2"X14			1.5				
WD-M22	M22X1.5				1.5				
WD-B12	M26X1.5	G3/4"X14			1.5				
	M27X2								
WD-B16	M33X2	G1"X11			2				
WD-B20	M42X2	G1.1/4"X11			2				
WD-B24	M48X2	G1.1/2"X11			2				

www.fitsch.cn





四通接头
CROSS FITTINGS

XC
XD

XC-RN
XD-RN

代 号 PART NO.	螺 纹 THREAD E,F,G,H		管子外径 TUBE O.D. D1,D2,D3,D4		尺 寸 DIMENSIONS l1	L1	S1	S2	压力等级 MPa
XC-12	M12X1.5		6		12	27	12	14	31.5 轻系列 L
XC-14	M14X1.5		8		14	29	12	17	
XC-16	M16X1.5		10		15	30	14	19	
XC-18	M18X1.5		12		17	32	17	22	
XC-22	M22X1.5		15		21	36	19	27	
XC-26	M26X1.5		18		23.5	40	24	32	
XC-30	M30X2		22		27.5	44	27	36	16 轻系列 L
XC-36	M36X2		28		30.5	47	36	41	
XC-45	M45X2		35		34.5	56	41	50	
XC-52	M52X2		42		40	63	50	60	
XD-14	M14X1.5		6		16	31	12	17	63 重系列 S
XD-16	M16X1.5		8		17	32	14	19	
XD-18	M18X1.5		10		17.5	34	17	22	
XD-20	M20X1.5		12		21.5	38	17	24	
XD-22	M22X1.5		14		22	40	19	27	
XD-24	M24X1.5		16		24.5	43	24	30	40 重系列 S
XD-30	M30X2		20		26.5	48	27	36	
XD-36	M36X2		25		30	54	36	46	
XD-42	M42X2		30		35.5	62	41	50	
XD-52	M52X2		38		41	72	50	60	31.5 重系列 S

注：如需带卡套及卡套螺母整套订货，则请在代号后加“RN”, 如 XC-30RN。
Note：In case if you are interested to order the adapter in complete set with cutting ring and nut ,it is necessary to insert suffix "RN" after our part no.，for example XC-30RN.

www.fitsch.cn