

JIC Hydraulic Tube Fittings SAE J514 ISO 8434-2






美制 JIC 外螺纹 74° 外锥
JIC MALE 74° CONE

1J

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	
1J-02	5/16"X24	5/16"X24			11.4	11.4	29	12	
1J-02-03	5/16"X24	3/8"X24			11.4	12.2	29.5	12	
1J-03	3/8"X24	3/8"X24			12.2	12.2	30.5	12	
1J-04	7/16"X20	7/16"X20			14	14	34	12	
1J-04-05	7/16"X20	1/2"X20			14	14	34	14	
1J-04-06	7/16"X20	9/16"X18			14	14.1	34.1	17	
1J-04-08	7/16"X20	3/4"X16			14	16.7	38.5	22	
1J-05	1/2"X20	1/2"X20			14	14	34	14	
1J-05-06	1/2"X20	9/16"X18			14	14.1	34	17	
1J-05-08	1/2"X20	3/4"X16			14	16.7	38.5	22	
1J-05-10	1/2"X20	7/8"X14			14	19.3	41	24	
1J-06	9/16"X18	9/16"X18			14.4	14.1	34.2	17	
1J-06-08	9/16"X18	3/4"X16			14.1	16.7	38.5	22	
1J-06-10	9/16"X18	7/8"X14			14.1	19.3	41.5	24	
1J-06-12	9/16"X18	1.1/16"X12			14.1	21.9	46	30	
1J-08	3/4"X16	3/4"X16			16.7	16.7	42	22	
1J-08-10	3/4"X16	7/8"X14			16.7	19.3	44	24	
1J-08-12	3/4"X16	1.1/16"X12			16.7	21.9	48.5	30	
1J-08-16	3/4"X16	1.5/16"X12			16.7	23.1	51	36	
1J-10	7/8"X14	7/8"X14			19.3	19.3	46.5	24	
1J-10-12	7/8"X14	1.1/16"X12			19.3	21.9	51	30	
1J-10-16	7/8"X14	1.5/16"X12			19.3	23.1	53.5	36	
1J-12	1.1/16"X12	1.1/16"X12			21.9	21.9	54	30	
1J-12-14	1.1/16"X12	1.3/16"X12			21.9	22.6	55.5	32	
1J-12-16	1.1/16"X12	1.5/16"X12			21.9	23.1	56	36	
1J-14	1.3/16"X12	1.3/16"X12			22.6	22.6	56	32	
1J-14-16	1.3/16"X12	1.5/16"X12			22.6	23.1	56.5	36	
1J-16	1.5/16"X12	1.5/16"X12			23.1	23.1	57	36	
1J-16-20	1.5/16"X12	1.5/8"X12			23.1	24.3	60.5	46	
1J-16-24	1.5/16"X12	1.7/8"X12			23.1	27.5	65.5	50	
1J-20	1.5/8"X12	1.5/8"X12			24.3	24.3	62	46	
1J-20-24	1.5/8"X12	1.7/8"X12			24.3	27.5	67	50	
1J-20-32	1.5/8"X12	2.1/2"X12			24.3	33.9	75	65	
1J-24	1.7/8"X12	1.7/8"X12			27.5	27.5	70	50	
1J-24-32	1.7/8"X12	2.1/2"X12			27.5	33.9	78.5	65	
1J-32	2.1/2"X12	2.1/2"X12			33.9	33.9	85	65	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。Note：Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn




45° 弯美制 JIC 外螺纹 74° 外锥
45° ELBOW JIC MALE 74° CONE


1J4

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	S1		
1J4-04	7/16"X20	7/16"X20			21.5	21.5	11		
1J4-05	1/2"X20	1/2"X20			23	23	14		
1J4-06	9/16"X18	9/16"X18			22.8	22.8	14		
1J4-08	3/4"X16	3/4"X16			26.8	26.8	19		
1J4-10	7/8"X14	7/8"X14			31	31	22		
1J4-12	1.1/16"X12	1.1/16"X12			35.5	35.5	27		
1J4-16	1.5/16"X12	1.5/16"X12			38.5	38.5	33		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。Note：Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






90° 弯美制 JIC 外螺纹 74° 外锥
90° ELBOW JIC MALE 74° CONE

1J9


代 号 PART NO.	螺 纹 THREAD E	F			尺 寸 DIMENSIONS A	B	S1		
1J9-02	5/16"X24	5/16"X24			20.5	20.5	11		
1J9-03	3/8"X24	3/8"X24			22	22	11		
1J9-04	7/16"X20	7/16"X20			24.5	24.5	11		
1J9-05	1/2"X20	1/2"X20			26.6	26.6	14		
1J9-05-06	1/2"X20	9/16"X18			26.6	26.9	14		
1J9-06	9/16"X18	9/16"X18			26.9	26.9	14		
1J9-06-08	9/16"X18	3/4"X16			30	32	19		
1J9-06-10	9/16"X18	7/8"X14			32	37.8	22		
1J9-08	3/4"X16	3/4"X16			32	32	19		
1J9-08-10	3/4"X16	7/8"X14			34.8	37.8	22		
1J9-10	7/8"X14	7/8"X14			37.8	37.8	22		
1J9-10-12	7/8"X14	1.1/16"X12			41	44.2	27		
1J9-12	1.1/16"X12	1.1/16"X12			44.2	44.2	27		
1J9-14	1.3/16"X12	1.3/16"X12			47.5	47.5	30		
1J9-16	1.5/16"X12	1.5/16"X12			49	49	33		
1J9-20	1.5/8"X12	1.5/8"X12			55.5	55.5	41		
1J9-24	1.7/8"X12	1.7/8"X12			62.5	62.5	48		
1J9-32	2.1/2"X12	2.1/2"X12			78	78	63		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。Note：Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn



1J9-OR




1J9-OR/RN


90° 美制 JIC 外螺纹
74° 外锥面带 O 形圈
90° JIC MALE
74° CONE WITH O-RING

代 号 PART NO.	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
	E	F	E 端	F 端	A	B	S1		
1J9-10OR	7/8"X14	7/8"X14	13X1	13X1	37.8	37.8	22		
1J9-12OR	1.1/16"X12	1.1/16"X12	17X1	17X1	44.2	44.2	27		
1J9-14OR	1.3/16"X12	1.3/16"X12	19X1.5	19X1.5	47.5	47.5	30		
1J9-16OR	1.5/16"X12	1.5/16"X12	22X1.5	22X1.5	49	49	33		
1J9-20OR	1.5/8"X12	1.5/8"X12	28X1.5	28X1.5	55.5	55.5	41		
1J9-24OR	1.7/8"X12	1.7/8"X12	35X1.5	35X1.5	62.5	62.5	48		
1J9-32OR	2.1/2"X12	2.1/2"X12	48X2	48X2	78	78	63		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn







1JB-F

美制 JIC 外螺纹 74° 外锥 / 英管外螺纹平面
JIC MALE 74° CONE/BSP MALE FLAT-FACE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	L	S1	
1JB-06F	9/16"X18	G3/8"X19			14.1	11.5	31.6	19	
1JB-08F	3/4"X16	G1/2"X14			16.7	14	38.7	22	
1JB-10F	7/8"X14	G5/8"X14			19.3	14.5	41.8	24	
1JB-12F	1.1/16"X12	G3/4"X14			21.9	15.5	47.4	30	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 andsleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.






JIC 外螺纹 74° 外锥带
O 形圈 / 英管外螺纹胶垫密封
JIC MALE 74° CONE WITH
O-RING/BSP MALE CAPTIVE SEAL


1JB-OR/WD

代 号 PART NO.	螺 纹 THREAD		O 形圈 O-RING 胶垫 CAPTIVE		尺 寸 DIMENSIONS				
	E	F	E 端	F 端	A	B	L	S1	
1JB-08-04OR/WD	3/4"X16	G1/4"X19	9.5X0.8	WD-B04	16.7	12	37	22	
1JB-08-06OR/WD	3/4"X16	G3/8"X19	9.5X0.8	WD-B06	16.7	12	37.5	22	
1JB-08OR/WD	3/4"X16	G1/2"X14	9.5X0.8	WD-B08	16.7	14	43.5	27	
1JB-08-12OW/WD	3/4"X16	G3/4"X14	9.5X0.8	WD-B12	16.7	16	45	32	
1JB-10-06OR/WD	7/8"X14	G3/8"X19	13X1	WD-B06	19.3	12	41.5	24	
1JB-10-08OR/WD	7/8"X14	G1/2"X14	13X1	WD-B08	19.3	14	46.5	27	
1JB-10-12OR/WD	7/8"X14	G3/4"X14	13X1	WD-B12	19.3	16	47.5	32	
1JB-12OR/WD	1.1/16"X12	G3/4"X14	17X1	WD-B12	21.9	16	50	32	
1JB-12-06OR/WD	1.1/16"X12	G3/8"X19	17X1	WD-B06	21.9	12	46	30	
1JB-12-08OR/WD	1.1/16"X12	G1/2"X14	17X1	WD-B08	21.9	14	48.5	30	
1JB-12-16OR/WD	1.1/16"X12	G1"X11	17X1	WD-B16	21.9	18	56	41	
1JB-12-20OR/WD	1.1/16"X12	G1.1/4"X11	17X1	WD-B20	21.9	20	60	50	
1JB-16OR/WD	1.5/16"X12	G1"X11	22X1.5	WD-B16	23.1	18	57	41	
1JB-16-12OR/WD	1.5/16"X12	G3/4"X14	22X1.5	WD-B12	23.1	16	53	36	
1JB-16-20OR/WD	1.5/16"X12	G1.1/4"X11	22X1.5	WD-B20	23.1	20	61	50	
1JB-20OR/WD	1.5/8"X12	G1.1/4"X11	28X1.5	WD-B20	24.3	20	62	50	
1JB-20-16OR/WD	1.5/8"X12	G1"X11	28X1.5	WD-B16	24.3	18	58	46	
1JB-20-24OR/WD	1.5/8"X12	G1.1/2"X11	28X1.5	WD-B24	24.3	22	64	55	
1JB-24OR/WD	1.7/8"X12	G1.1/2"X11	35X1.5	WD-B24	27.5	22	67.5	55	
1JB-24-20OR/WD	1.7/8"X12	G1.1/4"X11	35X1.5	WD-B20	27.5	20	65.5	50	
1JB-32OR/WD	2.1/2"X12	G/2"X11	48X2	WD-B32	34	20	73	75	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn





JIC 外螺纹 74° 外
锥 / 英管外螺纹胶垫密封
JIC MALE 74° CONE / BSP
MALE CAPTIVE SEAL


1JB-WD


代 号	螺 纹 THREAD		胶 垫 CAPTIVE		尺 寸 DIMENSIONS				
PART NO.	E	F		F 端	A	B	L	S1	
1JB-04-02WD	7/16"X20	G1/8"X28		WD-B02	14	8	29.5	14	
1JB-04WD	7/16"X20	G1/4"X19		WD-B04	14	12	34	19	
1JB-04-06WD	7/16"X20	G3/8"X19		WD-B06	14	12	34.5	22	
1JB-04-08WD	7/16"X20	G1/2"X14		WD-B08	14	14	41	27	
1JB-05-04WD	1/2"X20	G1/4"X19		WD-B04	14	12	34	19	
1JB-05-06WD	1/2"X20	G3/8"X19		WD-B06	14	12	34.5	22	
1JB-06-02WD	9/16"X18	G1/8"X28		WD-B02	14.1	8	29.5	17	
1JB-06-04WD	9/16"X18	G1/4"X19		WD-B04	14.1	12	34	19	
1JB-06WD	9/16"X18	G3/8"X19		WD-B06	14.1	12	34.5	22	
1JB-06-08WD	9/16"X18	G1/2"X14		WD-B08	14.1	14	41	27	
1JB-08-04WD	3/4"X16	G1/4"X19		WD-B04	16.7	12	37	22	
1JB-08-06WD	3/4"X16	G3/8"X19		WD-B06	16.7	12	37.5	22	
1JB-08WD	3/4"X16	G1/2"X14		WD-B08	16.7	14	43.5	27	
1JB-10-08WD	7/8"X14	G1/2"X14		WD-B08	19.3	14	46.5	27	
1JB-10-12WD	7/8"X14	G3/4"X14		WD-B12	19.3	16	47.5	32	
1JB-12-08WD	1.1/16"X12	G1/2"X14		WD-B08	21.9	14	48.5	30	
1JB-12WD	1.1/16"X12	G3/4"X14		WD-B12	21.9	16	50	32	
1JB-12-16WD	1.1/16"X12	G1"X11		WD-B16	21.9	18	56	41	
1JB-16-12WD	1.5/16"X12	G3/4"X14		WD-B12	23.1	16	53	36	
1JB-16WD	1.5/16"X12	G1"X11		WD-B16	23.1	18	57	41	
1JB-16-20WD	1.5/16"X12	G1.1/4"X11		WD-B20	23.1	20	61	50	
1JB-20-16WD	1.5/8"X12	G1"X11		WD-B16	24.3	18	58	46	
1JB-20WD	1.5/8"X12	G1.1/4"X11		WD-B20	24.3	20	62	50	
1JB-20-24WD	1.5/8"X12	G1.1/2"X11		WD-B24	24.3	22	64	55	
1JB-24-20WD	1.7/8"X12	G1.1/4"X11		WD-B20	27.5	20	65.5	50	
1JB-24WD	1.7/8"X12	G1.1/2"X11		WD-B24	27.5	22	67.5	55	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。Note：Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn

JIC Hydraulic Tube Fittings SAE J514 ISO 8434-2






1JF


美制 JIC 外螺纹 74° 外锥 / ORFS 外螺纹
JIC MALE 74° CONE / ORFS MALE

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F 端	A	B	L	S1	
1JF-04	7/16"X20	9/16"X18		O011	14	9.8	29.5	17	
1JF-05-04	1/2"X20	9/16"X18		O011	14	9.8	29.5	17	
1JF-05-06	1/2"X20	11/16"X16		O012	14	11.2	31.5	19	
1JF-06-04	9/16"X18	9/16"X18		O011	14.1	9.8	30	17	
1JF-06	9/16"X18	11/16"X16		O012	14.1	11.2	31	19	
1JF-08-06	3/4"X16	11/16"X16		O012	16.7	11.2	36	22	
1JF-08	3/4"X16	13/16"X16		O014	16.7	12.8	37.5	22	
1JF-10-08	7/8"X14	13/16"X16		O014	19.3	12.8	40	24	
1JF-10	7/8"X14	1"X14		O016	19.3	15.5	44.5	27	
1JF-12-10	1.1/16“X12	1"X14		O016	21.9	15.5	47.5	30	
1JF-12	1.1/16“X12	1.3/16"X12		O018	21.9	17	50	32	
1JF-16-12	1.5/16"X12	1.3/16"X12		O018	23.1	17	51	36	
1JF-16	1.5/16"X12	1.7/16"X12		O021	23.1	17.5	51.5	38	
1JF-20-16	1.5/8"X12	1.7/16"X12		O021	24.3	17.5	54.5	46	
1JF-20	1.5/8"X12	1.11/16"X12		O025	24.3	17.5	54.5	46	
1JF-24-20	1.7/8"X12	1.11/16"X12		O025	27.5	17.5	60	50	
1JF-24	1.7/8"X12	2"X12		O029	27.5	17.5	60	55	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。Note：Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn







1JF-OR

美制 JIC 外螺纹 74° 外锥 /ORFS 外螺纹
JIC MALE 74° CONE/ORFS MALE

代 号 PART NO.	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
	E	F	E 端	F 端	A	B	L	S1	
1JF － 08OR	3/4"X16	13/16"X16	9.5X0.8	12.42X1.78	16.7	12.8	37.5	22	
1JF － 10OR	7/8"X14	1"X14	13X1	15.6X1.78	19.3	15.5	44.5	27	
1JF － 12OR	1.1/16 “X12	1.3/16"X12	17X1	18.77X1.78	21.9	17	50	32	
1JF － 16OR	1.5/16"X12	1.7/16"X12	22X1.5	23.52X1.78	23.1	17.5	51.5	38	
1JF － 20OR	1.5/8"X12	1.11/16"X12	28X1.5	29.87X1.78	24.3	17.5	54.5	46	
1JF － 24OR	1.7/8"X12	2"X12	35X1.5	37.82X1.78	27.5	17.5	60	55	






1JG


美制 JIC 外螺纹 74° 外锥 / 英管外螺纹 O 形圈
JIC MALE 74° CONE / BSP MALE O-RING

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	L	S1	
1JG-04-02	7/16"X20	G1/8"X28		O011	14	9.5	31	14	
1JG-04	7/16"X20	G1/4"X19		O111	14	10	32.5	19	
1JG-04-06	7/16"X20	G3/8"X19		O113	14	11.5	34	22	
1JG-04-08	7/16"X20	G1/2"X14		O115	14	14	39	27	
1JG-05-04	1/2"X20	G1/4"X19		O111	14	10	33	19	
1JG-05-06	1/2"X20	G3/8"X19		O113	14	11.5	36	22	
1JG-05-08	1/2"X20	G1/2"X14		O115	14	14	39	27	
1JG-06-04	9/16"X18	G1/4"X19		O111	14.1	11	31.5	19	
1JG-06	9/16"X18	G3/8"X19		O113	14.1	11.5	34	22	
1JG-06-08	9/16"X18	G1/2"X14		O115	14.1	14	39	27	
1JG-08-04	3/4"X16	G1/4"X19		O111	16.7	10	36	22	
1JG-08-06	3/4"X16	G3/8"X19		O113	16.7	11.5	37	22	
1JG-08	3/4"X16	G1/2"X14		O115	16.7	14	42	27	
1JG-08-12	3/4"X16	G3/4"X14		O119	16.7	15.5	44	32	
1JG-10-06	7/8"X14	G3/8"X19		O113	19.3	11.5	39.5	24	
1JG-10-08	7/8"X14	G1/2"X14		O115	19.3	14	44.5	27	
1JG-10-12	7/8"X14	G3/4"X14		O119	19.3	15.5	48.5	32	
1JG-12-08	1.1/16"X12	G1/2"X14		O115	22	14	49	30	
1JG-12	1.1/16"X12	G3/4"X14		O119	22	15.5	49.5	32	
1JG-12-16	1.1/16"X12	G1"X11		O217	22	18	54	41	
1JG-12-20	1.1/16"X12	G1.1/4"X11		O222	22	20	57	50	
1JG-16-12	1.5/16"X12	G3/4"X14		O119	23	15.5	52.5	36	
1JG-16	1.5/16"X12	G1"X11		O217	23	18	55	41	
1JG-16-20	1.5/16"X12	G1.1/4"X11		O222	23	20	58	50	
1JG-20-16	1.5/8"X12	G1"X11		O217	24.3	18	58	46	
1JG-20	1.5/8"X12	G1.1/4"X11		O222	24.3	20	59.5	50	
1JG-24-16	1.7/8"X12	G1"X11		O217	27.5	18	63.5	50	
1JG-24-20	1.7/8"X12	G1.1/4"X11		O222	27.5	20	65.5	50	
1JG-24	1.7/8"X12	G1.1/2"X11		O224	27.5	21.5	64	55	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用套分别选用 NB200、NB300。
Note：Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






1JG4-OG


45° 弯美制 JIC 外螺纹 74° 外锥 / 英管外螺纹 O 形圈
45° ELBOW JIC MALE 74° CONE / BSP MALE O-RING

代 号 PART NO.	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
	E	F		F 端	A	B	S1	S2	
1JG4-04OG	7/16"X20	G1/4"X19		O111	21	28	14	19	
1JG4-05-04OG	1/2"X20	G1/4"X19		O111	21	28	14	19	
1JG4-06-04OG	9/16"X18	G1/4"X19		O111	22	28	14	19	
1JG4-06OG	9/16"X18	G3/8"X19		O113	23	32	19	22	
1JG4-08-06OG	3/4"X16	G3/8"X19		O113	25.8	32	19	22	
1JG4-08OG	3/4"X16	G1/2"X14		O115	27.5	36	22	27	
1JG4-10-08OG	7/8"X14	G1/2"X14		O115	29.5	38	22	27	
1JG4-10OG	7/8"X14	G5/8"X14		O910	29.5	38	22	30	
1JG4-12-10OG	1.1/16"X12	G5/8"X14		O910	34	38.5	27	30	
1JG4-12-16OG	1.1/16"X12	G1"X11		O217	37.5	44	33	41	
1JG4-12OG	1.1/16"X12	G3/4"X14		O119	34	42	27	32	
1JG4-16-12OG	1.5/16"X12	G3/4"X14		O119	38	44	33	32	
1JG4-16OG	1.5/16"X12	G1"X11		O217	38	44	33	41	
1JG4-20OG	1.5/8"X12	G1.1/4"X11		O222	43	47.5	41	50	
1JG4-24OG	1.7/8"X12	G1.1/2"X11		O224	49	51.5	48	55	

注：1 螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 2 F 端与 DIN 3852 油口相配。
Note：1 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube. 2 F end is connected with DIN 3852 port.

www.fitsch.cn






1JG9-OG


90° 弯美制 JIC 外螺纹 74° 外锥 / 英管外螺纹 O 形圈
90° ELBOW JIC MALE 74° CONE / BSP MALE O-RING

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS							
PART NO.	E	F		F 端	A	B	S1	S2				
1JG9-04-02OG	7/16"X20	G1/8"X28		O011	24.5	26.2	11	14		G1/8"X28		O011
1JG9-04-06OG	7/16"X20	G3/8"X19		O113	27.5	36.8	16	22		G1/4"X19		O111
1JG9-04OG	7/16"X20	G1/4"X19		O111	26.6	31.3	14	19		G3/8"X19		O113
1JG9-05-04OG	1/2"X20	G1/4"X19		O111	26.5	31.8	14	19		G1/2"X14		O115
1JG9-05-06OG	1/2"X20	G3/8"X19		O113	27.5	35.8	16	22		G3/4"X14		O119
1JG9-05-08OG	1/2"X20	G1/2"X14		O115	31.5	43.2	22	27		G1"X11		O217
1JG9-06-04OG	9/16"X18	G1/4"X19		O111	26.9	31.3	14	19				
1JG9-06-08OG	9/16"X18	G1/2"X14		O115	32.5	43.2	22	27				
1JG9-06OG	9/16"X18	G3/8"X19		O113	28.5	35.8	16	22				
1JG9-08-04OG	3/4"X16	G1/4"X19		O111	32	33.5	19	19				
1JG9-08OG	3/4"X16	G1/2"X14		O115	34.8	43.2	22	27				
1JG9-08-06OG	3/4"X16	G3/8"X19		O113	32	36.8	19	22				
1JG9-08-12OG	3/4"X16	G3/4"X14		O119	37.9	49.3	27	32				
1JG9-10-06OG	7/8"X14	G3/8"X19		O113	37.8	39.2	22	22				
1JG9-10-08OG	7/8"X14	G1/2"X14		O115	37.8	43.2	22	27				
1JG9-10-12OG	7/8"X14	G3/4"X14		O119	41	49.3	27	32				
1JG9-12OG	1.1/16"X12	G3/4"X14		O119	44.2	49.3	27	32				
1JG9-12-08OG	1.1/16"X12	G1/2"X14		O115	44.2	46.5	27	27				
1JG9-12-16OG	1.1/16"X12	G1"X11		O217	48	53	33	41				
1JG9-16OG	1.5/16"X12	G1"X11		O217	49	53	33	41				
1JG9-16-12OG	1.5/16"X12	G3/4"X14		O119	49	53	33	32				
1JG9-16-20OG	1.5/16"X12	G1.1/4"X11		O222	53.8	58	41	50				
1JG9-20OG	1.5/8"X12	G1.1/4"X11		O222	55.5	58	41	50				
1JG9-20-16OG	1.5/8"X12	G1"X11		O217	55.5	58	41	41				
1JG9-24-16OG	1.7/8"X12	G1"X11		O217	62.5	63	48	41				
1JG9-24-20OG	1.7/8"X12	G1.1/4"X11		O222	62.5	63	48	50				
1JG9-24OG	1.7/8"X12	G1.1/2"X11		O224	62.5	63	48	55				

注： 1 螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 2 F 端与 DIN 3852 油口相配。Note：1 Nut and sleeve should be ordered separately.The Nut and sleeve should be ordered separately.Thenut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube. 2 F end isconnected with DIN 3852 port.

www.fitsch.cn






1JG-L


加长 JIC 外螺纹 74° 外锥 /BSPP 外螺纹带 O 形圈
LONG JIC MALE 74° CONE/BSPP O-RING BOSS

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F 端	A	B	L	S1	
1JG-04L	7/16"X20	G1/4"X19		10.77X2.62	35	10	53	19	
1JG-06-04L	9/16"X18	G1/4"X19		10.77X2.62	39.5	10	57	22	
1JG-06L	9/16"X18	G3/8"X19		13.94X2.62	39.5	11.5	59.5	22	
1JG-08-06L	3/4"X16	G3/8"X19		13.94X2.62	48	11.5	68.5	22	
1JG-08L	3/4"X16	G1/2"X14		10.77X2.62	48	14	73.5	27	
1JG-10-08L	7/8"X14	G1/2"X14		10.77X2.62	53	14	78	27	
1JG-12L	1.1/16"X12	G3/4"X14		23.47X2.62	63	15.5	90.5	32	
1JG-12-16L	1.5/16"X12	G1"X11		29.74X3.53	63	18	95	41	
1JG-16L	1.5/16"X12	G1"X11		29.74X3.53	72	18	104	41	
1JG-20L	1.5/8"X12	G1.1/4"X11		37.69X3.53	88.1	20	123.5	50	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn





1JG-OR


JIC 外螺纹 74° 外锥 / 英管外螺纹带 O 形圈
JIC MALE 74° CONE WITH O-RING/BSP MALE WITH O-RING


代 号 PART NO.	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
	E	F	E端	F端	A	B	L	S1	
1JG-08OR	3/4"X16	G1/2"X14	9.5X0.8	17.12X2.62	16.7	14	42	27	
1JG-08-04OR	3/4"X16	G1/4"X19	9.5X0.8	10.77X2.62	16.7	10	35	22	
1JG-08-06OR	3/4"X16	G3/8"X19	9.5X0.8	13.94X2.62	16.7	11.5	37	22	
1JG-08-12OR	3/4"X16	G3/4"X14	9.5X0.8	23.47X2.62	16.7	15.5	44	32	
1JG-10-06OR	7/8"X14	G3/8"X19	13X1	13.94X2.62	19.3	11.5	39.5	24	
1JG-10-08OR	7/8"X14	G1/2"X14	13X1	17.12X2.62	19.3	14	44.5	27	
1JG-10-12OR	7/8"X14	G3/4"X14	13X1	23.47X2.62	19.3	15.5	48.5	32	
1JG-12OR	1.1/16"X12	G3/4"X14	17X1	23.47X2.62	22	15.5	49.5	32	
1JG-12-06OR	1.1/16"X12	G3/8"X19	17X1	13.94X2.62	22	11.5	46.5	30	
1JG-12-08OR	1.1/16"X12	G1/2"X14	17X1	17.12X2.62	22	14	49	30	
1JG-12-16OR	1.1/16"X12	G1"X11	17X1	29.74X3.53	22	18	54	41	
1JG-16OR	1.5/16"X12	G1"X11	22X1.5	29.74X3.53	23	18	55	41	
1JG-16-12OR	1.5/16"X12	G3/4"X14	22X1.5	23.47X2.62	23	15.5	52.5	36	
1JG-16-20OR	1.5/16"X12	G1.1/4"X11	22X1.5	37.69X3.53	23	20	58	50	
1JG-16-24OR	1.5/16"X12	G1.1/2X11	22X1.5	44.04X3.53	23	21.5	59.5	55	
1JG-20OR	1.5/8"X12	G1.1/4"X11	28X1.5	37.69X3.53	24.3	20	59.5	50	
1JG-20-16OR	1.5/8"X12	G1"X11	28X1.5	29.74X3.53	24.3	18	58	45	
1JG-24OR	1.7/8"X12	G1.1/2"X11	35X1.5	44.04X3.53	27.5	21.5	64	55	
1JG-24-16OR	1.7/8"X12	G1"X11	35X1.5	29.74X3.53	27.5	18	60.5	50	
1JG-24-20OR	1.7/8"X12	G1.1/4"X11	35X1.5	37.69X3.53	27.5	20	65.5	50	

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn

JIC Hydraulic Tube Fittings SAE J514 ISO 8434-2






1JH

JIC 外螺纹 74° 外锥 / 公制外螺纹
可调向柱端轻系列 ISO 6149-3
JIC MALE 74° CONE / METIRC MALE
ADJUSTABLE STUD END L-SERIES ISO 6149-3

代 号	螺 纹 THREAD		O 形圈 O-RING	尺 寸 DIMENSIONS				
PART NO.	E	F	F 端	A	B	L	S1	
1JH-04-10	7/16"X20	M10X1	O08.1X1.6	14	8.5	28.5	14	
1JH-04-12	7/16"X20	M12X1.5	O09.3X2.4	14	11	31	17	
1JH-04-14	7/16"X20	M14X1.5	O11.3X2.4	14	11	31	19	
1JH-05-10	1/2"X20	M10X1	O08.1X1.6	14	8.5	29	14	
1JH-05-12	1/2"X20	M12X1.5	O09.3X2.4	14	11	31	17	
1JH-05-14	1/2"X20	M14X1.5	O11.3X2.4	14	11	33	19	
1JH-06-14	9/16"X18	M14X1.5	O11.3X2.4	14.1	11	31	19	
1JH-06-16	9/16"X18	M16X1.5	O13.3X2.4	14.1	11.5	33.5	22	
1JH-06-18	9/16"X18	M18X1.5	O15.3X2.4	14.1	12.5	34.5	24	
1JH-08-14	3/4"X16	M14X1.5	O15.3X2.4	16.7	11	38	22	
1JH-08-16	3/4"X16	M16X1.5	O13.3X2.4	16.7	11.5	36	22	
1JH-08-18	3/4"X16	M18X1.5	O15.3X2.4	16.7	12.5	37	24	
1JH-08-22	3/4"X16	M22X1.5	O19.3X2.4	16.7	13	39.5	27	
1JH-10-16	7/8"X14	M16X1.5	O13.3X2.4	19.3	11.5	41	24	
1JH-10-18	7/8"X14	M18X1.5	O15.3X2.4	19.3	12.5	40	24	
1JH-10-22	7/8"X14	M22X1.5	O19.3X2.4	19.3	13	42	27	
1JH-12-22	1.1/16"X12	M22X1.5	O19.3X2.4	21.9	13	47.5	30	
1JH-12-27	1.1/16"X12	M27X2	O23.5X3.0	21.9	16	49	32	
1JH-16-27	1.5/16"X12	M27X2	O23.5X3.0	23.1	16	52.5	36	
1JH-16-33	1.5/16"X12	M33X2	O29.5X3.0	23.1	16	52	41	
1JH-20-42	1.5/8"X12	M42X2	O38.5X3.0	24.3	16	58	50	
1JH-24-48	1.7/8"X12	M48X2	O44.5X3.0	27.5	17.5	63	55	

注：1 螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 2 F 端可与 ISO 9974-1 油口相配，去掉挡圈与 ISO 6149-1 油口相配。 Note： 1 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable formetric tube,the nut NB200 and sleeve NB300 is suitable for inch tube. 2 F end is fit for ISO 9974-1 port or ISO6149-1 port when useless of retaining ring.

www.fitsch.cn





1J-H

美制 JIC 外螺纹 74° 锥
面 / 美制 JIC 外螺纹 74° 锥面
JIC MALE 74° CONE/JIC MALE 74° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS			
PART NO.	E	F			A	B	S1	L
1J-04H	7/16"X20	7/16"X20			14	14	17	34
1J-05H	1/2"X20	1/2"X20			14	14	19	34
1J-06H	9/16"X18	9/16"X18			14.1	14.1	22	34.2
1J-08H	3/4"X16	3/4"X16			16.7	16.7	27	42
1J-10H	7/8"X14	7/8"X14			19.3	19.3	30	46.5
1J-12H	1.1/16"X12	1.1/16"X12			21.9	21.9	36	54
1J-14H	1.3/16"X12	1.3/16"X12			22.6	22.6	38	56
1J-16H	1.5/16"X12	1.5/16"X12			23.1	23.1	41	57
1J-20H	1.5/8"X12	1.5/8"X12			24.3	24.3	50	62
1J-24H	1.7/8"X12	1.7/8"X12			27.5	27.5	55	70

www.fitsch.cn






1JH4-OG


45° 弯美制 JIC 外螺纹 74° 外锥 / 公制
外螺纹可调向柱端轻系列 ISO 6149-3
45° ELBOW JIC MALE 74° CONE / METIRC MALE
ADJUSTABLE STUD END L-SERIES ISO 6149-3

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F 端	A	B	S1	S2	
1JH4-04-10OG	7/16"X20	M10X1		O08.1X1.6	21.5	23.5	11	14	
1JH4-04-12OG	7/16"X20	M12X1.5		O09.3X2.4	21.5	27.5	11	17	
1JH4-04-14OG	7/16"X20	M14X1.5		O11.3X2.4	22.3	28.3	14	19	
1JH4-05-12OG	1/2"X20	M12X1.5		O09.3X2.4	22.3	28.3	14	17	
1JH4-05-14OG	1/2"X20	M14X1.5		O11.3X2.4	22.3	28.3	14	19	
1JH4-06-14OG	9/16"X18	M14X1.5		O11.3X2.4	22.8	28.3	14	19	
1JH4-06-16OG	9/16"X18	M16X1.5		O13.3X2.4	22	29	16	22	
1JH4-08-16OG	3/4"X16	M16X1.5		O13.3X2.4	26.8	30	19	22	
1JH4-08-18OG	3/4"X16	M18X1.5		O15.3X2.4	26.8	31	19	24	
1JH4-10-16OG	7/8"X14	M16X1.5		O13.3X2.4	31	31	22	22	
1JH4-10-18OG	7/8"X14	M18X1.5		O15.3X2.4	31	32	22	24	
1JH4-10-22OG	7/8"X14	M22X1.5		O19.3X2.4	31	33	22	27	
1JH4-12-22OG	1.1/16"X12	M22X1.5		O19.3X2.4	35.5	34.5	27	27	
1JH4-12-27OG	1.1/16"X12	M27X2		O23.5X3.0	35.5	39.5	27	32	
1JH4-16-27OG	1.5/16"X12	M27X2		O23.5X3.0	38.5	41	33	32	
1JH4-16-33OG	1.5/16"X12	M33X2		O29.5X3.0	38.5	41.5	33	41	
1JH4-20-42OG	1.5/8"X12	M42X2		O38.5X3.0	43	45	41	50	
1JH4-24-48OG	1.7/8"X12	M48X2		O44.5X3.0	49	49.5	48	55	

注：1 螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 2 F 端可与 ISO 9974-1 油口相配，去掉挡圈与 ISO 6149-1 油口相配。 Note：1 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube. 2 F end is fit for ISO 9974-1 port or ISO 6149-1 port when useless of retaining ring.

www.fitsch.cn






1JH9-OG

90° 弯美制 JIC 外螺纹 74° 外锥 / 公制外螺纹
可调向柱端轻系列 ISO 6149-3
90° ELBOW JIC MALE 74° CONE / METIRC MALE
ADJUSTABLE STUD END L-SERIES ISO 6149-3

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F 端	A	B	S1	S2	
1JH9-04-10OG	7/16"X20	M10X1		O08.1X1.6	24.5	27.5	11	14	
1JH9-04-12OG	7/16"X20	M12X1.5		O09.3X2.4	24.5	30.3	11	17	
1JH9-04-14OG	7/16"X20	M14X1.5		O11.3X2.4	26.6	32	14	19	
1JH9-05-10OG	1/2"X20	M10X1		O08.1X1.6	26.5	28.5	14	14	
1JH9-05-12OG	1/2"X20	M12X1.5		O09.3X2.4	26.5	32	14	17	
1JH9-05-14OG	1/2"X20	M14X1.5		O11.3X2.4	26.5	32	14	19	
1JH9-06-14OG	9/16"X18	M14X1.5		O11.3X2.4	26.9	32	14	19	
1JH9-06-16OG	9/16"X18	M16X1.5		O13.3X2.4	28	34.8	16	22	
1JH9-06-18OG	9/16"X18	M18X1.5		O15.3X2.4	30	37	19	24	
1JH9-08-16OG	3/4"X16	M16X1.5		O13.3X2.4	32	38	19	22	
1JH9-08-18OG	3/4"X16	M18X1.5		O15.3X2.4	33	38	19	24	
1JH9-08-22OG	3/4"X16	M22X1.5		O19.3X2.4	34.8	40.2	22	27	
1JH9-10-16OG	7/8"X14	M16X1.5		O13.3X2.4	38	38	22	22	
1JH9-10-18OG	7/8"X14	M18X1.5		O15.3X2.4	38	39.5	22	24	
1JH9-10-22OG	7/8"X14	M22X1.5		O19.3X2.4	38	42.5	22	27	
1JH9-12-22OG	1.1/16"X12	M22X1.5		O19.3X2.4	45	44	27	27	
1JH9-12-27OG	1.1/16"X12	M27X2		O23.5X3.0	44.2	48.5	27	32	
1JH9-16-27OG	1.5/16"X12	M27X2		O23.5X3.0	49	52	33	32	
1JH9-16-33OG	1.5/16"X12	M33X2		O29.5X3.0	49	52.5	33	41	
1JH9-20-42OG	1.5/8"X12	M42X2		O38.5X3.0	55.5	57.2	41	50	
1JH9-24-48OG	1.7/8"X12	M48X2		O44.5X3.0	62.5	62.5	48	55	

注：1 螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 2 F 端可与 ISO 9974-1 油口相配，去掉挡圈与 ISO 6149-1 油口相配。 Note： 1 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitablefor metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube. 2 F end is fit for ISO 9974-1 port or ISO 6149-1 port when useless of retaining ring.

www.fitsch.cn





1JK

美制 JIC 外螺纹 74° / 日本公制外螺纹 60°
JIC MALE 74° /JIS METRIC MALE 60°

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	
1JK-04-14	7/16"X20	M14X1.5			14	17	37	17	
1JK-06-18	9/16"X18	M18X1.5			14.1	18	38	19	
1JK-08-22	3/4"X16	M22X1.5			16.7	20	44.5	24	
1JK-10-24	7/8"X14	M24X1.5			19.3	21.5	38.5	27	
1JK-12-22	1.1/16"X12	M22X1.5			21.9	20	52	30	
1JK-12-24	1.1/16"X12	M24X1.5			21.9	21.5	53.5	30	
1JK-12-30	1.1/16"X12	M30X1.5			21.9	26	59	32	
1JK-16-33	1.5/16"X12	M33X1.5			23.1	30	64	36	
1JK-20-36	1.5/8"X12	M36X1.5			24.3	33	70	46	
1JK-24-42	1.7/8"X12	M42X1.5			27.5	36	78.5	50	

www.fitsch.cn






1JL

JIC外螺纹74°外锥 /公制外螺纹组合垫圈
JIC MALE 74° CONE / METRIC MALE WITH BONDED SEAL

代 号 PART NO.	螺 纹 THREAD		密形圈 SEAL		尺 寸 DIMENSIONS				
	E	F		F 端	A	B	L	S1	
1JL-04-10	7/16"X20	M10X1		ZHD-10	14	8	29	17	
1JL-04-12	7/16"X20	M12X1.5		ZHD-12	14	12	32.5	17	
1JL-06-12	9/16"X18	M12X1.5		ZHD-12	14.1	12	33.5	17	
1JL-06-14	9/16"X18	M14X1.5		ZHD-14	14.1	12	32	19	
1JL-06-18	9/16"X18	M18X1.5		ZHD-18	14.1	12	35.5	24	
1JL-06-22	9/16"X18	M22X1.5		ZHD-22	14.1	14	38	27	
1JL-08-16	3/4"X16	M16X1.5		ZHD-16	16.7	12	37	22	
1JL-08-18	3/4"X16	M18X1.5		ZHD-18	16.7	12	37.5	24	
1JL-08-22	3/4"X16	M22X1.5		ZHD-22	16.7	14	40.5	27	
1JL-10-18	7/8"X14	M18X1.5		ZHD-18	19.3	12	40.5	24	
1JL-10-22	7/8"X14	M22X1.5		ZHD-22	19.3	14	43	27	
1JL-12-22	1.1/16"X12	M22X1.5		ZHD-22	21.9	14	48.5	30	
1JL-12-27	1.1/16"X12	M27X2		ZHD-27	21.9	16	49	36	
1JL-16-33	1.5/16"X12	M33X2		ZHD-33	23.1	18	56	41	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Note： Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn




1JM


JIC 外螺纹 74° 外锥 / 公制外螺纹 60° 内锥
JIC MALE 74° CONE / METRIC MALE 60° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	
1JM-04-10	7/16"X20	M10X1			14	8	29	14	
1JM-04-12	7/16"X20	M12X1.5			14	10	31	17	
1JM-04-14	7/16"X20	M14X1.5			14	11	32	19	
1JM-05-10	1/2"X20	M10X1			14	8	28	14	
1JM-05-12	1/2"X20	M12X1.5			14	10	30	17	
1JM-05-14	1/2"X20	M14X1.5			14	11	32	19	
1JM-06-12	9/16"X18	M12X1.5			14.1	10	31	17	
1JM-06-14	9/16"X18	M14X1.5			14.1	11	33	19	
1JM-06-16	9/16"X18	M16X1.5			14.1	12	35	22	
1JM-06-18	9/16"X18	M18X1.5			14.1	12	34	24	
1JM-08-16	3/4"X16	M16X1.5			16.7	12	37.5	22	
1JM-08-18	3/4"X16	M18X1.5			16.7	12	36.5	24	
1JM-08-20	3/4"X16	M20X1.5			16.7	14	41	27	
1JM-08-22	3/4"X16	M22X1.5			16.7	14	41	27	
1JM-10-20	7/8"X14	M20X1.5			19.3	14	44	27	
1JM-10-22	7/8"X14	M22X1.5			19.3	14	43.5	27	
1JM-10-26	7/8"X14	M26X1.5			19.3	16	47.5	32	
1JM-12-20	1.1/16"X12	M20X1.5			21.9	14	47	30	
1JM-12-22	1.1/16"X12	M22X1.5			21.9	14	47	30	
1JM-12-26	1.1/16"X12	M26X1.5			21.9	16	50	32	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。Note：Nut and sleeve should be ordered separately.The nut NB200and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






1JM-WD


JIC 外螺纹 74° 外锥 / 公制外螺纹胶垫密封
JIC MALE 74° CONE / METRIC MALE CAPTIVE SEAL

代 号 PART NO.	螺 纹 THREAD		胶 垫 CAPTIVE		尺 寸 DIMENSIONS				
	E	F		F 端	A	B	L	S1	
1JM-04-10WD	7/16"X20	M10X1		WD-B02	14	8	29.5	17	
1JM-04-12WD	7/16"X20	M12X1.5		WD-M12	14	12	34	17	
1JM-05-14WD	1/2"X20	M14X1.5		WD-B04	14	12	34	19	
1JM-06-14WD	9/16"X18	M14X1.5		WD-B04	14.1	12	34	19	
1JM-06-18WD	9/16"X18	M18X1.5		WD-M18	14.1	12	36.5	24	
1JM-06-20WD	9/16"X18	M20X1.5		WD-M20	14.1	14	40.5	27	
1JM-08-18WD	3/4"X16	M18X1.5		WD-M18	16.7	12	39	24	
1JM-08-20WD	3/4"X16	M20X1.5		WD-M20	16.7	14	43	27	
1JM-08-22WD	3/4"X16	M22X1.5		WD-M22	16.7	14	43.5	27	
1JM-10-18WD	7/8"X14	M18X1.5		WD-M18	19.3	12	41.5	24	
1JM-10-20WD	7/8"X14	M20X1.5		WD-M20	19.3	14	45.5	27	
1JM-10-22WD	7/8"X14	M22X1.5		WD-M22	19.3	14	46	27	
1JM-12-20WD	1.1/16"X12	M20X1.5		WD-M20	21.9	14	48.5	30	
1JM-12-22WD	1.1/16"X12	M22X1.5		WD-M22	21.9	14	49	30	
1JM-12-26WD	1.1/16"X12	M26X1.5		WD-B12	21.9	16	52	32	
1JM-12-27WD	1.1/16"X12	M27X2		WD-B12	21.9	16	52	32	
1JM-16-26WD	1.5/16"X12	M26X1.5		WD-B12	23.1	16	53	36	
1JM-16-33WD	1.5/16"X12	M33X2		WD-B16	23.1	18	57	41	
1JM-20-42WD	1.5/8"X12	M42X2		WD-B20	24.3	20	62	50	
1JM-20-48WD	1.5/8"X12	M48X2		WD-B24	24.3	22	64	55	
1JM-24-48WD	1.7/8"X12	M48X2		WD-B24	27.5	22	67.5	55	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Note： Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






1JN


JIC 外螺纹 74° 外锥 / 布锥管外螺纹
JIC MALE 74° CONE / NPT MALE

代 号	螺v 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	
1JN-02	5/16"X24	Z1/8"X27			11.4	10.5	28	12	
1JN-04-02	7/16"X20	Z1/8"X27			14	10.5	30.5	12	
1JN-04	7/16"X20	Z1/4"X18			14	15	35	17	
1JN-04-06	7/16"X20	Z3/8"X18			14	16	36	19	
1JN-04-08	7/16"X20	Z1/2"X14			14	19.5	41.5	24	
1JN-05-02	1/2"X20	Z1/8"X27			14	10.5	30.5	14	
1JN-05-04	1/2"X20	Z1/4"X18			14	15	35	17	
1JN-05-06	1/2"X20	Z3/8"X18			14	16	36	19	
1JN-05-08	1/2"X20	Z1/2"X14			14	19.5	41.5	24	
1JN-06-04	9/16"X18	Z1/4"X18			14.1	15	34.5	17	
1JN-06	9/16"X18	Z3/8"X18			14.1	16	36	19	
1JN-06-08	9/16"X18	Z1/2"X14			14.1	19.5	41.5	24	
1JN-08-04	3/4"X16	Z1/4"X18			16.7	15	39	22	
1JN-08-06	3/4"X16	Z3/8"X18			16.7	16	40	22	
1JN-08	3/4"X16	Z1/2"X14			16.7	19.5	44	24	
1JN-08-12	3/4"X16	Z3/4"X14			16.7	19.5	46.5	30	
1JN-10-06	7/8"X14	Z3/8"X18			19.3	16	43.5	24	
1JN-10-08	7/8"X14	Z1/2"X14			19.3	19.5	47	24	
1JN-10-12	7/8"X14	Z3/4"X14			19.3	19.5	49	30	
1JN-12-08	1.1/16"X12	Z1/2"X14			21.9	19.5	51	30	
1JN-12	1.1/16"X12	Z3/4"X14			21.9	19.5	51.5	30	
1JN-12-16	1.1/16"X12	Z1"X11.5			21.9	25.5	58.5	36	
1JN-12-20	1.1/16"X12	Z1.1/4"X11.5			21.9	26.5	61.5	46	
1JN-14-12	1.3/16"X12	Z3/4"X14			22.6	19.5	53	32	
1JN-16-12	1.5/16"X12	Z3/4"X14			23.1	19.5	53.5	36	
1JN-16	1.5/16"X12	Z1"X11.5			23.1	25.5	58.5	36	
1JN-16-20	1.5/16"X12	Z1.1/4"X11.5			23.1	26.5	62.5	46	
1JN-16-24	1.5/16"X12	Z1.1/2"X11.5			23.1	27.5	65.5	50	
1JN-20-16	1.5/8"X12	Z1"X11.5			24.3	25.5	63	46	
1JN-20	1.5/8"X12	Z1.1/4"X11.5			24.3	26.5	63.5	46	
1JN-20-24	1.5/8"X12	Z1.1/2"X11.5			24.3	27.5	67	50	
1JN-24-20	1.7/8"X12	Z1.1/4"X11.5			27.5	26.5	69	50	
1JN-24	1.7/8"X12	Z1.1/2"X11.5			27.5	27.5	70	50	
1JN-24-32	1.7/8"X12	Z2"X11.5			27.5	27.5	72	65	
1JN-32	2.1/2"X12	Z2"X11.5			33.9	27.5	78.5	65	
1JN-32-20	2.1/2"X12	Z1.1/4"X11.5			33.9	26.5	77	65	
1JN-32-24	2.1/2"X12	Z1.1/2"X11.5			33.9	27.5	78.5	65	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。Note： Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






1JN4


45° 弯 JIC 外螺纹 74° 外锥 / 布锥管外螺纹
45° ELBOWJIC MALE 74° CONE/NPT MALE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	S1		
1JN4-02	5/16"X24	Z1/8"X27			18	17	11		
1JN4-03-02	3/8"X24	Z1/8"X27			19	17	11		
1JN4-04-02	7/16"X20	Z1/8"X27			21.5	17	11		
1JN4-04	7/16"X20	Z1/4"X18			22.3	21	14		
1JN4-04-06	7/16"X20	Z3/8"X18			23	24	19		
1JN4-04-08	7/16"X20	Z1/2"X14			24.5	29.5	22		
1JN4-05-02	1/2"X20	Z1/8"X27			22.3	18	14		
1JN4-05-04	1/2"X20	Z1/4"X18			22.3	21	14		
1JN4-06-02	9/16"X18	Z1/8"X27			22.8	17.3	14		
1JN4-06-04	9/16"X18	Z1/4"X18			22.8	21	14		
1JN4-06	9/16"X18	Z3/8"X18			24	24	19		
1JN4-06-08	9/16"X18	Z1/2"X14			25	29.5	22		
1JN4-08-04	3/4"X16	Z1/4"X18			26.8	22	19		
1JN4-08-06	3/4"X16	Z3/8"X18			26.8	24	19		
1JN4-08	3/4"X16	Z1/2"X14			28	29.5	22		
1JN4-08-12	3/4"X16	Z3/4"X14			29	35	27		
1JN4-10-08	7/8"X14	Z1/2"X14			31	29.5	22		
1JN4-10-12	7/8"X14	Z3/4"X14			32	35	27		
1JN4-12-08	1.1/16"X12	Z1/2"X14			35.5	31	27		
1JN4-12	1.1/16"X12	Z3/4"X14			35.5	35	27		
1JN4-12-16	1.1/16"X12	Z1"X11.5			37.5	39	33		
1JN4-14-12	1.3/16"X12	Z3/4"X14			37	35.5	30		
1JN4-16-12	1.5/16"X12	Z3/4"X14			38.5	36.5	33		
1JN4-16	1.5/16"X12	Z1"X11.5			38.5	39	33		
1JN4-16-20	1.5/16"X12	Z1.1/4"X11.5			42	42.5	41		
1JN4-20-16	1.5/8"X12	Z1"X11.5			43	42.5	41		
1JN4-20	1.5/8"X12	Z1.1/4"X11.5			43	42	41		
1JN4-20-24	1.5/8"X12	Z1.1/2"X11.5			46	45	48		
1JN4-24	1.7/8"X12	Z1.1/2"X11.5			49	45	48		
1JN4-32	2.1/2"X12	Z2"X11.5			58	50	63		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Note： Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn







1JN4-OR

45° 美制 JIC 外螺纹 / 布锥管外螺纹
45° JIC MALE/NPT MALE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	S1		
1JN4-04OR	7/16"X20	Z1/4"X18			22.3	21	14		
1JN4-06OR	9/16"X18	Z3/8"X18			24	24	19		
1JN4-08OR	3/4"X16	Z1/2"X14			28	29.5	22		
1JN4-12OR	1.1/16"X12	Z3/4"X14			35.5	35	27		
1JN4-16OR	1.5/16"X12	Z1"X11.5			38.5	39	33		
1JN4-20OR	1.5/8"X12	Z1.1/4"X11.5			43	42	41		
1JN4-24OR	1.7/8"X12	Z1.1/2"X11.5			49	45	48		
1JN4-32OR	2.1/2"X12	Z2"X11.5			58	50	63		

www.fitsch.cn





1JN9


90° 弯 JIC 外螺纹 74° 外锥 / 布锥管外螺纹
90° ELBOW JIC MALE 74° CONE / NPT MALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
1JN9-02	5/16"X24	Z1/8"X27			21	21	11		
1JN9-03-02	3/8"X24	Z1/8"X27			22	21	11		
1JN9-04	7/16"X20	Z1/4"X18			26.6	25.5	14		
1JN9-04-02	7/16"X20	Z1/8"X27			24.5	21	11		
1JN9-04-06	7/16"X20	Z3/8"X18			29.5	31	19		
1JN9-05-02	1/2"X20	Z1/8"X27			26.6	23.5	14		
1JN9-05-04	1/2"X20	Z1/4"X18			26.6	25.5	14		
1JN9-05-06	1/2"X20	Z3/8"X18			29.5	31	19		
1JN9-06	9/16"X18	Z3/8"X18			30	31	19		
1JN9-06-04	9/16"X18	Z1/4"X18			26.9	25.5	14		
1JN9-06-08	9/16"X18	Z1/2"X14			32	36.7	22		
1JN9-08	3/4"X16	Z1/2"X14			34.8	37.3	22		
1JN9-08-04	3/4"X16	Z1/4"X18			32	28.5	19		
1JN9-08-06	3/4"X16	Z3/8"X18			32	31	19		
1JN9-08-12	3/4"X16	Z3/4"X14			37.9	44	27		
1JN9-10-06	7/8"X14	Z3/8"X18			37.8	32.5	22		
1JN9-10-08	7/8"X14	Z1/2"X14			37.8	37.3	22		
1JN9-10-12	7/8"X14	Z3/4"X14			41	44	27		
1JN9-10-16	7/8"X14	Z1"X11.5			44.5	50	33		
1JN9-12	1.1/16"X12	Z3/4"X14			44.2	44	27		
1JN9-12-08	1.1/16"X12	Z1/2"X14			44.2	40	27		
1JN9-12-16	1.1/16"X12	Z1"X11.5			49	50	33		
1JN9-12-20	1.1/16"X12	Z1.1/4"X11.5			52.5	54.5	41		
1JN9-14-12	1.3/16"X12	Z3/4"X14			47.5	45	30		
1JN9-14-16	1.3/16"X12	Z1"X11.5			48.7	50	33		
1JN9-16	1.5/16"X12	Z1"X11.5			49	50	33		
1JN9-16-12	1.5/16"X12	Z3/4"X14			49	45.2	33		
1JN9-16-20	1.5/16"X12	Z1.1/4"X11.5			54	60.5	41		
1JN9-16-24	1.5/16"X12	Z1.1/2"X11.5			59.4	59.5	48		
1JN9-20	1.5/8"X12	Z1.1/4"X11.5			55.5	54.5	41		
1JN9-20-16	1.5/8"X12	Z1"X11.5			55.5	54.5	41		
1JN9-20-24	1.5/8"X12	Z1.1/2"X11.5			59.4	63	48		
1JN9-24	1.7/8"X12	Z1.1/2"X11.5			62.5	63	48		
1JN9-24-20	1.7/8"X12	Z1.1/4"X11.5			62.5	63	48		
1JN9-32-24	2.1/2"X12	Z1.1/2"X11.5			75.4	70	63		
1JN9-32	2.1/2"X12	Z2"X11.5			75.4	67.5	63		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Note： Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn

过渡接头 ADAPTER




1JN9-L


90° JIC 外螺纹 74° 外锥 / 加长布锥管外螺纹
90° JIC MALE 74° CONE/LONG NPT MALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
1JN9-04-02L	7/16"X20	Z1/8"X27			24.5	30	11		
1JN9-04L	7/16"X20	Z1/4"X18			26.6	40.1	14		
1JN9-05-02L	1/2"X20	Z1/8"X27			26.6	31	14		
1JN9-05-04L	1/2"X20	Z1/4"X18			26.6	40.1	14		
1JN9-06-04L	9/16"X18	Z1/4"X18			26.9	40.1	14		
1JN9-06-08L	9/16"X18	Z1/2"X14			32	55.1	22		
1JN9-08-06L	3/4"X16	Z3/8"X18			32	46.2	19		
1JN9-08L	3/4"X16	Z1/2"X14			34.8	55.1	22		
1JN9-10-08L	7/8"X14	Z1/2"X14			37.8	55.1	22		
1JN9-12-08L	1.1/16"X12	Z1/2"X14			44.2	56.9	27		
1JN9-12L	1.1/16"X12	Z3/4"X14			44.2	62	27		
1JN9-16-12L	1.5/16"X12	Z3/4"X14			49	69.9	33		
1JN9-16L	1.5/16"X12	Z1"X11.5			49	76.5	33		
1JN9-20L	1.5/8"X12	Z1.1/4"X11.5			55.5	93.7	41		
1JN9-24L	1.7/8"X12	Z1.1/2"X11.5			62.5	104.1	48		
1JN9-32L	2.1/2"X12	Z2"X11.5			78	122.2	63		

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Note：Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






1JN9-LL


90° 弯 JIC 外螺纹 74° 外锥 / 加长布锥管外螺纹
90° ELBOW JIC MALE 74° CONE / LONGER NPT MALE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	S1		
1JN9-04-02LL	7/16"X20	Z1/8"X27			24.5	39.6	11		
1JN9-04LL	7/16"X20	Z1/4"X18			26.6	52.6	14		
1JN9-05-04LL	1/2"X20	Z1/4"X18			26.6	52.6	14		
1JN9-06-04LL	9/16"X18	Z1/4"X18			26.9	52.6	14		
1JN9-06LL	9/16"X18	Z3/8"X18			30	61.5	19		
1JN9-08-06LL	3/4"X16	Z3/8"X18			32	61.5	19		
1JN9-10-08LL	7/8"X14	Z1/2"X14			37.8	72.9	22		
1JN9-12LL	1.1/16"X12	Z3/4"X14			44.2	83.3	27		
1JN9-16LL	1.5/16"X12	Z1"X11.5			49	102.9	33		
1JN9-20LL	1.5/8"X12	Z1.1/4"X11.5			55.5	127	41		
1JN9-24LL	1.7/8"X12	Z1.1/2"X11.5			62.5	141	48		
1JN9-32LL	2.1/2"X12	Z2"X11.5			78	168.4	63		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Note：Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






1JN9-OR

90° JIC 外螺纹 74° 外锥带 O 形圈 / 布锥管外螺纹
90° JIC MALE 74° CONE WITH O-RING/NPT MALE

代 号 PART NO.	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
	E	F	E 端		A	B	S1		
1JN9-10-06OR	7/8"X14	Z3/8"X18	13X1		37.8	32.5	22		
1JN9-10-08OR	7/8"X14	Z1/2"X14	13X1		37.8	37.3	22		
1JN9-10-12OR	7/8"X14	Z3/4"X14	13X1		41	44	27		
1JN9-12OR	1.1/16"X12	Z3/4"X14	17X1		44.2	44	27		
1JN9-12-06OR	1.1/16"X12	Z3/8"X18	17X1		44.2	36.5	27		
1JN9-12-08OR	1.1/16"X12	Z1/2"X14	17X1		44.2	40	27		
1JN9-12-16OR	1.1/16"X12	Z1"X11.5	17X1		49	50	33		
1JN9-14-12OR	1.3/16"X12	Z3/4"X14	19X1.5		47.5	45	30		
1JN9-16OR	1.5/16"X12	Z1"X11.5	22X1.5		49	50	33		
1JN9-16-12OR	1.5/16"X12	Z3/4"X14	22X1.5		49	45.2	33		
1JN9-16-20OR	1.5/16"X12	Z1.1/4"X11.5	22X1.5		54	60.5	41		
1JN9-20OR	1.5/8"X12	Z1.1/4"X11.5	28X1.5		55.5	54.5	41		
1JN9-20-16OR	1.5/8"X12	Z1"X11.5	28X1.5		55.5	59.6	41		
1JN9-20-24OR	1.5/8"X12	Z1.1/2"X11.5	28X1.5		59.4	63	48		
1JN9-24OR	1.7/8"X12	Z1.1/2"X11.5	32X1.5		62.5	63	48		
1JN9-24-20OR	1.7/8"X12	Z1.1/4"X11.5	32X1.5		62.5	63	48		
1JN9-32OR	2.1/2"X12	Z2"X11.5	48X2		75.4	67.5	63		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn




1JN9SW

90° 美制 74° JIC 外螺纹 / 布锥管旋转外螺纹
90° JIC 74° MALE/NPT SWIVEL MALE

代 号	螺 纹 E	螺 纹 F		尺 寸 DIMENSIONS				
PART NO.	THREAD E	THREAD F		A	C	H	S1	S2
1JN9SW-06-04	9/16"X18	Z1/4"X18		26.9	21	29.9	14	19
1JN9SW-06	9/16"X18	Z3/8"X18		26.9	25	30	14	22
1JN9SW-08-06	3/4"X16	Z3/8"X18		32	25	32.5	19	22
1JN9SW-08	3/4"X16	Z1/2"X14		32	27.5	34.9	19	27
1JN9SW-10-08	7/8"X14	Z1/2"X14		38	27.5	37.9	22	27
1JN9SW-12	1.1/16"X12	Z3/4"X14		44.2	27.4	42	27	32

www.fitsch.cn




1JN-L

JIC 外螺纹 74° 外锥 / 布锥管外螺纹加长
JIC MALE 74° CONE/NPT MALE LONG

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	L	S1	
1JN-04-02L	7/16"X20	Z1/8"X27			14	10.5	46	12	
1JN-04L	7/16"X20	Z1/4"X18			14	15	57.2	17	
1JN-05-02L	1/2"X20	Z1/8"X27			14	10.5	49.2	14	
1JN-05-04L	1/2"X20	Z1/4"X18			14	15	57.2	17	
1JN-06-02L	9/16"X18	Z1/8"X27			14.1	10.5	56	17	
1JN-06-04L	9/16"X18	Z1/4"X18			14.1	15	57.2	17	
1JN-06L	9/16"X18	Z3/8"X18			14.1	16	63.5	19	
1JN-06-08L	9/16"X18	Z1/2"X14			14.1	19.5	74.8	24	
1JN-08-04L	3/4"X16	Z1/4"X18			16.7	15	69.8	22	
1JN-08-06L	3/4"X16	Z3/8"X18			16.7	16	69.8	22	
1JN-08L	3/4"X16	Z1/2"X14			16.7	19.5	77.2	24	
1JN-10-08L	7/8"X14	Z1/2"X14			19.3	19.5	79.4	24	
1JN-12L	1.1/16"X12	Z3/4"X14			21.9	19.5	88.9	30	
1JN-16-12L	1.5/16"X12	Z3/4"X14			23.1	19.5	96.7	36	
1JN-16L	1.5/16"X12	Z1"X11.5			23.1	25.5	101.6	36	
1JN-20L	1.5/8"X12	Z1.1/4"X11.5			24.3	26.5	114.3	46	
1JN-24L	1.7/8"X12	Z1.1/2"X11.5			27.5	27.5	124	50	
1JN-32L	2.1/2"X12	Z2"X11.5			33.9	27.5	142.7	65	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn




1JN-LL

JIC 外螺纹 74° 外锥 / 布锥管外螺纹加长
JIC MALE 74° CONE/NPT MALE EXTRA LONG


代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	
1JN-04-02LL	7/16"X20	Z1/8"X27			14	10.5	65	12	
1JN-04LL	7/16"X20	Z1/4"X18			14	15	82.6	17	
1JN-05-02LL	1/2"X20	Z1/8"X27			14	10.5	71.4	14	
1JN-06-04LL	9/16"X18	Z1/4"X18			14.1	15	82.5	17	
1JN-06LL	9/16"X18	Z3/8"X18			14.1	16	99.6	19	
1JN-08-06LL	3/4"X16	Z3/8"X18			16.7	16	101.6	22	
1JN-08LL	3/4"X16	Z1/2"X14			16.7	19.5	106.6	24	
1JN-10-08LL	7/8"X14	Z1/2"X14			19.3	19.5	111.1	24	
1JN-12LL	1.1/16"X12	Z3/4"X14			21.9	19.5	127	30	
1JN-16LL	1.5/16"X12	Z1"X11.5			23.1	25.5	171.4	36	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn



1JN-OR



1JN-OR/RN


JIC 外螺纹 74° 外锥带 O 形圈 / 布锥管外螺纹
JIC MALE 74° CONE WITH O-RING/NPT MALE


代 号 PART NO.	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
	E	F	E 端		A	B	L	S1	
1JN-10-08OR	7/8"X14	Z1/2"X14	13X1		19.3	19.5	47	24	
1JN-12OR	1.1/16"X12	Z3/4"X14	17X1		21.9	19.5	51.5	30	
1JN-16OR	1.5/16"X12	Z1"X11.5	22X1.5		23.1	25.5	58.5	36	
1JN-20OR	1.5/8"X12	Z1.1/4"X11.5	28X1.5		24.3	26.5	63.5	46	
1JN-24OR	1.7/8"X12	Z1.1/2"X11.5	35X1.5		27.5	27.5	70	50	
1JN-32OR	2.1/2"X12	Z2"X11.5	48X2		33.9	27.5	78.5	65	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。Nut and sleeve should be ordered separately.The nut NB200 andsleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn

JIC Hydraulic Tube Fittings SAE J514 ISO 8434-2





1JO


美制 JIC 外螺纹 74° 外锥 / SAE
外螺纹带 O 形圈轻系列 ISO 11926-3
JIC MALE 74° CONE / SAE O-RING
BOSS L-SERIES ISO 11926-3


代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F 端	A	B	L	S1	
1JO-04-02	7/16"X20	5/16"X24		O902	14	7.54	27.5	14	
1JO-04-03	7/16"X20	3/8"X24		O903	14	7.54	27.5	14	
1JO-04	7/16"X20	7/16"X20		O904	14	9.14	29	14	
1JO-04-05	7/16"X20	1/2"X20		O905	14	9.14	29	17	
1JO-04-06	7/16"X20	9/16"X18		O906	14	9.93	30	17	
1JO-04-08	7/16"X20	3/4"X16		O908	14	11.13	33	22	
1JO-05	1/2"X20	1/2"X20		O905	14	9.14	29	17	
1JO-05-04	1/2"X20	7/16"X20		O904	14	9.14	29	14	
1JO-05-06	1/2"X20	9/16"X18		O906	14	9.93	30	17	
1JO-05-08	1/2"X20	3/4"X16		O908	14	11.13	33	22	
1JO-06	9/16"X18	9/16"X18		O906	14.1	9.93	30	17	
1JO-06-04	9/16"X18	7/16"X20		O904	14.1	9.14	29	17	
1JO-06-05	9/16"X18	1/2"X20		O905	14.1	9.14	29.5	17	
1JO-06-08	9/16"X18	3/4"X16		O908	14.1	11.13	33	22	
1JO-06-10	9/16"X18	7/8"X14		O910	14.1	12.7	37	27	
1JO-06-12	9/16"X18	1.1/16"X12		O912	14.1	15.09	40	32	
1JO-08	3/4"X16	3/4"X16		O908	16.7	11.13	36	22	
1JO-08-04	3/4"X16	7/16"X20		O904	16.7	9.14	34	22	
1JO-08-06	3/4"X16	9/16"X18		O906	16.7	9.93	35	22	
1JO-08-10	3/4"X16	7/8"X14		O910	16.7	12.7	40	27	
1JO-08-12	3/4"X16	1.1/16"X12		O912	16.7	15.09	43	32	
1JO-08-14	3/4"X16	1.3/16"X12		O914	16.7	15.09	43	36	
1JO-10	7/8"X14	7/8"X14		O910	19.3	12.7	42.5	27	
1JO-10-08	7/8"X14	3/4"X16		O908	19.3	11.13	39	24	
1JO-10-12	7/8"X14	1.1/16"X12		O912	19.3	15.09	45.5	32	
1JO-10-14	7/8"X14	1.3/16"X12		O914	19.3	15.09	45.5	36	
1JO-12	1.1/16"X12	1.1/16"X12		O912	21.9	15.09	48	32	
1JO-12-08	1.1/16"X12	3/4"X16		O908	21.9	11.13	43	30	
1JO-12-10	1.1/16"X12	7/8"X14		O910	21.9	12.7	45	30	
1JO-12-14	1.1/16"X12	1.3/16"X12		O914	21.9	15.09	48	36	
1JO-12-16	1.1/16"X12	1.5/16"X12		O916	21.9	15.09	48	38	
1JO-14	1.3/16"X12	1.3/16"X12		O914	22.6	15.09	48.5	36	
1JO-14-12	1.3/16"X12	1.1/16"X12		O912	22.6	15.09	48.5	32	
1JO-14-16	1.3/16"X12	1.5/16"X12		O916	22.6	15.09	50.5	38	
1JO-16	1.5/16"X12	1.5/16"X12		O916	23.1	15.09	49	38	
1JO-16-12	1.5/16"X12	1.1/16"X12		O912	23.1	15.09	49	36	
1JO-16-14	1.5/16"X12	1.3/16"X12		O914	23.1	15.09	49	36	
1JO-16-20	1.5/16"X12	1.5/8"X12		O920	23.1	15.09	53	50	
1JO-20	1.5/8"X12	1.5/8"X12		O920	24.3	15.09	54.5	50	
1JO-20-16	1.5/8"X12	1.5/16"X12		O916	24.3	15.09	52.5	46	
1JO-20-24	1.5/8"X12	1.7/8"X12		O924	24.3	15.09	54.5	55	
1JO-24	1.7/8"X12	1.7/8"X12		O924	27.5	15.09	57.5	55	
1JO-24-20	1.7/8"X12	1.5/8"X12		O920	27.5	15.09	57.5	50	
1JO-24-32	1.7/8"X12	2.1/2"X12		O932	27.5	15.09	59.5	70	
1JO-32	2.1/2"X12	2.1/2"X12		O932	33.9	15.09	66	70	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Note： Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn

JIC Hydraulic Tube Fittings SAE J514 ISO 8434-2





1JO4-OG


45° 弯 JIC 外螺纹 74° 外锥 / SAE 外螺纹带 O 形圈轻系列 ISO 11926-3


45° ELBOW JIC MALE 74° CONE / SAE O-RING BOSS L-SERIES ISO 11926-3

代 号 PART NO.	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
	E	F		F 端	A	B	S1	S2	
1JO4-04OG	7/16"X20	7/16"X20		O904	21	24	11	17	
1JO4-04-06OG	7/16"X20	9/16"X18		O906	22.3	27.5	14	19	
1JO4-04-08OG	7/16"X20	3/4"X16		O908	24.5	32.5	19	24	
1JO4-05OG	1/2"X20	1/2"X20		O905	22	26.7	14	17	
1JO4-05-04OG	1/2"X20	7/16"X20		O904	22	26.7	14	17	
1JO4-06OG	9/16"X18	9/16"X18		O906	23.5	28	14	19	
1JO4-06-04OG	9/16"X18	7/16"X20		O904	22.8	26	14	17	
1JO4-06-05OG	9/16"X18	1/2"X20		O905	22.8	26	14	17	
1JO4-06-08OG	9/16"X18	3/4"X16		O908	25	32.5	19	24	
1JO4-06-10OG	9/16"X18	7/8"X14		O910	25.5	38.5	22	27	
1JO4-08OG	3/4"X16	3/4"X16		O908	25.8	32.5	19	24	
1JO4-08-06OG	3/4"X16	9/16"X18		O906	25.5	28	19	19	
1JO4-08-10OG	3/4"X16	7/8"X14		O910	28	38.7	22	27	
1JO4-08-12OG	3/4"X16	1.1/16"X12		O912	30	43.9	27	32	
1JO4-10OG	7/8"X14	7/8"X14		O910	29.5	38.7	22	27	
1JO4-10-08OG	7/8"X14	3/4"X16		O908	29.5	33	22	27	
1JO4-10-12OG	7/8"X14	1.1/16"X12		O912	33	43.9	27	32	
1JO4-12OG	1.1/16"X12	1.1/16"X12		O912	34	43.5	27	32	
1JO4-12-10OG	1.1/16"X12	7/8"X14		O910	34	42	27	27	
1JO4-12-16OG	1.1/16"X12	1.5/16"X12		O916	37	45.5	33	41	
1JO4-14OG	1.3/16"X12	1.3/16"X12		O914	37	44	30	36	
1JO4-16OG	1.5/16"X12	1.5/16"X12		O916	38	45.5	33	41	
1JO4-16-12OG	1.5/16"X12	1.1/16"X12		O912	38	45	33	32	
1JO4-16-20OG	1.5/16"X12	1.5/8"X12		O920	40.5	47	41	50	
1JO4-20OG	1.5/8"X12	1.5/8"X12		O920	42	48.5	41	50	
1JO4-20-24OG	1.5/8"X12	1.7/8"X12		O924	46	50	48	55	
1JO4-24OG	1.7/8"X12	1.7/8"X12		O924	48	50	48	55	
1JO4-32OG	2.1/2"X12	2.1/2"X12		O932	58	54	63	70	

注：1 螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。2 F 端与 ISO 11926-1 油口相配。Note： 1 Nut and sleeveshould beordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube. 2 F end is connected with ISO 11926-1port.

www.fitsch.cn






90°弯美制JIC外螺纹74°外
锥 / SAE外螺纹带O形圈轻系列ISO 11926-3
90° ELBOW JIC MALE 74° CONE / SAE
O-RINGBOSS L-SERIES ISO 11926-3


1JO9-OG

代 号 PART NO.	螺 纹 THREAD E	F	O 形圈 O-RING	F 端	尺 寸 DIMENSIONS A	B	S1	S2	
1JO9-04-03OG	7/16"X20	3/8"X24		O903	24.5	28	11	14	
1JO9-04OG	7/16"X20	7/16"X20		O904	24.5	27.2	11	17	
1JO9-04-05OG	7/16"X20	1/2"X20		O905	26.6	29.9	14	17	
1JO9-04-06OG	7/16"X20	9/16"X18		O906	26.6	31.8	14	19	
1JO9-05-04OG	1/2"X20	7/16"X20		O904	26.6	30	14	17	
1JO9-05OG	1/2"X20	1/2"X20		O905	26.6	29	14	17	
1JO9-05-06OG	1/2"X20	9/16"X18		O906	26.6	31.8	14	19	
1JO9-06-04OG	9/16"X18	7/16"X20		O904	26.9	30	14	17	
1JO9-06-05OG	9/16"X18	1/2"X20		O905	26.9	29.9	14	17	
1JO9-06OG	9/16"X18	9/16"X18		O906	26.9	31.8	14	19	
1JO9-06-08OG	9/16"X18	3/4"X16		O908	30	36.8	19	24	
1JO9-08-04OG	3/4"X16	7/16"X20		O904	32	33	19	17	
1JO9-08-06OG	3/4"X16	9/16"X18		O906	33	33.5	19	19	
1JO9-08OG	3/4"X16	3/4"X16		O908	33	36.8	19	24	
1JO9-08-10OG	3/4"X16	7/8"X14		O910	34.8	44	22	27	
1JO9-08-12OG	3/4"X16	1.1/16"X12		O912	37.9	51	27	32	
1JO9-10-08OG	7/8"X14	3/4"X16		O908	38	40	22	27	
1JO9-10OG	7/8"X14	7/8"X14		O910	37.8	44	22	27	
1JO9-10-12OG	7/8"X14	1.1/16"X12		O912	41	51	27	32	
1JO9-12-08OG	1.1/16"X12	3/4"X16		O908	45	44	27	24	
1JO9-12-10OG	1.1/16"X12	7/8"X14		O910	44.2	47	27	27	
1JO9-12OG	1.1/16"X12	1.1/16"X12		O912	44.2	51	27	32	
1JO9-12-16OG	1.1/16"X12	1.5/16"X12		O916	47.8	54.5	33	41	
1JO9-14OG	1.3/16"X12	1.3/16"X12		O914	47.5	53	30	36	
1JO9-14-16OG	1.3/16"X12	1.5/16"X12		O916	48.5	54.5	33	41	
1JO9-16-12OG	1.5/16"X12	1.1/16"X12		O912	48.8	54.5	33	32	
1JO9-16-14OG	1.5/16"X12	1.3/16"X12		O914	49	56	33	36	
1JO9-16OG	1.5/16"X12	1.5/16"X12		O916	48.8	54.5	33	41	
1JO9-16-20OG	1.5/16"X12	1.5/8"X12		O920	53.8	59	41	50	
1JO9-20-16OG	1.5/8"X12	1.5/16"X12		O916	55.5	59.5	41	41	
1JO9-20OG	1.5/8"X12	1.5/8"X12		O920	55.3	59	41	50	
1JO9-20-24OG	1.5/8" X12	1.7/8"X12		O924	59.4	63	48	55	
1JO9-24OG	1.7/8"X12	1.7/8"X12		O924	62.5	63	48	55	
1JO9-32OG	2.1/2"x12	2.1/2"x12		O932	80	76	63	70	

注： 1 螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。2 F 端与 ISO 11926-1 油口相配。 Note：1 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube. 2 F end is connected with ISO 11926-1port.

www.fitsch.cn






90° 美制 JIC 外螺纹 / 加长
SAE 外螺纹带 O 形圈轻系列 ISO 11926-3
90° JIC MALE / LONG SAE O-RING BOSS
L-SERIES ISO 11926-3


1JO9-OG/L

代 号 PART NO.	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
	E	F		F 端	A	B	S1	S2	
1JO9-04OG/L	7/16"X20	7/16"X20		O904	24.5	44	11	17	
1JO9-06OG/L	9/16"X18	9/16"X18		O906	26.9	52.8	14	19	
1JO9-08OG/L	3/4"X16	3/4"X16		O908	32.5	63.5	19	24	
1JO9-10OG/L	7/8"X14	7/8"X14		O910	37.8	73.4	22	27	
1JO9-12OG/L	1.1/16"X12	1.1/16"X12		O912	44.2	84.8	27	32	
1JO9-16OG/L	1.5/16"X12	1.5/16"X12		O916	49	94.5	33	41	

注：1 螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 2 F 端与 ISO 11926-1 油口相配。 Note：1 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inchtube. 2 F end is connected with ISO 11926-1port.

www.fitsch.cn






90° 美制 JIC 外螺纹 / 加长 SAE 外螺纹带 O 形圈
90° JIC MALE/EXTRA LONG SAE O-RING BOSS


1JO9-OG/LL

代 号 PART NO.	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
	E	F		F端	A	B	S1	S2	
1JO9-04OG/LL	7/16"X20	7/16"X20		O904	24.5	52.6	11	17	
1JO9-04-06OG/LL	7/16"X20	9/16"X18		O906	26.5	61.5	14	19	
1JO9-06OG/LL	9/16"X18	9/16"X18		O906	26.9	61.5	14	19	
1JO9-06-08OG/LL	9/16"X18	3/4"X16		O908	30	72.9	19	24	
1JO9-08OG/LL	3/4"X16	3/4"X16		O908	33	72.9	19	24	
1JO9-12OG/LL	1.1/16"X12	1.1/16"X12		O912	44.2	91.9	27	32	
1JO9-16OG/LL	1.5/16"X12	1.5/16"X12		O916	48.8	102.9	33	41	
1JO9-20OG/LL	1.5/8"X12	1.5/8"X12		O920	55.5	127	41	50	

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn





90° JIC 外螺
纹 /SAE 带 O 形圈旋转外螺纹
90° JIC MALE/SAE O-RING
BOSS SWIVEL MALE


1JO9SW-S


1JO9SW-S/RN

代 号 PART NO.	螺 纹 THREAD			尺 寸 DIMENSIONS				
	E	F		A	B	C	S1	S2
1JO9SW-04S	7/16"X20	7/16"X20		24.5	26.5	15	11	19
1JO9SW-06S	9/16"X18	9/16"X18		26.9	30	19	14	22
1JO9SW-06-08S	9/16"X18	3/4"X16		30	34.9	19	19	27
1JO9SW-08-06S	3/4"X16	9/16"X18		33	32.5	19	19	22
1JO9SW-08S	3/4"X16	3/4"X16		33	34.9	19	19	27
1JO9SW-10-08S	7/8"X14	3/4"X16		37.8	37.9	19	22	27

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






1JO-L


加长美制 JIC 外螺纹 74° 外
锥 / SAE 外螺纹带 O 形圈轻系列 ISO 11926-3
LONG JIC MALE 74° CONE / SAE O-RING
BOSS L-SERIES ISO 11926-3

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F		F端	A	B	L	S1	
1JO-04L	7/16"X20	7/16"X20		O904	35	9.1	50.5	14	
1JO-05L	1/2"X20	1/2"X20		O905	37	9.1	52.5	17	
1JO-06L	9/16"X18	9/16"X18		O906	39	9.9	55.5	17	
1JO-08L	3/4"X16	3/4"X16		O908	48	11.1	67.5	22	
1JO-10L	7/8"X14	7/8"X14		O910	53	12.7	76	27	
1JO-12L	1.1/16"X12	1.1/16"X12		O912	63	15.1	89	32	
1JO-16L	1.5/16"X12	1.5/16"X12		O916	72	15.1	100	38	
1JO-20L	1.5/8"X12	1.5/8"X12		O920	88.1	15.1	118	50	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Note： Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.



1J-OR




1J-OR/RN

美制 JIC 外螺纹 74° 外锥带 O-RING
JIC MALE 74° CONE WITH O-RING

代 号 PART NO.	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
	E	F	E 端	F 端	A	B	L	S1	
1J-10OR	7/8"X14	7/8"X14	13X1	13X1	19.3	19.3	46.5	24	
1J-10-12OR	7/8"X14	1.1/16"X12	13X1	17X1	19.3	21.9	51	30	
1J-10-16OR	7/8"X14	1.5/16"X12	13X1	22X1.5	19.3	23.1	53.5	36	
1J-12OR	1.1/16"X12	1.1/16"X12	17X1	17X1	21.9	21.9	54	30	
1J-12-14OR	1.1/16"X12	1.3/16"X12	17X1	19X1.5	21.9	22.6	55.5	32	
1J-12-16OR	1.1/16"X12	1.5/16"X12	17X1	22X1.5	21.9	23.1	56	36	
1J-14OR	1.3/16"X12	1.3/16"X12	19X1.5	19X1.5	22.6	22.6	56	32	
1J-14-16OR	1.3/16"X12	1.5/16"X12	19X1.5	22X1.5	22.6	23.1	56.5	36	
1J-16OR	1.5/16"X12	1.5/16"X12	22X1.5	22X1.5	23.1	23.1	57	36	
1J-16-20OR	1.5/16"X12	1.5/8"X12	22X1.5	28X1.5	23.1	24.3	60.5	46	
1J-20OR	1.5/8"X12	1.5/8"X12	28X1.5	28X1.5	24.3	24.3	62	46	
1J-20-24OR	1.5/8"X12	1.7/8"X12	28X1.5	35X1.5	24.3	27.5	67	50	
1J-24OR	1.7/8"X12	1.7/8"X12	35X1.5	35X1.5	27.5	27.5	70	50	
1J-32OR	2.1/2"X12	2.1/2"X12	48X2	48X2	33.9	33.9	85	65	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.


www.fitsch.cn




美制 JIC 外螺纹 74° 外锥 / 日本英管外螺纹
JIC MALE 74° CONE/JIS GAS MALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	
1JS — 04	7/16"X20	G1/4"X19			14	16	36	14	
1JS-04-06	7/16"X20	G3/8"X19			14	18	38	17	
1JS-05-04	1/2"X20	G1/4"X19			14	16	36	14	
1JS-05-06	1/2"X20	G3/8"X19			14	18	38	17	
1JS — 06	9/16"X18	G3/8"X19			14.1	18	38	17	
1JS-06-08	9/16"X18	G1/2"X14			14.1	20	42	22	
1JS-08-06	3/4"X16	G3/8"X19			16.7	18	42.5	22	
1JS — 08	3/4"X16	G1/2"X14			16.7	20	44.5	22	
1JS-08-12	3/4"X16	G3/4"X14			16.7	22	48.5	30	
1JS-10-08	7/8"X14	G1/2"X14			19.3	20	47	24	
1JS — 10-12	7/8"X14	G3/4"X14			19.3	22	51	30	
1JS — 12	1.1/16 “X12	G3/4"X14			21.9	22	54	30	
1JS-12-16	1.1/16 “X12	G1"X11			21.9	24	57	36	
1JS-16-12	1.5/16"X12	G3/4"X14			23.1	22	56	36	
1JS — 16	1.5/16"X12	G1"X11			23.1	24	58	36	
1JS-16-20	1.5/16"X12	G1.1/4"X11			23.1	27	63	46	
1JS — 20	1.5/8"X12	G1.1/4"X11			24.3	27	64	46	
1JS — 20-24	1.5/8"X12	G1.1/2"X11			27.5	27	69.5	50	

www.fitsch.cn






1JT4-SP


45° 弯美制 JIC 外螺纹 74° 外锥 / 英锥管外螺纹
45° ELBOW JIC MALE 74° CONE / BSPT MALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
1JT4-04-02SP	7/16"X20	R1/8"X28			21.5	17	11		
1JT4-04SP	7/16"X20	R1/4"X19			22.3	21	14		
1JT4-04-06SP	7/16"X20	R3/8"X19			22.5	23	16		
1JT4-04-08SP	7/16"X20	R1/2"X14			24.5	29.5	22		
1JT4-05-02SP	1/2"X20	R1/8"X28			21.5	17.5	14		
1JT4-05-04SP	1/2"X20	R1/4"X19			22.3	21	14		
1JT4-05-06SP	1/2"X20	R3/8"X19			22.8	23	16		
1JT4-06-02SP	9/16"X18	R1/8"X28			22.8	18	14		
1JT4-06-04SP	9/16"X18	R1/4"X19			22.8	21	14		
1JT4-06SP	9/16"X18	R3/8"X19			23	23	16		
1JT4-06-08SP	9/16"X18	R1/2"X14			25	29.5	22		
1JT4-08-04SP	3/4"X16	R1/4"X19			26.8	22	19		
1JT4-08-06SP	3/4"X16	R3/8"X19			26.8	24	19		
1JT4-08SP	3/4"X16	R1/2"X14			28	29.5	22		
1JT4-08-12SP	3/4"X16	R3/4"X14			29	30.5	27		
1JT4-10-06SP	7/8"X14	R3/8"X19			31	25	22		
1JT4-10-08SP	7/8"X14	R1/2"X14			31	29.5	22		
1JT4-10-12SP	7/8"X14	R3/4"X14			33	31.5	27		
1JT4-12-08SP	1.1/16"X12	R1/2"X14			35.5	30	27		
1JT4-12SP	1.1/16"X12	R3/4"X14			35.5	30.5	27		
1JT4-12-16SP	1.1/16"X12	R1"X11			37.5	38	33		
1JT4-16-12SP	1.5/16"X12	R3/4"X14			38.5	32.5	33		
1JT4-16SP	1.5/16"X12	R1"X11			38.5	38	33		
1JT4-16-20SP	1.5/16"X12	R1.1/4"X11			42	43	41		
1JT4-20-16SP	1.5/8"X12	R1"X11			43	42	41		
1JT4-20SP	1.5/8"X12	R1.1/4"X11			43	43	41		
1JT4-20-24SP	1.5/8"X12	R1.1/2"X11			46	47.5	48		
1JT4-24-20SP	1.7/8"X12	R1.1/4"X11			49	45.5	48		
1JT4-24SP	1.7/8"X12	R1.1/2"X11			49	47.5	48		
1JT4-32SP	2.1/2"X12	R2"X11			58	50	63		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Note： Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn





90° JIC 外螺纹
74° 外锥带 O 形圈 / 英锥管外螺纹
90° JIC MALE 74°CONE WITH
O-RING/BSPT MALE


1JT9-OR/SP


1JT9-OR/SP/RN

代 号 PART NO.	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
	E	F	E 端		A	B	S1		
1JT9-10-12OR/SP	7/8"X14	R3/4"X14	13X1		41	43.5	27		
1JT9-12OR/SP	1.1/16"X12	R3/4"X14	17X1		44.2	43.5	27		
1JT9-12-16OR/SP	1.1/16"X12	R1"X11	17X1		47.8	50	33		
1JT9-16OR/SP	1.5/16"X12	R1"X11	22X1.5		49	50	33		
1JT9-16-12OR/SP	1.5/16"X12	R3/4"X14	22X1.5		49	47.5	33		
1JT9-20OR/SP	1.5/8"X12	R1.1/4"X11	28X1.5		55.5	56.5	41		
1JT9-20-16OR/SP	1.5/8"X12	R1"X11	28X1.5		55.5	56.5	41		
1JT9-20-24OR/SP	1.5/8"X12	R1.1/2"X11	28X1.5		63	64	50		
1JT9-24OR/SP	1.7/8"X12	R1.1/2"X11	35X1.5		62.5	62.5	48		
1JT9-24-32OR/SP	1.7/8"X12	R2"X11	35X1.5		74.5	67	63		
1JT9-32OR/SP	2.1/2"X12	R2"X11	48X2		75.4	67	63		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






1JT9-SP


90° 弯美制 JIC 外螺纹 74° 外锥 / 英锥管外螺纹
90° ELBOW JIC MALE 74° CONE / BSPT MALE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	S1		
1JT9-02SP	5/16"X24	R1/8"X28			20.5	21	11		
1JT9-04-02SP	7/16"X20	R1/8"X28			24.5	21	11		
1JT9-04SP	7/16"X20	R1/4"X19			26.6	25.5	14		
1JT9-04-06SP	7/16"X20	R3/8"X19			27.5	28	16		
1JT9-05-02SP	1/2"X20	R1/8"X28			26.6	23.5	14		
1JT9-05-04SP	1/2"X20	R1/4"X19			26.6	25.5	14		
1JT9-05-06SP	1/2"X20	R3/8"X19			27.5	28	16		
1JT9-06-02SP	9/16"X18	R1/8"X28			26.9	23.5	14		
1JT9-06-04SP	9/16"X18	R1/4"X19			26.9	25.5	14		
1JT9-06SP	9/16"X18	R3/8"X19			28.5	28.5	16		
1JT9-06-08SP	9/16"X18	R1/2"X14			32	36	22		
1JT9-08-04SP	3/4"X16	R1/4"X19			32	28	19		
1JT9-08-06SP	3/4"X16	R3/8"X19			32	30.5	19		
1JT9-08SP	3/4"X16	R1/2"X14			34.8	36	22		
1JT9-08-12SP	3/4"X16	R3/4"X14			37.9	43.5	27		
1JT9-10-06SP	7/8"X14	R3/8"X19			38	32	22		
1JT9-10-08SP	7/8"X14	R1/2"X14			37.8	36	22		
1JT9-10-12SP	7/8"X14	R3/4"X14			41	43.5	27		
1JT9-12-08SP	1.1/16"X12	R1/2"X14			44.2	40	27		
1JT9-12SP	1.1/16"X12	R3/4"X14			44.2	43.5	27		
1JT9-12-16SP	1.1/16"X12	R1"X11			47.8	50	33		
1JT9-16-12SP	1.5/16"X12	R3/4"X14			49	47.5	33		
1JT9-16SP	1.5/16"X12	R1"X11			49	50	33		
1JT9-16-20SP	1.5/16"X12	R1.1/4"X11			54	56.5	41		
1JT9-20-16SP	1.5/8"X12	R1"X11			55.5	56.5	41		
1JT9-20SP	1.5/8"X12	R1.1/4"X11			55.5	56.5	41		
1JT9-24-20SP	1.7/8"X12	R1.1/4"X11			62.5	61	48		
1JT9-24SP	1.7/8"X12	R1.1/2"X11			62.5	62.5	48		
1JT9-24-32SP	1.7/8"X12	R2"X11			74.5	67	63		
1JT9-32SP	2.1/2"X12	R2"X11			75.4	67	63		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Note： Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn







1JT-GM

JIC外螺纹74° 外锥/英锥管外螺纹
JIC MALE 74° CONE/BSPT MALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	
1JT-04-02GM	7/16"X20	R1/8"X28			14	10	30	12	
1JT-04-06GM	7/16"X20	R3/8"X19			14	15	35	19	
1JT-04-08GM	7/16"X20	R1/2"X14			14	20	41	24	
1JT-04GM	7/16"X20	R1/4"X19			14	14.5	34.5	17	
1JT-05-02GM	1/2"X20	R1/8"X28			14	10.5	30.5	14	
1JT-06-02GM	9/16"X18	R1/8"X28			14.1	10.5	30.5	17	
1JT-06-08GM	9/16"X18	R1/2"X14			14.1	20	41	22	
1JT-06-12GM	9/16"X18	R3/4"X14			14.1	20	43.5	30	
1JT-06GM	9/16"X18	R3/8"X19			14.1	15	34	19	
1JT-08-04GM	3/4"X16	R1/4"X19			16.7	14.5	39	22	
1JT-08-06GM	3/4"X16	R3/8"X19			16.7	15	39	22	
1JT-08-12GM	3/4"X16	R3/4"X14			16.7	20	46	30	
1JT-08-16GM	3/4"X16	R1"X11			16.7	25.5	52	36	
1JT-08GM	3/4"X16	R1/2"X14			16.7	20	44.5	22	
1JT-10-06GM	7/8"X14	R3/8"X19			19.3	15	42.5	24	
1JT-10-08GM	7/8"X14	R1/2"X14			19.3	20	46.5	24	
1JT-10-12GM	7/8"X14	R3/4"X14			19.3	20	48.5	30	
1JT-10-16GM	7/8"X14	R1"X11			19.3	25.5	54.5	36	
1JT-12-06GM	1.1/16"X12	R3/8"X19			21.9	15.5	47	30	
1JT-12-08GM	1.1/16"X12	R1/2"X14			21.9	20	51	30	
1JT-12-16GM	1.1/16"X12	R1"X11			21.9	25.5	57.5	36	
1JT-12-20GM	1.1/16"X12	R1.1/4"X11			21.9	26.5	61.5	46	
1JT-12GM	1.1/16"X12	R3/4"X14			21.9	20	51	30	
1JT-14-12GM	1.3/16"X12	R3/4"X14			22.6	20	52.5	32	
1JT-16-12GM	1.5/16"X12	R3/4"X14			23.1	20	53	36	
1JT-16-20GM	1.5/16"X12	R1.1/4"X11			23.1	26.5	61.5	46	
1JT-16-24GM	1.5/16"X12	R1.1/2"X11			23.1	26.5	64.5	50	
1JT-16GM	1.5/16"X12	R1"X11			23.1	25.5	59	36	
1JT-20-12GM	1.5/8"X12	R3/4"X14			24.3	20	57	46	
1JT-20-24GM	1.5/8"X122	R1.1/2"X11			24.3	26.5	66.5	50	
1JT-20GM	1.5/8"X12	R1.1/4"X11			24.3	26.5	63	46	
1JT-24-20GM	1.7/8"X12	R1.1/4"X11			27.5	26.5	67.5	50	
1JT-24GM	1.7/8"X12	R1.1/2"X11			27.5	26.5	69.5	50	
1JT-32GM	2.1/2"X12	R2"X11			33.9	30	80	65	
1JUT-16-08GM	1.5/16"X12	R1/2"X14			23.1	20	54.1	36	

www.fitsch.cn





1JT-OR/SP **1JT-OR/SP/RN**


JIC 外螺纹 74° 外锥带 O 形圈 / 英锥管外螺纹
JIC MALE 74°CONE WITH O-RING/BSPT MALE


代 号 PART NO.	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
	E	F	E 端		A	B	L	S1	
1JT-10-12OR/SP	7/8"X14	R3/4"X14	13X1		19.3	20	48.5	30	
1JT-12OR/SP	1.1/16"X12	R3/4"X14	17X1		21.9	20	51	30	
1JT-14-12OR/SP	1.3/16"X12	R3/4"X14	19X1.5		22.6	20	52.5	32	
1JT-16OR/SP	1.5/16"X12	R1"X11	22X1.5		23.1	25.5	59	36	
1JT-16-12OR/SP	1.5/16"X12	R3/4"X14	22X1.5		23.1	20	53	36	
1JT-16-20OR/SP	1.5/16"X12	R1.1/4"X11	22X1.5		23.1	26.5	61.5	46	
1JT-20OR/SP	1.5/8"X12	R1.1/4"X11	28X1.5		24.3	26.5	63	46	
1JT-20-16OR/SP	1.5/8"X12	R1"X11	28X1.5		24.3	25.5	62.5	46	
1JT-20-24OR/SP	1.5/8"X12	R1.1/2"X11	28X1.5		24.3	26.5	66.5	50	
1JT-24OR/SP	1.7/8"X12	R1.1/2"X11	35X1.5		27.5	26.5	69.5	50	
1JT-24-20OR/SP	1.7/8"X12	R1.1/4"X11	35X1.5		27.5	26.5	67.5	50	
1JT-32OR/SP	2.1/2"X12	R2"X11	48X2		33.9	30	80	65	
1JT-32-24OR/SP	2.1/2"X12	R1.1/2"X11	48X2		33.9	26.5	77.5	65	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn

JIC Hydraulic Tube Fittings SAE J514 ISO 8434-2






1JT-SP

美制 JIC 外螺纹 74° 外锥 / 英锥管外螺纹
JIC MALE 74° CONE / BSPT MALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	
1JT-04-02SP	7/16"X20	R1/8"X28			14	10	30	12	
1JT-04SP	7/16"X20	R1/4"X19			14	14.5	34.5	14	
1JT-04-06SP	7/16"X20	R3/8"X19			14	15	35	17	
1JT-05-02SP	1/2"X20	R1/8"X28			14	10.5	30.5	14	
1JT-05-04SP	1/2"X20	R1/4"X19			14	14.5	34	14	
1JT-05-06SP	1/2"X20	R3/8"X19			14	15	35	19	
1JT-06-02SP	9/16"X18	R1/8"X28			14.1	10.5	30.5	17	
1JT-06-04SP	9/16"X18	R1/4"X19			14.1	14.5	34	17	
1JT-06SP	9/16"X18	R3/8"X19			14.1	15	34	17	
1JT-06-08SP	9/16"X18	R1/2"X14			14.1	20	41	22	
1JT-08-06SP	3/4"X16	R3/8"X19			16.7	15	39	22	
1JT-08SP	3/4"X16	R1/2"X14			16.7	20	44.5	22	
1JT-08-12SP	3/4"X16	R3/4"X14			16.7	20	46	30	
1JT-10-06SP	7/8"X14	R3/8"X19			19.3	15	42.5	24	
1JT-10-08SP	7/8"X14	R1/2"X14			19.3	20	46.5	24	
1JT-10-12SP	7/8"X14	R3/4"X14			19.3	20	48.5	30	
1JT-12-08SP	1.1/16"X12	R1/2"X14			21.9	20	51	30	
1JT-12SP	1.1/16"X12	R3/4"X14			21.9	20	51	30	
1JT-12-16SP	1.1/16"X12	R1"X11			21.9	25.5	57.5	36	
1JT-14-12SP	1.3/16"X12	R3/4"X14			22.6	20	52.5	32	
1JT-14-16SP	1.3/16"X12	R1"X11			22.6	25.5	57.5	36	
1JT-16-12SP	1.5/16"X12	R3/4"X14			23.1	20	53	36	
1JT-16SP	1.5/16"X12	R1"X11			23.1	25.5	59	36	
1JT-16-20SP	1.5/16"X12	R1.1/4"X11			23.1	26.5	61.5	46	
1JT-20-16SP	1.5/8"X12	R1"X11			24.3	25.5	62.5	46	
1JT-20SP	1.5/8"X12	R1.1/4"X11			24.3	26.5	63	46	
1JT-20-24SP	1.5/8"X12	R1.1/2"X11			24.3	26.5	66.5	50	
1JT-24-20SP	1.7/8"X12	R1.1/4"X11			27.5	26.5	67.5	50	
1JT-24SP	1.7/8"X12	R1.1/2"X11			27.5	26.5	69.5	50	
1JT-24-32SP	1.7/8"X12	R2"X11			27.5	30	74.5	65	
1JT-32-24SP	2.1/2"X12	R1.1/2"X11			33.9	26.5	77.5	65	
1JT-32SP	2.1/2"X12	R2"X11			33.9	30	80	65	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Note： Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn





1JW

美制 JIC 外螺纹 74° 外锥 / 焊接管
JIC MALE 74° CONE/BUTT-WELD TUBE

代 号 PART NO.	螺 纹 THREAD E				尺 寸 DIMENSIONS A	B	D	L	S1
1JW-06-14	9/16"X18				14.1	30	14	50	17
1JW-08-18	3/4"X16				16.7	35	18	60	22
1JW-12-22	1.1/16"X12				21.9	40	22	72	30
1JW-12-28	1.1/16"X12				21.9	40	28	72	30
1JW-16-28	1.5/16"X12				23	40	28	74	36
1JW-20-34	1.5/8"X12				24.3	40	34	78	46
1JW-32-60	2.1/2"X12				33.9	60	60	111	65

www.fitsch.cn






1JW9-IN

90° JIC 外螺纹 74° 外锥 / 英寸制焊接管
90° JIC MALE 74° CONE/INCH WELD TUBE

代 号 PART NO.	螺纹 THREAD E		焊接管外径 D WELD TUBE O.D D	尺 寸 DIMENSIONS A	B	S1		
1JW9-04IN	7/16"X20		1/4"	24.5	22.5	11		
1JW9-06IN	9/16"X18		3/8"	26.9	22.5	14		
1JW9-08IN	3/4"X16		1/2"	33	26	19		
1JW9-10IN	7/8"X14		5/8"	37.8	31	22		
1JW9-12IN	1.1/16"X12		3/4"	44.2	34.5	27		
1JW9-16IN	1.5/16"X12		1"	48.8	41	33		
1JW9-20IN	1.5/8"X12		1.1/4"	55.3	43	41		
1JW9-24IN	1.7/8"X12		1.1/2"	62.5	53	48		

www.fitsch.cn




1O

SAE 外螺纹带 O 形圈
SAE O-RING BOSS

代 号			O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO	E	F	E 端	F 端	A	B	L	S1	
1O-04	7/16"X20	7/16"X20	8.92X1.83	8.92X1.83	9.14	9.14	24.5	14	
1O-05	1/2"X20	1/2"X20	10.52X1.83	10.52X1.83	9.14	9.14	24.5	17	
1O-06	9/16"X18	9/16"X18	11.89X1.98	11.89X1.98	9.93	9.93	26	17	
1O-08	3/4"X16	3/4"X16	16.36X2.21	16.36X2.21	11.13	11.13	30.5	22	
1O-10	7/8"X14	7/8"X14	19.18X2.46	19.18X2.46	12.7	12.7	35.5	27	
1O-12	1.1/16"X12	1.1/16"X12	23.47X2.95	23.47X2.95	15.09	15.09	41	32	
1O-16	1.5/16"X12	1.5/16"X12	29.74X2.95	29.74X2.95	15.09	15.09	41	38	

www.fitsch.cn




1O-OG

美制 SAE 外螺纹带 O 形圈堵头轻系列 ISO 11926-3
SAE O-RING BOSS PLUG L-SERIES ISO 11926-3

代 号	螺 纹 THREAD		O形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端	F 端	A	B	L	S1	S2
1O-04OG	7/16"X20	7/16"X20	O904	O904	9.14	18	33	14	17
1O-04-06OG	7/16"X20	9/16"X18	O904	O906	9.14	20	35.1	17	19
1O-06OG	9/16"X18	9/16"X18	O906	O906	9.93	20	36	17	19
1O-06-08OG	9/16"X18	3/4"X16	O906	O908	9.93	22	40	22	24
1O-08OG	3/4"X16	3/4"X16	O908	O908	11.13	22	40	22	24
1O-08-12OG	3/4"X16	1.1/16"X12	O908	O912	11.13	29	51	32	32
1O-10OG	7/8"X14	7/8"X14	O910	O910	12.7	26	46	27	27
1O-12OG	1.1/16"X12	1.1/16"X12	O912	O912	15.1	29	54	32	32
1O-16OG	1.5/16"X12	1.5/16"X12	O916	O916	15.1	29	54	38	41
1O-20OG	1.5/8"X12	1.5/8"X12	O920	O920	15.1	29	54	50	50
1O-24OG	1.7/8"X12	1.7/8"X12	O924	O924	15.1	29	54	55	55

www.fitsch.cn




2GJ

英管外螺纹 O 形圈 /JIC 内螺纹 74° 内锥面
BSP MALE O-RING/JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	B	L	S1	S2
2GJ-04	G1/4"X19	7/16"X20	10.77X2.62		10	9	26.5	19	15
2GJ-04-05	G1/4"X19	1/2"X20	10.77X2.62		10	9	27.5	19	17
2GJ-04-06	G1/4"X19	9/16"X18	10.77X2.62		10	10.5	27	19	19
2GJ-06	G3/8"X19	9/16"X18	13.94X2.62		11.5	10.5	30.5	22	19
2GJ-06-08	G3/8"X19	3/4"X16	13.94X2.62		11.5	10.5	32.5	22	24
2GJ-08	G1/2"X14	3/4"X16	17.12X2.62		14	10.5	37.5	27	24
2GJ-08-06	G1/2"X14	9/16"X18	17.12X2.62		14	10.5	35.5	27	19
2GJ-08-10	G1/2"X14	7/8"X14	17.12X2.62		14	12	38	27	27
2GJ-12	G3/4"X14	1.1/16"X12	23.47X2.62		15.5	15	39	32	32
2GJ-12-08	G3/4"X14	3/4"X16	23.47X2.62		15.5	10.5	40	32	24
2GJ-12-10	G3/4"X14	7/8"X14	23.47X2.62		15.5	11	40.5	32	27
2GJ-12-16	G3/4"X14	1.5/16"X12	23.47X2.62		15.5	16	39	32	41
2GJ-16	G1"X11	1.5/16"X12	29.74X3.53		18	16	46.5	41	41
2GJ-20	G1.1/4"X11	1.5/8"X12	37.69X3.53		20	17	54.5	50	50
2GJ-24	G1.1/2"X11	1.7/8"X12	44.04X3.53		21.5	20	57.5	55	55

www.fitsch.cn




2GJ9-OG


90° 英管外螺纹 O 形圈 /JIC 内螺纹 74° 锥面
90° BSPP MALE O-RING/JIC FEMALE 74° CONE

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	B	S1	S2	S3
2GJ9-04OG	G1/4"X19	7/16"X20	10.77X2.62		31.3	9	14	15	19
2GJ9-04-05OG	G1/4"X19	1/2"X20	10.77X2.62		31.3	9	14	17	19
2GJ9-04-06OG	G1/4"X19	9/16"X18	10.77X2.62		31.3	10.5	14	19	19
2GJ9-04-08OG	G1/4"X19	3/4"X16	10.77X2.62		32.5	10.5	16	24	19
2GJ9-06OG	G3/8"X19	9/16"X18	13.94X2.62		35.8	10.5	16	19	22
2GJ9-06-08OG	G3/8"X19	3/4"X16	13.94X2.62		35.8	10.5	16	24	22
2GJ9-08OG	G1/2"X14	3/4"X16	17.12X2.62		43.2	10.5	22	24	27
2GJ9-08-06OG	G1/2"X14	9/16"X18	17.12X2.62		43.2	10.5	22	19	27
2GJ9-08-10OG	G1/2"X14	7/8"X14	17.12X2.62		43.2	12	22	27	27
2GJ9-12OG	G3/4"X14	1.1/16"X12	23.47X2.62		49.3	15	27	32	32
2GJ9-12-08OG	G3/4"X14	3/4"X16	23.47X2.62		49.3	10.5	27	24	32
2GJ9-12-10OG	G3/4"X14	7/8"X14	23.47X2.62		49.3	12	27	27	32
2GJ9-12-16OG	G3/4"X14	1.5/16"X12	23.47X2.62		52	16	30	41	32
2GJ9-16OG	G1"X11	1.5/16"X12	29.74X3.53		53	16	33	41	41
2GJ9-20OG	G1.1/4"X11	1.5/8"X12	37.69X3.53		58	17	41	50	50
2GJ9-24OG	G1.1/2"X11	1.7/8"X12	44.04X3.53		63	20	48	55	55

www.fitsch.cn

JIC Hydraulic Tube Fittings SAE J514 ISO 8434-2






2J

美制 JIC 外螺纹 74° 外锥 / JIC 内螺纹 74° 内锥
JIC MALE 74°CONE / JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
2J-04	7/16"X20	7/16"X20			14	9	28	12	15
2J-04-05	7/16"X20	1/2"X20			14	9.5	28.5	12	17
2J-04-06	7/16"X20	9/16"X18			14	10.5	28.5	14	19
2J-04-08	7/16"X20	3/4"X16			14	11	30.5	19	24
2J-05	1/2"X20	1/2"X20			14	9.5	29	14	17
2J-05-06	1/2"X20	9/16"X18			14	10.5	28.5	14	19
2J-05-08	1/2"X20	3/4"X16			14	11	30.5	19	24
2J-06	9/16"X18	9/16"X18			14.1	10.5	29	17	19
2J-06-08	9/16"X18	3/4'X16			14.1	11	31	19	24
2J-06-10	9/16"X18	7/8"X14			14.1	13	33.5	22	27
2J-08	3/4"X16	3/4"X16			16.7	11	36	22	24
2J-08-06	3/4"X16	9/16"X18			16.7	10.5	34	22	19
2J-08-10	3/4"X16	7/8"X14			16.7	13	36.5	22	27
2J-08-12	3/4"X16	1.1/16"X12			16.7	15	39.5	27	32
2J-10	7/8"X14	7/8"X14			19.3	13	39	24	27
2J-10-08	7/8"X14	3/4"X16			19.3	11	38	24	24
2J-10-12	7/8"X14	1.1/16"X12			19.3	15	42	27	32
2J-12	1.1/16"X12	1.1/16"X12			21.9	15	44.5	30	32
2J-12-10	1.1/16"X12	7/8"X14			21.9	13	43.5	30	27
2J-12-16	1.1/16"X12	1.5/16"X12			21.9	16	45.5	36	41
2J-16	1.5/16"X12	1.5/16"X12			23.1	16	46.5	36	41
2J-16-20	1.5/16"X12	1.5/8"X12			23.1	17	53	41	50
2J-20	1.5/8"X12	1.5/8"X12			24.3	17	54.5	46	50
2J-20-24	1.5/8"X12	1.7/8"X12			24.3	20	55.5	46	55
2J-24	1.7/8"X12	1.7/8"X12			27.5	20	61	50	55
2J-24-32	1.7/8"X12	2.1/2"X12			27.5	24.5	63	65	75
2J-32	2.1/2"X12	2.1/2"X12			33.9	24.5	69.5	65	75

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Note： Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.


www.fitsch.cn



2J-10(G1/4)

JIC 外螺纹 /BSPP 内螺纹 /JIC 内螺纹
JIC MALE/BSPP FEMALE/JIC FEMALE

代 号	螺 纹 THREAD			尺 寸 DIMENSIONS					
PART NO.	E	F	G	A	B		L	S1	S2
2J-04(G1/4)	7/16"X20	G1/4	7/16"X20	14	9		45.2	36	15
2J-05(G1/4)	1/2"X20	G1/4	1/2"X20	14	9		45.5	36	17
2J-06(G1/4)	9/16"X18	G1/4	9/16"X18	14.1	10.5		46.7	36	19
2J-08(G1/4)	3/4"X16	G1/4	3/4"X16	16.7	11		50.4	36	24
2J-10(G1/4)	7/8"X14	G1/4	7/8"X14	19.3	13		53.9	36	27
2J-12(G1/4)	1.1/16"X12	G1/4	1.1/16"X12	21.9	15		56.2	41	32
2J-16(G1/4)	1.5/16"X12	G1/4	1.5/16"X12	23.1	16		59.8	46	41
2J-20(G1/4)	1.5/8"X12	G1/4	1.5/8"X12	23.1	16		63.7	50	41
2J-24(G1/4)	1.7/8"X12	G1/4	1.7/8"X12	23.1	16		68.8	60	41





2J-10(M10x1)

JIC 外螺纹 / 公制内螺纹 /JIC 内螺纹
JIC MALE/METRIC FEMALE/JIC FEMALE

代 号	螺 纹 THREAD			尺 寸 DIMENSIONS					
PART NO.	E	F	G	A	B		L	S1	S2
2J-04(M10x1)	7/16"X20	M10X1	7/16"X20	14	9		37	24	15
2J-06(M10x1)	9/16"X18	M10X1	9/16"X18	14.1	10.5		37.5	24	19
2J-08(M10x1)	3/4"X16	M10X1	3/4"X16	16.7	11		43.5	27	24
2J-10(M10x1)	7/8"X14	M10X1	7/8"X14	19.3	13		46.5	30	27
2J-12(M10x1)	1.1/16"X12	M10X1	1.1/16"X12	21.9	15		50.5	36	32
2J-16(M10x1)	1.5/16"X12	M10X1	1.5/16"X12	23.1	16		51.5	41	41

www.fitsch.cn






2J4


45° 弯美制 JIC 外螺纹 74° 外锥 / JIC 内螺纹 74° 内锥
45° ELBOW JIC MALE 74°CONE / JIC FEMALE 74° SEAT

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	S1	S2	
2J4-04	7/16"X20	7/16"X20			21.5	9	11	15	
2J4-05	1/2"X20	1/2"X20			22	9.5	14	17	
2J4-06	9/16"X18	9/16"X18			22.8	10.5	14	19	
2J4-08	3/4"X16	3/4"X16			26.8	11	19	24	
2J4-10	7/8"X14	7/8"X14			31	13	22	27	
2J4-12	1.1/16"X12	1.1/16"X12			35.5	15	27	32	
2J4-14	1.3/16"X12	1.3/16"X12			37	15	30	36	
2J4-16	1.5/16"X12	1.5/16"X12			38.5	16	33	41	
2J4-20	1.5/8"X12	1.5/8"X12			43	17	41	50	
2J4-24	1.7/8"X12	1.7/8"X12			49	20	48	55	
2J4-32	2.1/2"X12	2.1/2"X12			58	24.5	63	75	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Note： Nut and sleeve should be ordered separately.The nutNB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






2J9


90° 弯美制 JIC 外螺纹 74° 外锥 / JIC 内螺纹 74° 内锥
90° ELBOW JIC MALE 74°CONE / JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
2J9-02	5/16"X24	5/16"X24			21	5.6	11	12	
2J9-03	3/8"X24	3/8"X24			22	5	11	14	
2J9-04	7/16"X20	7/16"X20			24.5	9	11	15	
2J9-05	1/2"X20	1/2"X20			26.5	9.5	14	17	
2J9-06	9/16"X18	9/16"X18			26.9	10.5	14	19	
2J9-06-08	9/16"X18	3/4"X16			28.5	11	16	24	
2J9-08-06	3/4"X16	9/16"X18			32	10.5	19	19	
2J9-08	3/4"X16	3/4"X16			32	11	19	24	
2J9-08-10	3/4"X16	7/8"X14			32	13	19	27	
2J9-10	7/8"X14	7/8"X14			37.8	13	22	27	
2J9-10-08	7/8"X14	3/4"X16			37.8	11	22	24	
2J9-10-12	7/8"X14	1.1/16"X12			39.5	15	24	32	
2J9-12	1.1/16"X12	1.1/16"X12			44.2	15	27	32	
2J9-12-10	1.1/16"X12	7/8"X14			44.2	13	27	27	
2J9-12-16	1.1/16"X12	1.5/16"X12			46	16	30	41	
2J9-14	1.3/16"X12	1.3/16"X12			47.5	15	30	36	
2J9-16	1.5/16"X12	1.5/16"X12			48.8	16	33	41	
2J9-16-20	1.5/16"X12	1.5/8"X12			54	17	41	50	
2J9-20-16	1.5/8"X12	1.5/16"X12			55.5	16	41	41	
2J9-20	1.5/8"X12	1.5/8"X12			55.5	17	41	50	
2J9-20-24	1.5/8"X12	1.7/8"X12			59.5	20	48	55	
2J9-24-20	1.7/8"X12	1.5/8"X12			62.5	17	48	50	
2J9-24	1.7/8"X12	1.7/8"X12			62.5	20	48	55	
2J9-32	2.1/2"X12	2.1/2"X12			75.5	24.5	63	75	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Note： Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






2JA


美制 JIC 外螺纹 / 英管内螺纹球面
JIC MALE / BSP FEMALE MULTISEAL

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	L	S1	S2
2JA-20	1.5/8"X12	G1.1/4"X11			24.3	10	57	46	50
2JA-24	1.7/8"X12	G1.1/2"X11			27.5	11	63.5	50	55
2JA-32	2.1/2"X12	G2"X11			34	15	74	65	70

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






2JB


JIC 外螺纹 74° 外锥 / 英管内螺纹 60° 外锥
JIC MALE 74° CONE/BSP FEMALE 60° CONE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
2JB-04	7/16"X20	G1/4"X19			14	5.5	31	12	19
2JB-04-02	7/16"X20	G1/8"X28			14	5.5	29	14	14
2JB-04-06	7/16"X20	G3/8"X19			14	6.3	32.5	17	22
2JB-05-02	1/2"X20	G1/8"X28			14	5.5	29	14	14
2JB-05-04	1/2"X20	G1/4"X19			14	5.5	31	14	19
2JB-06	9/16"X18	G3/8"X19			14.1	6.3	32.5	17	22
2JB-06-04	9/16"X18	G1/4"X19			14.1	5.5	31	17	19
2JB-06-08	9/16"X18	G1/2"X14			14.1	7.5	34	19	27
2JB-08	3/4"X16	G1/2"X14			16.7	7.5	38.5	22	27
2JB-08-04	3/4"X16	G1/4"X19			16.7	5.5	35.5	22	19
2JB-08-06	3/4"X16	G3/8"X19			16.7	6.3	37	22	22
2JB-08-12	3/4"X16	G3/4"X14			16.7	10.9	42	27	32
2JB-10	7/8"X14	G5/8"X14			19.3	9.5	42	24	30
2JB-10-08	7/8"X14	G1/2"X14			19.3	7.5	41	24	27
2JB-12	1.1/16"X12	G3/4"X14			21.9	10.9	47	30	32
2JB-12-08	1.1/16"X12	G1/2"X14			21.9	7.5	46	30	27
2JB-12-16	1.1/16"X12	G1"X11			21.9	11.7	49.5	32	41
2JB-16	1.5/16"X12	G1"X11			23.1	11.7	51	36	41
2JB-20	1.5/8"X12	G1.1/4"X11			24.3	11	55.5	46	50
2JB-20-16	1.5/8"X12	G1"X11			24.3	11.7	53.5	46	41
2JB-24	1.7/8"X12	G1.1/2"X11			27.5	13	61.5	50	55
2JB-24-20	1.7/8"X12	G1.1/4"X11			27.5	11	61	50	50

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






2JB4


45° JIC 外螺纹 74° 外锥 / 英管内螺纹 60° 外锥
45° JIC MALE 74° CONE/BSP FEMALE 60° CONE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	S1	S2	
2JB4-04	7/16"X20	G1/4"X19			21.5	5.5	11	19	
2JB4-06	9/16"X18	G3/8"X19			22.8	6.3	14	22	
2JB4-08	3/4"X16	G1/2"X14			26.8	7.5	19	27	
2JB4-10	7/8"X14	G5/8"X14			31	9.5	22	30	
2JB4-12	1.1/16"X12	G3/4"X14			35.5	10.9	27	32	
2JB4-16	1.5/16"X12	G1"X11			38.5	11.7	33	41	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






2JB9


90°JIC 外螺纹 74° 外锥 / 英管内螺纹 60° 外锥
90° JIC MALE 74° CONE/BSP FEMALE 60° CONE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	S1	S2	
2JB9-04	7/16"X20	G1/4"X19			24.5	5.5	11	19	
2JB9-06	9/16"X18	G3/8"X19			26.9	6.3	14	22	
2JB9-08	3/4"X16	G1/2"X14			32	7.5	19	27	
2JB9-10	7/8"X14	G5/8"X14			37.8	9.5	22	30	
2JB9-12	1.1/16"X12	G3/4"X14			44.2	10.9	27	32	
2JB9-16	1.5/16"X12	G1"X11			49	11.7	33	41	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






2JB-F

JIC外螺纹74° 外锥/英管内螺纹平面
JIC MALE 74° CONE/BSP FEMALE FLAT-FACE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	L	S1	S2
2JB-06F	9/16"X18	G3/8"X19			14.1	9	29.5	17	22
2JB-06-08F	9/16"X18	G1/2"X14			14.1	12	31	19	27
2JB-08F	3/4"X16	G1/2"X14			16.7	12	35.5	22	27
2JB-08-12F	3/4"X16	G3/4"X14			16.7	13.5	39.5	27	32
2JB-10F	7/8"X14	G5/8"X14			19.3	12	39.5	24	30
2JB-10-12F	7/8"X14	G3/4"X14			19.3	13.5	42	27	32
2JB-12F	1.1/16"X12	G3/4"X14			21.9	13.5	44.5	30	32

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn





美制 JIC 74° 锥密封
JIC 74° CONE SEALING

2JC
2JD

代 号 PART NO.	螺 纹 THREAD E	F	管子外径 TUBE O.D. D1	尺 寸 DIMENSIONS A	L1	S1	S2			压力等级 MPa
2JC-04-12	7/16"X20	M12x1.5	6	14	23.5	14	17			31.5 轻系列 L
2JC-04-14	7/16"X20	M14X1.5	8	14	21.5	14	19			
2JC-05-14	1/2"X20	M14X1.5	8	14	21.5	14	19			
2JC-05-16	1/2"X20	M16X1.5	10	14	22	17	22			
2JC-06-14	9/16"X18	M14X1.5	8	14.1	21.5	17	19			
2JC-06-16	9/16"X18	M16X1.5	10	14.1	22	17	22			
2JC-06-18	9/16"X18	M18X1.5	12	14.1	22	17	24			
2JC-08-18	3/4"X16	M18X1.5	12	16.7	23	22	24			
2JC-08-22	3/4"X16	M22X1.5	15	16.7	25.5	22	27			
2JC-10-22	7/8"X14	M22X1.5	15	19.3	25.5	24	27			
2JC-10-26	7/8"X14	M26X1.5	18	19.3	26	27	32			
2JC-12-26	1.1/16"X12	M26X1.5	18	21.9	26	30	32			
2JC-12-30	1.1/16"X12	M30X2	22	21.9	29	30	36			16 轻系列 L
2JC-12-30D	1.1/16"X12	M30X1.5	22	21.9	29	30	36			
2JC-16-30	1.5/16X12	M30X1.5	22	23.1	30	36	36			
2JC-16-36	1.5/16X12	M36X2	28	23.1	32	36	41			
2JC-16-36D	1.5/16X12	M36X1.5	28	23.1	32	36	41			
2JC-16-45	1.5/16X12	M45X2	35	23.1	39	41	50			
2JC-16-45D	1.5/16X12	M45X1.5	35	23.1	39	41	50			
2JC-20-36	1.5/8"X12	M36X2	28	24.3	34	46	41			
2JC-20-45	1.5/8"X12	M45X2	35	24.3	39	46	50			
2JC-20-52	1.5/8"X12	M52X2	42	24.3	43	50	60			
2JC-24-52	1.7/8"X12	M52X2	42	27.5	43	50	60			
2JD-04-14	7/16"X20	M14X1.5	6	14	24	14	17			63 重系列 S
2JD-04-16	7/16"X20	M16X1.5	8	14	24.5	17	19			
2JD-04-18	7/16"X20	M18X1.5	10	14	22.5	17	24			
2JD-05-18	1/2"X20	M18X1.5	10	14	22.5	17	24			
2JD-06-16	9/16"X18	M16X1.5	8	14.1	24.5	17	19			
2JD-06-18	9/16"X18	M18X1.5	10	14.1	22.5	17	24			
2JD-06-20	9/16"X18	M20X1.5	12	14.1	24	19	27			
2JD-06-22	9/16"X18	M22X1.5	14	14.1	28.5	22	27			
2JD-08-20	3/4"X16	M20X1.5	12	16.7	24	22	27			
2JD-08-22	3/4"X16	M22X1.5	14	16.7	28.5	22	27			
2JD-08-24	3/4"X16	M24X1.5	16	16.7	27	24	30			40 重系列 S
2JD-10-24	7/8"X14	M24X1.5	16	19.3	27	24	30			
2JD-10-30	7/8"X14	M30X2	20	19.3	31	30	36			
2JD-10-36	7/8"X14	M36X2	25	19.3	34.5	36	46			
2JD-12-30	1.1/16"X12	M30X2	20	21.9	31	30	36			
2JD-12-36	1.1/16"X12	M36X2	25	21.9	34.5	36	46			
2JD-16-42	1.5/16"X12	M42X2	30	23.1	43.5	41	50			
2JD-20-42	1.5/8"X12	M42X2	30	24.3	43	46	50			
2JD-20-52	1.5/8"X12	M52X2	38	24.3	47.5	50	60			
2JD-24-52	1.7/8"X12	M52X2	38	27.5	47	50	60			

www.fitsch.cn






2JF

JIC 外螺纹 74° 内锥 /ORFS 内螺纹
JIC MALE 74° CONE/ORFS FEMALE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	L	S1	S2
2JF-04	7/16"X20	9/16X18			14	8.5	35.5	14	19
2JF-06	9/16"X18	11/16"X16			14.1	10	38.5	17	22
2JF-08	3/4"X16	13/16"X16			16.7	11	45	22	27
2JF-10	7/8"X14	1"X14			19.3	13.5	51.5	24	30
2JF-12	1.1/16"X12	1.3/16"X12			21.9	15	58	30	36
2JF-16	1.5/16"X12	1.7/16"X12			23.1	15	62	36	41
2JF-20	1.5/8"X12	1.11/16"X12			24.3	15	64.5	46	50

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.


www.fitsch.cn




美制 JIC 外螺纹 74° 外锥 / 日本公制内螺纹
JIC MALE 74° CONE/JIS METRIC FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
2JK-04-14	7/16"X20	M14X1.5			14	10.5	28.5	14	19
2JK-06-16	9/16"X18	M16X1.5			14.1	9.3	29.5	17	22
2JK-06-18	9/16"X18	M18X1.5			14.1	11.5	30.5	17	24
2JK-08-22	3/4"X16	M22X1.5			16.7	14	35.5	22	27
2JK-10-24	7/8"X14	M24X1.5			19.3	15.1	38.5	24	32
2JK-12-24	1.1/16 “X12	M24X1.5			21.9	15.1	43.5	30	32
2JK-12-30	1.1/16 “X12	M30X1.5			21.9	18.3	44.5	30	36
2JK-16-33	1.5/16"X12	M33X1.5			23.1	21.3	46.5	36	41

www.fitsch.cn






2JM

JIC外螺纹74°外锥/公制内螺纹60°外锥
JIC MALE 74° CONE/METRIC FEMALE 60° CONE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	L	S1	S2
2JM-05-12	1/2"X20	M12X1.5			14	5	31	14	17
2JM-06-14	9/16"X18	M14X1.5			14.1	5.5	31.6	17	19
2JM-06-16	9/16"X18	M16X1.5			14.1	5.5	32.1	17	22
2JM-06-18	9/16"X18	M18X1.5			14.1	5.6	33.1	17	24
2JM-06-20	9/16"X18	M20X1.5			14.1	6.5	34.6	19	27
2JM-06-22	9/16"X18	M22X1.5			14.1	6	37.1	22	27
2JM-08-16	3/4"X16	M16X1.5			16.7	5.5	36.7	22	22
2JM-08-18	3/4"X16	M18X1.5			16.7	5.6	37.7	22	24
2JM-08-20	3/4"X16	M20X1.5			16.7	6.5	39.2	22	27
2JM-08-22	3/4"X16	M22X1.5			16.7	6	39.7	22	27
2JM-10-16	7/8"X14	M16X1.5			19.3	5.5	39.3	24	22
2JM-10-18	7/8"X14	M18X1.5			19.3	5.6	40.3	24	24
2JM-10-20	7/8"X14	M20X1.5			19.3	6.5	41.8	24	27
2JM-10-22	7/8"X14	M22X1.5			19.3	6	42.3	24	27

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 andsleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn





2JS

JIC 外螺纹 74° 外锥 / 日本英管内螺纹 60° 内锥面
JIC MALE 74° CONE/JIS
GAS FEMALE 60° CONE SEAT

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	L	S1	S2
2JS-04	7/16"X20	G1/4"X19			14	8	28.5	14	19
2JS-04-06	7/16"X20	G3/8"X19			14	9	29.5	17	22
2JS-06	9/16"X18	G3/8"X19			14.1	9	29.5	17	22
2JS-06-08	9/16"X18	G1/2"X14			14.1	10.5	31	19	27
2JS-08	3/4"X16	G1/2"X14			16.7	10.5	35.5	22	27
2JS-10-08	7/8"X14	G1/2"X14			19.3	10.5	38	24	27
2JS-10-12	7/8"X14	G3/4"X14			19.3	13.5	39.5	27	32
2JS-12	1.1/16"X12	G3/4"X14			21.9	13.5	43	30	32
2JS-12-16	1.1/16"X12	G1"X11			21.9	14.5	46	32	41
2JS-16-12	1.5/16"X12	G3/4"X14			23.1	13.5	46.5	36	32
2JS-16	1.5/16"X12	G1"X11			23.1	14.5	48	36	41
2JS-20	1.5/8"X12	G1.1/4"X11			24.3	15.5	51.5	46	50
2JS-24	1.7/8"X12	G1.1/2"X11			27.5	16	57	50	55

www.fitsch.cn






2JU **2JU-RN**

JIC 外螺纹 74° 外锥 / 美制 NPSM 内螺纹 60° 外锥
JIC MALE 74° CONE/NPSM FEMALE 60° CONE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	L	S1	S2
2JU-04-02	7/16"X20	1/8"X27			14	3.5	29	14	15
2JU-04	7/16"X20	1/4"X18			14	4.6	31	12	19
2JU-04-06	7/16"X20	3/8"X19			14	6	32.5	17	22
2JU-05-02	1/2"X20	1/8"X27			14	3.5	29	14	15
2JU-05-04	1/2"X20	1/4"X18			14	4.6	31	14	19
2JU-06	9/16"X18	3/8"X19			14.1	6	32.5	17	22
2JU-06-04	9/16"X18	1/4"X18			14.1	4.6	31	17	19
2JU-06-08	9/16"X18	1/2"X14			14.1	7.5	34	19	27
2JU-08	3/4"X16	1/2"X14			16.7	7.5	38.5	22	27
2JU-08-04	3/4"X16	1/4"X18			16.7	4.6	35.5	22	19
2JU-08-06	3/4"X16	3/8"X19			16.7	6	37	22	22
2JU-08-12	3/4"X16	3/4"X14			16.7	8.9	42	27	32
2JU-10-08	7/8"X14	1/2"X14			19.3	7.5	41	24	27
2JU-12-08	1.1/16"X12	1/2"X14			21.9	7.5	46	30	27
2JU-12	1.1/16"X12	3/4"X14			21.9	8.9	47	30	32
2JU-12-16	1.1/16"X12	1"X11.5			21.9	10.5	49.5	32	41
2JU-16	1.5/16"X12	1"X11.5			23.1	10.5	51	36	41
2JU-20-16	1.5/8"X12	1"X11.5			24.3	10.5	53.5	46	41
2JU-20	1.5/8"X12	1.1/4"X11.5			24.3	11.2	55.5	46	50
2JU-24-20	1.7/8"X12	1.1/4"X11.5			27.5	11.2	61	50	50
2JU-24	1.7/8"X12	1.1/2"X11.5			27.5	11.2	61.5	50	55

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn




2NJ

布锥管外螺纹/JIC内螺纹74°内锥
NPT MALE/JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	S2
2NJ-02-04	Z1/8"X27	7/16"X20			10.5	9	24.5	12	17
2NJ-02-05	Z1/8"X27	1/2"X20			10.5	9	25	12	17
2NJ-04	Z1/4"X18	7/16"X20			15	9	29	17	17
2NJ-04-05	Z1/4"X18	1/2"X20			15	9	29.5	17	17
2NJ-04-06	Z1/4"X18	9/16"X18			15	10.5	29.5	17	19
2NJ-04-08	Z1/4"X18	3/4"X16			15	10.5	31.5	19	24
2NJ-06	Z3/8"X18	9/16"X18			16	10.5	30.5	19	19
2NJ-06-08	Z3/8"X18	3/4"X16			16	10.5	32.5	19	24
2NJ-06-10	Z3/8"X18	7/8"X14			16	12	35	22	27
2NJ-08	Z1/2"X14	3/4"X16			19.5	10.5	37.5	22	24
2NJ-08-06	Z1/2"X14	9/16"X18			19.5	10.5	36	22	19
2NJ-08-10	Z1/2"X14	7/8"X14			19.5	12	38	22	27
2NJ-08-12	Z1/2"X14	1.1/16"X12			19.5	15	42	27	32
2NJ-12	Z3/4"X14	1.1/16"X12			19.5	15	42	30	32
2NJ-12-08	Z3/4"X14	3/4"X16			19.5	10.5	40	30	24
2NJ-12-10	Z3/4"X14	7/8"X14			19.5	12	40.5	30	27
2NJ-12-16	Z3/4"X14	1.5/16"X12			19.5	16	42.5	32	41
2NJ-16	Z1"X11.5	1.5/16"X12			25.5	16	48	36	41
2NJ-16-12	Z1"X11.5	1.1/16"X12			25.5	15	49	36	32
2NJ-16-20	Z1"X11.5	1.5/8"X12			25.5	17	52.5	41	50
2NJ-20	Z1.1/4"X11.5	1.5/8"X12			26.5	17	52.5	46	50
2NJ-20-24	Z1.1/4"X11.5	1.7/8"X12			26.5	20	54	46	60
2NJ-24-20	Z1.1/2"X11.5	1.5/8"X12			27.5	17	56.5	50	50
2NJ-24	Z1.1/2"X11.5	1.7/8"X12			27.5	23.5	57	50	60

www.fitsch.cn




2NJ4

45° 美制 NPT 外螺纹 /JIC 内螺纹 74° 内锥
45° NPT MALE/JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
2NJ4-04	Z1/4"X18	7/16"X20			21	9	14	17	
2NJ4-06	Z3/8"X18	9/16"X18			24	10.5	19	19	
2NJ4-08	Z1/2"X14	3/4"X16			29.5	10.5	22	24	
2NJ4-12	Z3/4"X14	1.1/16"X12			35	15	27	32	
2NJ4-16	Z1"X11.5	1.5/16"X12			39	16	33	41	
2NJ4-20	Z1.1/4"X11.5	1.5/8"X12			42.5	17	41	50	
2NJ4-24	Z1.1/2"X11.5	1.7/8"X12			45	20	48	55	

www.fitsch.cn




2NJ9

90° 美制布锥管外螺纹 /JIC 内螺纹 74° 内锥
90° NPT MALE/JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
2NJ9-02-04	Z1/4"X18	7/16"X20			21	9	11	17	
2NJ9-02-05	Z1/4"X18	1/2"X20			21	9	11	17	
2NJ9-04	Z1/4"X18	7/16"X20			25.5	9	14	17	
2NJ9-04-06	Z1/4"X18	9/16"X18			25.5	10.5	14	19	
2NJ9-06	Z3/8"X18	9/16"X18			31	10.5	19	19	
2NJ9-06-08	Z3/8"X18	3/4"X16			31	10.5	19	24	
2NJ9-08	Z1/2"X14	3/4"X16			37.3	10.5	22	24	
2NJ9-08-10	Z1/2"X14	7/8"X14			37.3	12	22	27	
2NJ9-08-12	Z1/2"X14	1.1/16"X12			37.5	15	24	32	
2NJ9-12	Z3/4"X14	1.1/16"X12			44	15	27	32	
2NJ9-12-08	Z3/4"X14	3/4"X16			43.5	10.5	27	24	
2NJ9-12-10	Z3/4"X14	7/8"X14			43.5	12	27	27	
2NJ9-16	Z1"X11.5	1.5/16"X12			50	16	33	41	
2NJ9-16-14	Z1"X11.5	1.3/16"X12			49	15	33	36	
2NJ9-20	Z1.1/4"X11.5	1.5/8"X12			53	17	41	50	
2NJ9-24	Z1.1/2"X11.5	1.7/8"X12			59	20	48	55	

www.fitsch.cn




2OJ

SAE 外螺纹带 O 形圈 /JIC 内螺纹 74° 内锥
SAE O-RING BOSS/JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	B	L	S1	S2
2OJ-04	7/16"X20	7/16"X20	8.92x1.83		9.1	9	23	14	15
2OJ-05	1/2"X20	1/2"X20	10.52x1.83		9.1	9	23.5	17	17
2OJ-05-04	1/2"X20	7/16"X20	10.52x1.83		9.1	9	23	17	15
2OJ-06	9/16"X18	9/16"X18	11.89x1.98		9.9	10.5	24.5	17	19
2OJ-06-04	9/16"X18	7/16"X20	11.89x1.98		9.9	9	24	17	15
2OJ-06-08	9/16"X18	3/4"X16	11.89x1.98		9.9	10.5	26	19	24
2OJ-08	3/4"X16	3/4"X16	16.36x2.21		11.1	10.5	29.5	22	24
2OJ-08-06	3/4"X16	9/16"X18	16.36x2.21		11.1	10.5	27.5	22	19
2OJ-08-10	3/4"X16	7/8"X14	19.18x2.46		11.1	12	30	22	27
2OJ-10	7/8"X14	7/8"X14	19.18x2.46		12.7	12	34	27	27
2OJ-10-08	7/8"X14	3/4"X16	19.18x2.46		12.7	10.5	33	27	24
2OJ-10-12	7/8"X14	1.1/16"X12	23.47x2.95		12.7	15	35	27	32
2OJ-12	1.1/16"X12	1.1/16"X12	23.47x2.95		15.1	15	38.5	32	32
2OJ-12-08	1.1/16"X12	3/4"X16	23.47x2.95		15.1	10.5	36.5	32	24
2OJ-12-10	1.1/16"X12	7/8"X14	23.47x2.95		15.1	12	37	32	27
2OJ-12-16	1.1/16"X12	1.5/16"X12	23.47x2.95		15.1	16	38.5	32	41
2OJ-14	1.3/16"X12	1.3/16"X12	26.62x2.95		15.1	15	38.5	36	36
2OJ-16	1.5/16"X12	1.5/16"X12	29.74x2.95		15.1	16	38.5	38	41
2OJ-16-12	1.5/16"X12	1.1/16"X12	29.74x2.95		15.1	15	38.5	38	32
2OJ-16-14	1.5/16"X12	1.3/16"X12	29.74x2.95		15.1	15	38.5	38	36
2OJ-16-20	1.5/16"X12	1.5/8"X12	37.46x3.00		15.1	17	42	41	50
2OJ-20	1.5/8"X12	1.5/8"X12	37.46x3.00		15.1	17	44	50	50
2OJ-24	1.7/8"X12	1.7/8"X12	43.69x3.00		15.1	20	44.5	55	55
2OJ-32	2.1/2"X12	2.1/2"X12	59.36X3.00		15.1	24.5	47	70	75

www.fitsch.cn




2OJ9-OG

SAE 外螺纹带 O 形圈 /JIC 内螺纹 74° 内锥
SAE O-RING BOSS/JIC FEMALE 74° SEAT

代 号 PART NO.	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
	E	F	E 端		A	B	S1	S2	S3
2OJ9-06OG	9/16"X18	9/16"X18	11.89X1.98		31.8	10.5	14	19	19
2OJ9-06-08OG	9/16"X18	3/4"X16	11.89X1.98		33.3	11	16	19	24
2OJ9-08OG	3/4"X16	3/4"X16	16.36X2.21		36.8	11	19	24	24
2OJ9-08-10OG	3/4"X16	7/8"X14	16.36X2.21		36.8	13	19	24	27
2OJ9-10OG	7/8"X14	7/8"X14	19.18X2.46		44	13	22	27	27
2OJ9-12OG	1.1/16"X12	1.1/16"X12	23.47X2.95		51	15	27	32	32
2OJ9-16OG	1.5/16"X12	1.5/16"X12	29.74X2.95		54.5	16	33	41	41


www.fitsch.cn



2TJ9-SP

90° 英锥管外螺纹 / 美制 JIC 内螺纹 74° 内锥
90° BSPT MALE/JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
2TJ9-04SP	R1/4"X19	7/16"X20			26	9	14	15	
2TJ9-04-06SP	R1/4"X19	9/16"X18			26	10.5	14	19	
2TJ9-06SP	R3/8"X19	9/16"X18			29	10.5	16	19	
2TJ9-08SP	R1/2"X14	3/4"X16			37	11	22	24	
2TJ9-08-10SP	R1/2"X14	7/8"X14			37	13	22	27	
2TJ9-12SP	R3/4"X14	1.1/16"X12			43.5	15	27	32	
2TJ9-12-16SP	R3/4"X14	1.5/16"X12			46.5	16	33	41	
2TJ9-16SP	R1"X11	1.5/16"X12			50	16	33	41	




2TJ-SP

英锥管外螺纹 / 美制 JIC 内螺纹 74° 内锥
BSPT MALE/JIC FEMALE 74° SEAT

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	L	S1	S2
2TJ-02-04SP	R1/8"X28	7/16"X20			10	9	24	12	17
2TJ-04SP	R1/4'X19	7/16"X20			14	9	28	14	17
2TJ-04-05SP	R1/4'X19	1/2"X20			14	9	28.5	14	17
2TJ-04-06SP	R1/4'X19	9/16"X18			14	10.5	28.5	14	19
2TJ-06-05SP	R3/8"X19	1/2"X20			15	9	29.5	19	17
2TJ-06SP	R3/8"X19	9/16"X18			15	10.5	29.5	17	19
2TJ-06-08SP	R3/8"X19	3/4"X16			15	10.5	31.5	19	24
2TJ-08SP	R1/2"X14	3/4"X16			19	10.5	37.5	24	24
2TJ-08-10SP	R1/2"X14	7/8"X14			19	12	38	24	27
2TJ-08-12SP	R1/2"X14	1.1/16"X12			20	15	41.5	27	32
2TJ-12SP	R3/4"X14	1.1/16"X12			19	15	41.5	30	32
2TJ-12-16SP	R3/4"X14	1.5/16"X12			20	16	43.5	32	41
2TJ-16SP	R1"X11	1.5/16"X12			24	16	47.5	36	41
2TJ-20SP	R1.1/4"X11	1.5/8"X12			25	17	52	46	50
2TJ-24SP	R1.1/2"X11	1.7/8"X12			26.5	20	56	50	55

www.fitsch.cn




2WJ

焊接管 / 美制 JIC 内螺纹 74° 内锥
BUTT-WELD TUBE/JIC FEMALE 74° SEAT

代 号 PART NO.	螺 纹 THREAD F				尺 寸 DIMENSIONS B	D	L	S1	
2WJ-12-05	1/2"X20				9.5	12	27	17	
2WJ-14-04	7/16"X20				9	14	27	15	
2WJ-14-06	9/16"X18				10.5	14	55	19	
2WJ-18-08	3/4"X16				11	18	60	24	
2WJ-20-10	7/8"14				13	20	33	27	
2WJ-22-12	1.1/16"X12				15	22	68	32	
2WJ-28-16	1.5/16"X12				16	28	68	41	
2WJ-34-20	1.5/8"X12				17	34	75	50	

www.fitsch.cn




3J

美制 JIC 内螺纹 74° 内锥
JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S2	S3
3J-04	7/16"X20	7/16"X20			9	9	19	15	15
3J-04-05	7/16"X20	1/2"X20			9	9.5	20.5	15	17
3J-04-06	7/16"X20	9/16"X18			9	10.5	20.5	15	19
3J-05	1/2"X20	1/2"X20			9.5	9.5	21	17	17
3J-05-06	1/2"X20	9/16"X18			9.5	10.5	21	17	19
3J-06	9/16"X18	9/16"X18			10.5	10.5	21	19	19
3J-06-08	9/16"X18	3/4"X16			10.5	11	23	19	24
3J-08	3/4"X16	3/4"X16			11	11	26	24	24
3J-08-10	3/4"X16	7/8"X14			11	13	26.5	24	27
3J-08-12	3/4"X16	1.1/16"X12			11	15	27	24	32
3J-10	7/8"X14	7/8"X14			13	13	27	27	27
3J-10-12	7/8"X14	1.1/16"X12			13	15	28	27	32
3J-12	1.1/16"X12	1.1/16"X12			15	15	29	32	32
3J-12-14	1.1/16"X12	1.3/16"X12			15	15	29	32	36
3J-12-16	1.1/16"X12	1.5/16"X12			15	16	29	32	41
3J-16	1.5/16"X12	1.5/16"X12			16	16	29	41	41
3J-20	1.5/8"X12	1.5/8"X12			17	17	33	50	50
3J-24	1.7/8"X12	1.7/8"X12			20	20	35.5	55	55
3J-32	2.1/2"X12	2.1/2"X12			23.5	23.5	37	75	75

www.fitsch.cn




3J4

45° JIC 内螺纹 74° 内锥
45° JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	S3
3J4-04	7/16"x20	7/16"x20			9	9	11	15	15
3J4-05	1/2"x20	1/2"x20			9.5	9.5	11	17	17
3J4-06	9/16"x18	9/16"x18			10.5	10.5	14	19	19
3J4-08	3/4"x16	3/4"x16			11	11	16	24	24
3J4-10	7/8"x14	7/8"x14			13	13	19	27	27
3J4-12	1.1/16"x12	1.1/16"x12			15	15	24	32	32
3J4-16	1.5/16"x12	1.5/16"x12			16	16	30	41	41
3J4-20	1.5/8"x12	1.5/8"x12			31	31	41	50	50
3J4-24	1.7/8"x12	1.7/8"x12			35.5	35.5	48	55	55
3J4-32	2.1/2"x12	2.1/2"x12			38	38	63	75	75

www.fitsch.cn




3J9

90° 美制JIC内螺纹74° 内锥
90° JIC FEMALE 74° SEAT

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	S1	S2	S3
3J9-04	7/16"X20	7/16"X20			9	9	11	15	15
3J9-05	1/2"X20	1/2"X20			9.5	9.5	14	17	17
3J9-06	9/16"X18	9/16"X18			10.5	10.5	14	19	19
3J9-08	3/4"X16	3/4"X16			11	11	19	24	24
3J9-10	7/8"X14	7/8"X14			13	13	22	27	27
3J9-12	1.1/16"X12	1.1/16"X12			15	15	27	32	32
3J9-16	1.5/16"X12	1.5/16"X12			16	16	33	41	41
3J9-20	1.5/8"X12	1.5/8"X12			43.5	43.5	41	50	50
3J9-24	1.7/8"X12	1.7/8"X12			48.5	48.5	48	55	55
3J9-32	2.1/2"X12	2.1/2"X12			60.5	60.5	63	75	75

www.fitsch.cn




3JK

美制 JIC 内螺纹 74°/ 公制内螺纹 60°
JIC FEMALE 74° SEAT/METRIC FEMALE 60°

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	L	S2	S3
3JK-12-22	1.1/16"X12	M22X1.5			15	14	26.5	32	27
3JK-12-24	1.1/16"X12	M24X1.5			15	15.1	27	32	32
3JK-12-30	1.1/16"X12	M30X1.5			15	18.3	28	32	36
3JK-16-33	1.5/16"X12	M33X1.5			16	21.3	28	41	41
3JK-20-36	1.5/8"X12	M36X1.5			17	20	29.5	50	46
3JK-24-42	1.7/8"X12	M42X1.5			20	18.8	32	55	55

www.fitsch.cn





3JW-S/IN

JIC 内螺纹 74° 内锥 / 英寸制焊接管
JIC FEMALE 74° SEAT/INCH SOCKET-WELD TUBE

代 号	螺 纹 THREAD		焊接管外径 D	尺 寸 DIMENSIONS				
PART NO.	E		WELD TUBE O.D D	B	C	L	S1	S2
3JW-04S/IN	7/16X20		1/4"	3	9	17	12	15
3JW-06S/IN	9/16X18		3/8"	4	10.5	18.5	14	19
3JW-08S/IN	3/4X16		1/2"	4	11	20.5	19	24
3JW-10S/IN	7/8X14		5/8"	5	13	22	22	27
3JW-12S/IN	1.1/16X12		3/4"	5	15	28.5	27	32
3JW-16S/IN	1.5/16X12		1"	6	16	29.5	32	41
3JW-20S/IN	1.5/8X12		1.1/4"	6	17	33	41	50
3JW-24S/IN	1.7/8X12		1.1/2"	6	20	35.5	50	55

www.fitsch.cn






4J

美制 JIC 外螺纹 74° 外锥堵头
JIC MALE 74° CONE PLUG

代 号 PART NO.	螺 纹 THREAD E				尺 寸 DIMENSIONS A	L	S1		
4J-02	5/16"X24				11.4	17.5	11		
4J-03	3/8"X24				12.2	18	11		
4J-04	7/16"X20				14	20	12		
4J-05	1/2"X20				14	20	14		
4J-06	9/16"X18				14.1	20	17		
4J-08	3/4"X16				16.7	25	22		
4J-10	7/8"X14				19.3	27.5	24		
4J-12	1.1/16"X12				21.9	32	30		
4J-14	1.3/16"X12				22.6	33.5	32		
4J-16	1.5/16"X12				23.1	34	36		
4J-20	1.5/8"X12				24.3	38	46		
4J-24	1.7/8"X12				27.5	44.5	50		
4J-32	2.1/2"X12				33.9	51	65		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately. The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn




4O

美制 SAE 外螺纹带 O 形圈堵头
SAE O-RING BOSS PLUG

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E		E 端		A	L	S1		
4O-02	5/16"X24		6.07X1.63		7.54	14.6	12		
4O-03	3/8"X24		7.65X1.63		7.54	14.6	14		
4O-04	7/16"X20		8.92X1.83		9.1	16	14		
4O-05	1/2"X20		10.52X1.83		9.1	16	17		
4O-06	9/16"X18		11.89X1.98		9.9	17.5	17		
4O-08	3/4"X16		16.36X2.21		11.1	19.5	22		
4O-10	7/8"X14		19.18X2.46		12.7	23	27		
4O-12	1.1/16"X12		23.47X2.95		15.1	26.5	32		
4O-14	1.3/16"X12		26.62X2.95		15.1	27	36		
4O-16	1.5/16"X12		29.74X2.95		15.1	27.5	38		
4O-20	1.5/8"X12		37.46X3.00		15.1	30	50		
4O-24	1.7/8"X12		43.69X3.00		15.1	30	55		
4O-32	2.1/2"X12		59.36X3.00		15.1	32	70		

www.fitsch.cn




4ON

SAE 外螺纹内六角堵头
SAE O-RING BOSS HOLLOW HEX PLUG


代 号 PART NO.	螺 纹 THREAD E		O 形圈 O-RING E 端		尺 寸 DIMENSIONS A	L	S1		
4ON-04	7/16"X20		8.92X1.83		9.1	11.5	5		
4ON-05	1/2"X20		10.52X1.83		9.1	11.5	5		
4ON-06	9/16"X18		11.89X1.98		9.9	12.2	6		
4ON-08	3/4"X16		16.36X2.21		11.1	14.3	8		
4ON-10	7/8"X14		19.18X2.46		12.7	16	10		
4ON-12	1.1/16"X12		23.47X2.95		15.1	19	14		
4ON-16	1.5/16"X12		29.74X2.95		15.1	19	16		
4ON-20	1.5/8"X12		37.46X3.00		15.1	19	19		

www.fitsch.cn


JIC Hydraulic Tube Fittings SAE J514 ISO 8434-2




5J



5J-S







JIC 外螺纹 74° 外锥 /JIC 内螺纹 74° 内锥
JIC MALE 74° CONE/JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	L	S1	B	
5J-04-05	7/16"X20	1/2"X20			14	30.6	17		
5J-04-06S	7/16"X20	9/16"X18			14	26.2	19	9.8	
5J-04-08S	7/16"x20	3/4"X16			14	26.2	24	10.9	
5J-04-10S	7/16"X20	7/8"X14			14	28	27	12.8	
5J-04-12S	7/16"X20	1.1/16"X12			14	29.8	32	15	
5J-04-14S	7/16"X20	1.3/16"X12			14	32.5	36	15.2	
5J-05-06	1/2"X20	9/16"X18			14	33.7	19		
5J-05-08S	1/2"X20	3/4"X16			14	26.2	24	10.9	
5J-05-10S	1/2"X20	7/8"X14			14	28	27	12.8	
5J-05-12S	1/2"X20	1.1/16"X12			14	29.8	32	15	
5J-06-04	9/16"X18	7/16"X20			14.1	30.6	17		
5J-06-08S	9/16"X18	3/4"X16			14.1	26.3	24	10.9	
5J-06-10S	9/16"X18	7/8"X14			14.1	28.2	27	12.8	
5J-06-12S	9/16"X18	1.1/16"X12			14.1	30.1	32	15	
5J-06-14S	9/16"X18	1.3/16"X12			14.1	32.5	36	15.2	
5J-06-16S	9/16"X18	1.5/16"X12			14.1	33	38	15.9	
5J-08-04	3/4"X16	7/16"X20			16.7	33	22		
5J-08-06	3/4"X16	9/16"X18			16.7	36.5	22		
5J-08-10	3/4"X16	7/8"X14			16.7	36.2	30		
5J-08-12S	3/4"X16	1.1/16"X12			16.7	33.3	32	15	
5J-08-14S	3/4"X16	1.3/16"X12			16.7	35	36	15.2	
5J-08-16S	3/4"X16	1.5/16"X12			16.7	35.6	38	15.9	
5J-08-20S	3/4"X16	1.5/8"X12			16.7	35.5	50	16.8	
5J-10-08	7/8"X14	3/4"X16			19.3	40.5	24		
5J-10-12	7/8"X14	1.1/16"X12			19.3	45.1	32		
5J-10-16S	7/8"X14	1.5/16"X12			19.3	37.5	38	15.9	
5J-10-20S	7/8"X14	1.5/8"X12			19.3	37.9	50	16.8	
5J-10-24S	7/8"X14	1.7/8"X12			19.3	42	60	19.7	
5J-12-08	1.1/16"X12	3/4"X16			21.9	43	30		
5J-12-10	1.1/16"X12	7/8"X14			21.9	43	30		
5J-12-16S	1.1/16"X12	1.5/16"X12			22	40.2	38	15.9	
5J-12-20S	1.1/16"X12	1.5/8"X12			22	40.6	50	16.8	
5J-12-24S	1.1/16"X12	1.7/8"X12			22	42	60	19.7	
5J-16-08	1.5/16"X12	3/4"X16			23.1	44	36		
5J-16-10	1.5/16"X12	7/8"X14			23.1	44	36		
5J-16-12	1.5/16"X12	1.1/16"X12			23.1	50	36		
5J-16-20S	1.5/16"X12	1.5/8"X12			23	41.8	50	16.8	
5J-16-24S	1.5/16"X12	1.7/8"X12			23	43.2	60	19.7	
5J-16-32S	1.5/16"X12	2.1/2"X12			23	49	75	29.1	
5J-20-12	1.5/8"X12	1.1/16"X12			24.3	50	46		
5J-20-16	1.5/8"X12	1.5/16"X12			24.3	50	46		
5J-20-24S	1.5/8"X12	1.7/8"X12			24.3	44.3	60	19.7	
5J-20-32S	1.5/8"X12	2.1/2"X12			24.3	50	75	29.1	
5J-24-20	1.7/8"X12	1.5/8"X12			27.5	56	50		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






5JB


JIC 外螺纹 74° 外锥 / 英管内螺纹
JIC MALE 74° CONE/BSP FEMALE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	L	S1		
5JB-04	7/16"X20	G1/4"X19			14	35	19		
5JB-04-02	7/16"X20	G1/8"X28			14	30	14		
5JB-04-06	7/16"X20	G3/8"X19			14	37	22		
5JB-04-08	7/16"X20	G1/2"X14			14	42	27		
5JB-06	9/16"X18	G3/8"X19			14.1	36.8	22		
5JB-06-04	9/16"X18	G1/4"X19			14.1	34	19		
5JB-06-08	9/16"X18	G1/2"X14			14.4	42.4	27		
5JB-06-10	9/16"X18	G5/8"X14			14.4	43.4	30		
5JB-08	3/4"X16	G1/2"X14			16.7	45.2	30		
5JB-08-04	3/4"X16	G1/4"X19			16.7	35	22		
5JB-08-06	3/4"X16	G3/8"X19			16.7	40	22		
5JB-08-10	3/4"X16	G5/8"X14			16.7	45.7	30		
5JB-08-12	3/4"X16	G3/4"X14			16.7	47	36		
5JB-10-08	7/8"X14	G1/2"X14			19.3	47.5	30		
5JB-10-12	7/8"X14	G3/4"X14			19.3	48.3	32		
5JB-12	1.1/16"X12	G3/4"X14			21.9	51.8	36		
5JB-12-08	1.1/16"X12	G1/2"X14			21.9	48	30		
5JB-12-10	1.1/16"X12	G5/8"X14			21.9	51.1	30		
5JB-12-16	1.1/16"X12	G1"X11			21.9	56.4	41		
5JB-16	1.5/16"X12	G1"X11			23.1	59.2	46		
5JB-16-12	1.5/16"X12	G3/4"X14			23.1	50	36		
5JB-16-20	1.5/16"X12	G1.1/4"X11			23.1	57.6	50		
5JB-16-24	1.5/16"X12	G1.1/2"X11			23.1	59.6	55		
5JB-20	1.5/8"X12	G1.1/4"X11			24.3	58.7	50		
5JB-20-16	1.5/8"X12	G1"X11			24.3	55	46		
5JB-20-24	1.5/8"X12	G1.1/2"X11			24.3	64.8	55		
5JB-24	1.7/8"X12	G1.1/2"X11			27.5	62	60		
5JB-24-20	1.7/8"X12	G1.1/4"X11			27.5	62	50		
5JB-24-32	1.7/8"X12	G2"X11			27.5	68	70		
5JB-32	2.1/2"X12	G2"X11			33.9	67	70		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






5JB9


90° JIC 外螺纹 74° 外锥 / 英管内螺纹
90° JIC MALE 74° CONE/BSP FEMALE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B		S1	
5JB9-04	7/16"X20	G1/4"X19			32.5	22		19	
5JB9-05-04	1/2"X20	G1/4"X19			30.9	22		19	
5JB9-06	9/16"X18	G3/8"X19			32	26		24	
5JB9-06-04	9/16"X18	G1/4"X19			28.5	22		19	
5JB9-06-08	9/16"X18	G1/2"X14			39	31		30	
5JB9-08	3/4"X16	G1/2"X14			39.5	31		30	
5JB9-08-04	3/4"X16	G1/4"X19			36	22		24	
5JB9-08-06	3/4"X16	G3/8"X19			36	26		24	
5JB9-10-08	7/8"X14	G1/2"X14			43	31		30	
5JB9-10-12	7/8"X14	G3/4"X14			45	37		33	
5JB9-12	1.1/16"X12	G3/4"X14			48	37		33	
5JB9-12-08	1.1/16"X12	G1/2"X14			46	31		30	
5JB9-16	1.5/16"X12	G"X11			53.5	43		41	
5JB9-16-12	1.5/16"X12	G3/4"X14			49	37		33	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






5JB9-G


90° JIC 外螺纹 74° 外锥 / 英管内螺纹表接头
90° JIC MALE 74° CONE/BSPPRESSURE GAUGE CONNECTOR

代 号 PART NO.	螺 纹 THREAD		紫铜片COPPER WASHER		尺 寸 DIMENSIONS				
	E	F		F端	A	B	C	S1	
5JB9-04G	7/16"X20	G1/4"X19		DP-B04G	29.5	22	11	19	
5JB9-04-08G	7/16"X20	G1/2"X14		DP-B08G	36	31	17	30	
5JB9-05-04G	1/2"X20	G1/4"X19		DP-B04G	29.5	22	11	19	
5JB9-05-08G	1/2"X20	G1/2"X14		DP-B08G	36	31	17	30	
5JB9-06-04G	9/16"X18	G1/4"X19		DP-B04G	30	22	11	19	
5JB9-06-08G	9/16"X18	G1/2"X14		SP-B08G	36.5	31	17	30	
5JB9-08G	3/4"X16	G1/2"X14		DP-B08G	39.5	31	17	30	
5JB9-08-04G	3/4"X16	G1/4"X19		DP-B04G	36	22	11	24	

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn





5JB-G


JIC 外螺纹 74° 外锥 / 英管内螺纹表接头


JIC MALE 74° CONE/BSP PRESSURE GAUGE CONNECTOR

代 号 PART NO.	螺 纹 THREAD		紫铜片COPPER WASHER		尺 寸 DIMENSIONS				
	E	F		F端	A	L	S1		
5JB-04-08G	7/16"X20	G1/2"X14		DP-B08G	14	41	27		
5JB-04G	7/16"X20	G1/4"X19		DP-B04G	14	32	19		
5JB-05-04G	1/2"X20	G1/4"X19		DP-B04G	14	28	19		
5JB-05-08G	1/2"X20	G1/2"X14		DP-B08G	14	41	27		
5JB-06-04G	9/16"X18	G1/4"X19		DP-B04G	14.1	28.1	19		
5JB-06-08G	9/16"X18	G1/2"X14		DP-B08G	14.1	35.5	27		
5JB-08-04G	3/4"X16	G1/4"X19		DP-B04G	16.7	31	22		
5JB-08G	3/4"X16	G1/2"X14		DP-B08G	16.7	38	27		
5JB-10-08G	7/8"X14	G1/2"X14		DP-B08G	19.3	40.5	27		
5JB-12-08G	1.1/16"X12	G1/2"X14		DP-B08G	21.9	43	30		

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn





5JB-GDK


JIC 外螺纹 74° 外锥 / 英管内螺纹表接头


JIC MALE 74° CONE/BSP PRESSURE GAUGE CONNECTOR

代 号 PART NO.	螺 纹 THREAD		密封钢垫SEALING RING DKI		尺 寸 DIMENSIONS				
	E	F		F端	A	L	S1		
5JB-04GDK	7/16"X20	G1/4"X19		DP-B04DK	14	33.5	19		
5JB-05-04GDK	1/2"X20	G1/4"X19		DP-B04DK	14	33	19		
5JB-06-04GDK	9/16"X18	G1/4"X19		DP-B04DK	14.1	33	19		
5JB-10-08GDK	7/8"X14	G1/2"X14		DP-B08DK	19.3	45.5	27		
5JB-12-08GDK	1.1/16"X12	G1/2"X14		DP-B08DK	21.9	48	30		

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






5JN

美制 JIC 外螺纹 74° 外锥 / 布锥管内螺纹
JIC MALE 74° CONE / NPT FEMALE


代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	L	S1		
5JN-04-02	7/16"X20	Z1/8"X27			14	30	17		
5JN-04	7/16"X20	Z1/4"X18			14	35.5	19		
5JN-05-04	1/2"X20	Z1/4"X18			14	35.3	19		
5JN-06-04	9/16"X18	Z1/4"X18			14.1	35.6	19		
5JN-06	9/16"X18	Z3/8"X18			14.1	37.1	22		
5JN-06-08	9/16"X18	Z1/2"X14			14.1	42.5	30		
5JN-08-06	3/4"X16	Z3/8"X18			16.7	39.6	22		
5JN-08	3/4"X16	Z1/2"X14			16.7	45.6	30		
5JN-08-12	3/4"X16	Z3/4"X14			16.7	45	36		
5JN-10-08	7/8"X14	Z1/2"X14			19.3	48	30		
5JN-10-12	7/8"X14	Z3/4"X14			19.3	49.7	36		
5JN-12-08	1.1/16"X12	Z1/2"X14			21.9	52.1	30		
5JN-12	1.1/16"X12	Z3/4"X14			21.9	52.3	36		
5JN-16-12	1.5/16"X12	Z3/4"X14			23.1	50	36		
5JN-16	1.5/16"X12	Z1"X11.5			23.1	59.7	41		
5JN-20	1.5/8"X12	Z1.1/4"X11.5			24.3	61.5	50		
5JN-24	1.7/8"X12	Z1.1/2"X11.5			27.5	62.5	60		
5JN-32	2.1/2"X12	Z2"X11.5			33.9	70	70		

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Note： Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn



5JN4




5JN4-RN

45° JIC 外螺纹 74° 外锥 / 布锥管内螺纹
45° JIC MALE 74° CONE/NPT FEMALE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	S1		
5JN4-04	7/16"X20	Z1/4"X18			23	20	19		
5JN4-06-04	9/16"X18	Z1/4"X18			24	20	19		
5JN4-06	9/16"X18	Z3/8"X18			26	19	24		
5JN4-08-06	3/4"X16	Z3/8"X18			29.5	19	24		
5JN4-08	3/4"X16	Z1/2"X14			29.5	28	30		
5JN4-10-08	7/8"X14	Z1/2"X14			33	28	30		
5JN4-12	1.1/16"X12	Z3/4"X14			37.5	30	33		
5JN4-14-12	1.3/16"X12	Z3/4"X14			38	30	33		
5JN4-16	1.5/16"X12	Z1"X11.5			42	37.5	41		
5JN4-20	1.5/8"X12	Z1.1/4"X11.5			46	30	48		
5JN4-24	1.7/8"X12	Z1.1/2"X11.5			58	36	63		

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn




5JN9

90° 弯 JIC 外螺纹 74° 外锥 / 布锥管内螺纹
90° ELBOW JIC MALE 74° CONE / NPT FEMALE


代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1		
5JN9-04-02	7/16"X20	Z1/8"X27			27.5	16.8	16		
5JN9-04	7/16"X20	Z1/4"X18			30.9	22.4	19		
5JN9-06-04	9/16"X18	Z1/4"X18			31.2	22.4	19		
5JN9-06	9/16"X18	Z3/8"X18			33.5	25.9	24		
5JN9-08-04	3/4"X16	Z1/4"X18			31.6	22.4	19		
5JN9-08	3/4"X16	Z1/2"X14			39.5	31.2	30		
5JN9-12-08	1.1/16"X12	Z1/2"X14			46	31.2	30		
5JN9-12	1.1/16"X12	Z3/4"X14			48	34.5	33		
5JN9-12-16	1.1/16"X12	Z1"X11.5			52.5	41.1	41		
5JN9-16-12	1.5/16"X12	Z3/4"X14			49	34.5	33		
5JN9-16	1.5/16"X12	Z1"X11.5			55.1	41.1	41		
5JN9-20	1.5/8"X12	Z1.1/4"X11.5			59.2	43.2	48		
5JN9-24	1.7/8"X12	Z1.1/2"X11.5			73.4	52.8	63		

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Note： Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inchtube.


www.fitsch.cn



5JN9-BH



5JN9-LN




5JN9-BH/LN/RN


90° 美制 JIC 外螺纹过板接头 / 布锥管内螺纹
90° JIC MALE BULKHEAD/NPT FEMALE


代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	S1		
5JN9-04BH	7/16"X20	Z1/4"X18			44	22.4	19		
5JN9-06-04BH	9/16"X18	Z1/4"X18			47	22.4	19		
5JN9-06BH	9/16"X18	Z3/8"X18			49.5	25.9	24		
5JN9-08-06BH	3/4"X16	Z3/8"X18			54	25.9	24		
5JN9-08BH	3/4"X16	Z1/2"X14			57.5	31.2	30		
5JN9-10-06BH	7/8"X14	Z3/8"X18			60.5	27.5	30		
5JN9-10-08BH	7/8"X14	Z1/2"X14			60.5	31.2	30		
5JN9-12-08BH	1.1/16"X12	Z1/2"X14			65.5	31.2	30		
5JN9-12BH	1.1/16"X12	Z3/4"X14			67.8	34.5	33		
5JN9-16-12BH	1.5/16"X12	Z3/4"X14			70	34.5	33		
5JN9-16BH	1.5/16"X12	Z1"X11.5			71.5	41.1	41		
5JN9-20-16BH	1.5/8"X12	Z1"X11.5			76.5	42.5	48		
5JN9-20BH	1.5/8"X12	Z1.1/4"X11.5			76.5	43.2	48		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn








5JN-BH **5JN-BH(LN)**


美制 JIC 外螺纹过板接头 / 布锥管内螺纹
JIC MALE BULKHEAD/NPT FEMALE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	L	S1		
5JN-04-02BH	7/16"X20	Z1/8"X27			32.5	48.5	17		
5JN-04BH	7/16"X20	Z1/4"X18			32.5	54	19		
5JN-06-04BH	9/16"X18	Z1/4"X18			32.5	54	19		
5JN-08-06BH	3/4"X16	Z3/8"X18			36.5	59.5	22		
5JN-10-08BH	7/8"X14	Z1/2"X14			40	68.5	30		
5JN-10-12BH	7/8"X14	Z3/4"X14			40	70.5	32		
5JN-12-06BH	1.1/16"X12	Z3/8"X18			44.5	68.5	36		
5JN-12-08BH	1.1/16"X12	Z1/2"X14			44.5	75	36		
5JN-12BH	1.1/16"X12	Z3/4"X14			44.5	75	36		
5JN-14-12BH	1.3/16"X12	Z3/4"X14			44.5	75	41		
5JN-16-12BH	1.5/16"X12	Z3/4"X14			44.5	71.5	41		
5JN-16BH	1.5/16"X12	Z1"X11.5			44.5	81	41		
5JN-20BH	1.5/8"X12	Z1.1/4"X11.5			45.7	83	50		
5JN-24BH	1.7/8"X12	Z1.1/2"X11.5			46	83.5	55		

www.fitsch.cn

JIC Hydraulic Tube Fittings SAE J514 ISO 8434-2






5J-S


美制 JIC 外螺纹 / 美制 JIC 内螺纹
JIC MALE/JIC FEMALE

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	L	S1	
5J-04-06S	7/16"X20	9/16"X18			14	9.8	26.2	19	
5J-04-08S	7/16"x20	3/4"X16			14	10.9	26.2	24	
5J-04-10S	7/16"X20	7/8"X14			14	12.8	28	27	
5J-04-12S	7/16"X20	1.1/16"X12			14	15	29.8	32	
5J-04-14S	7/16"X20	1.3/16"X12			14	15.2	32.5	36	
5J-05-08S	1/2"X20	3/4"X16			14	10.9	26.2	24	
5J-05-10S	1/2"X20	7/8"X14			14	12.8	28	27	
5J-05-12S	1/2"X20	1.1/16"X12			14	15	29.8	32	
5J-06-08S	9/16"X18	3/4"X16			14.1	10.9	26.3	24	
5J-06-10S	9/16"X18	7/8"X14			14.1	12.8	28.2	27	
5J-06-12S	9/16"X18	1.1/16"X12			14.1	15	30.1	32	
5J-06-14S	9/16"X18	1.3/16"X12			14.1	15.2	32.5	36	
5J-06-16S	9/16"X18	1.5/16"X12			14.1	15.9	33	38	
5J-08-12S	3/4"X16	1.1/16"X12			16.7	15	33.3	32	
5J-08-14S	3/4"X16	1.3/16"X12			16.7	15.2	35	36	
5J-08-16S	3/4"X16	1.5/16"X12			16.7	15.9	35.6	38	
5J-08-20S	3/4"X16	1.5/8"X12			16.7	16.8	35.5	50	
5J-10-16S	7/8"X14	1.5/16"X12			19.3	15.9	37.5	38	
5J-10-20S	7/8"X14	1.5/8"X12			19.3	16.8	37.9	50	
5J-10-24S	7/8"X14	1.7/8"X12			19.3	19.7	42	60	
5J-12-16S	1.1/16"X12	1.5/16"X12			22	15.9	40.2	38	
5J-12-20S	1.1/16"X12	1.5/8"X12			22	16.8	40.6	50	
5J-12-24S	1.1/16"X12	1.7/8"X12			22	19.7	42	60	
5J-16-20S	1.5/16"X12	1.5/8"X12			23	16.8	41.8	50	
5J-16-24S	1.5/16"X12	1.7/8"X12			23	19.7	43.2	60	
5J-16-32S	1.5/16"X12	2.1/2"X12			23	29.1	49	75	
5J-20-24S	1.5/8"X12	1.7/8"X12			24.3	19.7	44.3	60	
5J-20-32S	1.5/8"X12	2.1/2"X12			24.3	29.1	50	75	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitablefor metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






5JT

美制 JIC 外螺纹 74° 外锥 / 英锥管内螺纹
JIC MALE 74° CONE /BSPT FEMALE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	L	S1		
5JT-04-02	7/16"X20	Rc1/8"X28			14	30	14		
5JT-04	7/16"X20	Rc1/4"X19			14	35.5	19		
5JT-06-04	9/16"X18	Rc1/4"X19			14	35.5	19		
5JT-06	9/16"X18	RC3/8"X19			14	36.5	22		
5JT-08-06	3/4"X16	RC3/8"X19			16.7	39.5	22		
5JT-08	3/4"X16	Rc1/2"X14			16.7	45.5	27		
5JT-10-08	7/8"X14	Rc1/2"X14			19.3	48	27		
5JT-12	1.1/16"X12	Rc3/4"X14			22	52.5	36		
5JT-16	1.5/16"X12	Rc1"X11			23	59.5	41		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Note： Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn




5JT9


90° JIC 外螺纹 74° 外锥 / 英锥管内螺纹
90° JIC MALE 74° CONE/BSPT FEMALE

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	S1		
5JT9-04-02	7/16"x20	Rc1/8"X28			27.5	20	16		
5JT9-04	7/16"x20	Rc1/4"X19			30	25	19		
5JT9-05-04	1/2"X20	Rc1/4"X19			30	25	19		
5JT9-06	9/16"X18	Rc3/8"X19			33.5	27	24		
5JT9-06-04	9/16"X18	Rc1/4"X19			30.5	25	19		
5JT9-08	3/4"X16	Rc1/2"X14			39.5	31.5	30		
5JT9-08-06	3/4"X16	Rc3/8"X19			36	27	24		
5JT9-10-08	7/8"X14	Rc1/2"X14			42.5	31.5	30		
5JT9-12	1.1/16"X12	Rc3/4"X14			48	37	33		
5JT9-12-08	1.1/16"X12	Rc1/2"X14			46.2	31.5	30		
5JT9-16	1.5/16"X12	Rc1"X11			54	43	41		
5JT9-20	1.5/8"X12	Rc1.1/4"X11			62	46	50		
5JT9-24	1.7/8"X12	Rc1.1/2"X11			74.5	55	63		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn





5JW9-IN


90° JIC 外螺纹 74° 外锥 / 英寸制焊接管


90°JIC MALE 74°CONE/INCH SOCKET-WELD TUBE

代 号	螺 纹 THREAD		焊接管外径 D	尺 寸 DIMENSIONS				
PART NO.	E		WELD TUBE O.D D	A	B	S1		
5JW9-04IN	7/16"X20		1/4"	24.5	22.5	11		
5JW9-04-06IN	7/16"X20		3/8"	26.6	22.5	14		
5JW9-05IN	1/2"X20		5/16"	26.6	22.5	14		
5JW9-06IN	9/16"X18		3/8"	26.9	22.5	14		
5JW9-08IN	3/4"X16		1/2"	32	26	19		
5JW9-08-10IN	3/4"X16		5/8"	32	31	22		
5JW9-08-12IN	3/4"X16		3/4"	39.5	34.5	30		
5JW9-10IN	7/8"X14		5/8"	37.8	31	22		
5JW9-12IN	1.1/16"X12		3/4"	46	34.5	30		
5JW9-14IN	1.3/16"X12		7/8"	48.5	34.5	33		
5JW9-16IN	1.5/16"X12		1"	51	41	36		
5JW9-16-20IN	1.5/16"X12		1.1/4"	54	43	41		
5JW9-20IN	1.5/8"X12		1.1/4"	55.5	43	41		
5JW9-20-24IN	1.5/8"X12		1.1/2"	59.4	53	48		
5JW9-24IN	1.7/8"X12		1.1/2"	62.5	53	48		
5JW9-32IN	2.1/2"X12		2"	79	55	63		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






5JW-IN

JIC 外螺纹 74° 外锥 / 英寸制焊接管
JIC MALE 74° CONE/INCH SOCKET-WELD TUBE

代 号	螺纹 THREAD		焊接管外径 D	尺 寸 DIMENSIONS				
PART NO.	E		WELD TUBE O.D D	A	L	S1		
5JW-04IN	7/16"X20		1/4"	14	23	14		
5JW-04-05IN	7/16"X20		5/16"	14	23	14		
5JW-05IN	1/2"X20		5/16"	14	23	14		
5JW-06IN	9/16"X18		3/8"	14.1	24	17		
5JW-08IN	3/4"X16		1/2"	16.7	29.5	22		
5JW-08-06IN	3/4"X16		3/8"	16.7	29.5	22		
5JW-08-10IN	3/4"X16		5/8"	16.7	29.5	24		
5JW-08-12IN	3/4"X16		3/4"	16.7	29.5	24		
5JW-10IN	7/8"X14		5/8"	19.3	32	24		
5JW-10-08IN	7/8"X14		1/2"	19.3	32	24		
5JW-10-12IN	7/8"X14		3/4"	19.3	35	30		
5JW-12IN	1.1/16"X12		3/4"	22	38	30		
5JW-12-08IN	1.1/16"X12		1/2"	22	37	30		
5JW-12-10IN	1.1/16"X12		5/8"	22	37	30		
5JW-12-16IN	1.1/16"X12		1"	22	39	36		
5JW-14IN	1.3/16"X12		7/8"	22.6	39.5	36		
5JW-16IN	1.5/16"X12		1"	23	40	36		
5JW-16-20IN	1.5/16"X12		1.1/4"	23	41	41		
5JW-20IN	1.5/8"X12		1.1/4"	24.3	43	46		
5JW-20-16IN	1.5/8"X12		1"	24.3	43	46		
5JW-20-24IN	1.5/8"X12		1.1/2"	24.3	45.5	50		
5JW-24IN	1.7/8"X12		1.1/2"	27.5	48.5	50		
5JW-24-20IN	1.7/8"X12		1.1/4"	27.5	48.5	50		
5JW-32IN	2.1/2"X12		2"	33.9	55	65		

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn





5O


美制 SAE 外螺纹带 O 形圈轻系列
ISO11926-3 / 美制 SAE 内螺纹 ISO 11926-1
SAE O-RING BOSS L-SERIES ISO
11926-3 / SAE FEMALE ISO 11926-1

代 号	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	E 端		A	L	S1		
5O-04-06	7/16"X20	9/16"X18	O904		9.14	31	22		
5O-06-04	9/16"X18	7/16"X20	O906		9.93	28	17		
5O-06-08	9/16"X18	3/4"X16	O906		9.93	36	27		
5O-08-06	3/4"X16	9/16"X18	O908		11.13	31.5	22		
5O-08-10	3/4"X16	7/8"X14	O908		11.13	38	30		
5O-08-12	3/4"X16	1.1/16"X12	O908		11.13	36	32		
5O-10	7/8"X14	7/8"X14	O910		12.7	38	30		
5O-10-06	7/8"X14	9/16"X18	O910		12.7	20.6	27		
5O-10-08	7/8"X14	3/4"X16	O910		12.7	35	27		
5O-10-12	7/8"X14	1.1/16"X12	O910		12.7	43	36		
5O-12-08	1.1/16"X12	3/4"X16	O912		15.09	26	32		
5O-12-10	1.1/16"X12	7/8"X14	O912		15.1	40.5	32		
5O-12-16	1.1/16"X12	1.5/16"X12	O912		15.1	45	41		
5O-14-12	1.3/16"X12	1.1/16"X12	O914		15.1	43	36		
5O-16-06	1.5/16"X12	9/16"X18	O916		15.1	26	38		
5O-16-10	1.5/16"X12	7/8"X14	O916		15.1	26	38		
5O-16-12	1.5/16"X12	1.1/16"X12	O916		15.1	43.5	38		
5O-16-14	1.5/16"X12	1.3/16"X12	O916		15.1	43	38		
5O-16-20	1.5/16"X12	1.5/8"X12	O916		15.1	46.5	50		
5O-20-12	1.5/8"X12	1.1/16"X12	O920		15.1	35	50		
5O-20-16	1.5/8"X12	1.5/16"X12	O920		15.1	42	50		
5O-20-24	1.5/8"X12	1.7/8"X12	O920		15.1	48	55		
5O-24-16	1.7/8"X12	1.5/16"X12	O924		15.1	35	55		
5O-24-20	1.7/8"X12	1.5/8"X12	O924		15.1	45	55		
5O-32-20	2.1/2"X12	1.5/8"X12	O932		15.1	32	70		
5O-32-24	2.1/2"X12	1.7/8"X12	O932		15.1	32	70		

www.fitsch.cn







6J **6J-LN**


美制 JIC 外螺纹 74° 外锥过板接头
JIC MALE 74° CONE BULKHEAD

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	L	S1	S2
6J-02	5/16"X24	5/16"X24			11.4	28.2	47.5	14	14
6J-03	3/8"X24	3/8"X24			12.2	28.2	48.3	16	16
6J-04	7/16"X20	7/16"X20			14	32.5	52.5	17	17
6J-05	1/2"X20	1/2"X20			14	32.5	52.5	19	19
6J-06	9/16"X18	9/16"X18			14.1	32.5	54.5	22	22
6J-06(S19)	9/16"X18	9/16"X18			14.1	32.5	54.5	19	22
6J-08	3/4"X16	3/4"X16			16.7	36.5	61.5	24	24
6J-10	7/8"X14	7/8"X14			19.3	40	69.5	30	30
6J-12	1.1/16"X12	1.1/16"X12			21.9	44.5	78.5	36	36
6J-14	1.3/16"X12	1.3/16"X12			22.6	44.5	79.2	38	38
6J-16	1.5/16"X12	1.5/16"X12			23.1	44.5	79.8	41	41
6J-20	1.5/8"X12	1.5/8"X12			24.3	45.7	84	50	50
6J-24	1.7/8"X12	1.7/8"X12			27.5	46	89.5	55	55
6J-32	2.1/2"X12	2.1/2"X12			33.9	53.1	106.7	70	70


注：如需带锁母订货，则请在代号后加“LN”, 如 6J-12LN。螺母及衬套需另行订货，管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。Note：In case if you are interested to order the adapter with lock nut,please insert suffix "LN" after our partno , forexample 6J-12LN。Nut and sleeve should be ordered separately，The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn


JIC Hydraulic Tube Fittings SAE J514 ISO 8434-2



6J4



6J4-LN



45° JIC 外螺纹 74° 外锥
45° JIC MALE 74° CONE


代 号 PART NO.	螺 纹 THREAD E	F			尺 寸 DIMENSIONS A	B	S1	S2	
6J4-04	7/16"X20	7/16"X20			21	38.9	11	17	
6J4-05	1/2"X20	1/2"X20			23	42.2	14	19	
6J4-06	9/16"X18	9/16"X18			23	42.4	14	22	
6J4-08	3/4"X16	3/4"X16			27	49.3	19	24	
6J4-10	7/8"X14	7/8"X14			31	55.1	22	30	
6J4-12	1.1/16"X12	1.1/16"X12			35	62	27	36	
6J4-14	1.3/16"X12	1.3/16"X12			36	63.5	30	38	
6J4-16	1.5/16"X12	1.5/16"X12			37.8	65	33	41	
6J4-20	1.5/8"X12	1.5/8"X12			42.8	67.3	41	50	
6J4-24	1.7/8"X12	1.7/8"X12			48.4	67.8	48	55	


注：如需带锁母订货，则请在代号后加“LN”, 如 6J4-12LN。螺母及衬套需另行订货，管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。


Note：In case if you are interested to order the adapter with lock nut,please insert suffix "LN" after our partno ， for example 6J4-12LN。Nut and sleeve should be ordered separately，The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn

JIC Hydraulic Tube Fittings SAE J514 ISO 8434-2







6J9 **6J9-LN**


90° JIC MALE 74° CONE BULKHEAD
90° JIC 外螺纹 74° 外锥过板接头


代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	S1	S2	
6J9-04	7/16"X20	7/16"X20			24.5	40.4	11	17	
6J9-05	1/2"X20	1/2"X20			26.6	43.7	14	19	
6J9-06	9/16"X18	9/16"X18			27.7	46	14	22	
6J9-08	3/4"X16	3/4"X16			34.5	53.5	19	24	
6J9-10	7/8"X14	7/8"X14			39.6	60.7	22	30	
6J9-12	1.1/16"X12	1.1/16"X12			45.2	67.8	27	36	
6J9-14	1.3/16"X12	1.3/16"X12			48.2	69.5	30	38	
6J9-16	1.5/16"X12	1.5/16"X12			50	71	33	41	
6J9-20	1.5/8"X12	1.5/8"X12			57.5	79.2	41	50	
6J9-24	1.7/8"X12	1.7/8"X12			63.1	80.9	48	55	


注：如需带锁母订货，则请在代号后加“LN”, 如 6J9-12LN。螺母及衬套需另行订货，管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。

Note：In case if you are interested to order the adapter with lock nut,please insert suffix "LN" after our part no ，for example 6J9-12LN。Nut and sleeve should be ordered separately，The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn








6JO **6JO-LN**

美制 JIC 外螺纹 / 美制 SAE O 形圈
JIC MALE/SAE O-RING BOSS

代 号 PART NO.	螺 纹 THREAD		O 形圈 O-RING		尺 寸 DIMENSIONS				
	E	F		F 端	A	B	L	S1	S2
6JO-04	7/16"X20	7/16"X20		8.92X1.83	32.5	9.1	47.5	14	17
6JO-06	9/16"X18	9/16"X18		11.89X1.98	32.5	9.9	48.5	17	22
6JO-08	3/4"X16	3/4"X16		16.36X2.21	36.5	11.1	55.5	22	24
6JO-10	7/8"X14	7/8"X14		19.18X2.46	40	12.7	62.5	27	30
6JO-12	1.1/16"X12	1.1/16"X12		23.47X2.95	44.5	15.1	70.5	32	36
6JO-16	1.5/16"X12	1.5/16"X12		29.74X2.95	44.5	15.1	70.5	38	41

注：如需带锁母订货，则请在代号后加“LN”, 如 6JO-12LN。螺母及衬套需另行订货，管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。Note：Incase if you are interested to order the adapter with lock nut,please insert suffix "LN" after our partno ，for example 6JO-12LN。Nut and sleeve should be ordered separately，The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn



6NJ **6NJ-LN**


美制 NPT 外螺纹 / 美制 JIC 外螺纹外锥过板接头
NPT MALE/JIC MALE 74° CONE BULKHEAD

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			A	B	L	S1	S2
6NJ-02-04	Z1/8"X27	7/16"X20			10.5	32.5	49	17	17
6NJ-04	Z1/4"X18	7/16"X20			15	32.5	53.5	17	17
6NJ-04-06	Z1/4"X18	9/16"X18			15	32.5	53.5	22	22
6NJ-06	Z3/8"X18	9/16"X18			16	32.5	56.5	22	22
6NJ-08	Z1/2"X14	3/4"X16			19.5	36.5	64	24	24
6NJ-08-10	Z1/2"X14	7/8"X14			19.5	40	69.5	30	30
6NJ-12	Z3/4"X14	1.1/16"X12			19.5	44.5	75	36	36
6NJ-16	Z1"X11.5	1.5/16"X12			25.5	44.5	83	41	41
6NJ-20	Z1.1/4"X11.5	1.5/8"X12			26.5	45.7	87	50	50
6NJ-24	Z1.1/2"X11.5	1.7/8"X12			27.5	46	88.5	55	55

注：如需带锁母订货，则请在代号后加“LN”, 如 6NJ-12LN。螺母及衬套需另行订货，管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。

Note：In case if you are interested to order the adapter with lock nut,please insert suffix "LN" after our part no ， for example 6J-12LN。Nut and sleeve should be ordered separately，The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn




7BJ

英管内螺纹 / 美制 JIC 内螺纹 74° 内锥面
BSP FEMALE/JIC FEMALE 74° SEAT

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			L	S1			
7BJ-04-05	G1/4"X19	1/2"X20			31.5	19			
7BJ-04-06	G1/4"X19	9/16"X18			32	19			
7BJ-04-08	G1/4"X19	3/4"X16			33	24			
7BJ-04-10	G1/4"X19	7/8"X14			34	27			

www.fitsch.cn




7BJ-S

英管内螺纹 /JIC 内螺纹 74° 内锥
BSP FEMALE/JIC FEMALE 74° SEAT

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			B	L	S1	S2	
7BJ-04-05S	G1/4"X19	1/2"X20			9.5	29.5	19	17	
7BJ-04S	G1/4"X19	7/16"X20			9	29	19	17	
7BJ-06S	G3/8"X19	9/16"X18			10.5	32.5	22	19	
7BJ-08-10S	G1/2"X14	7/8"X14			13	40	27	27	
7BJ-08S	G1/2"X14	3/4"X16			11	39.5	27	24	
7BJ-12S	G3/4"X14	1.1/16"X12			15	42	36	32	
7BJ-16S	G1"X11	1.5/16"X12			16	47.5	41	41	
7BJ-20S	G1.1/4"X11	1.5/8"X12			17	51	50	50	
7BJ-24S	G1.1/2"X11	1.7/8"X12			20	53	55	55	

www.fitsch.cn




7JB-G

JIC 74° 内螺纹 / 英管内螺纹表接头
JIC 74° FEMALE/BSP PRESSURE GAUGE CONNECTORS

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			L	S1			
7JB-05-04G	1/2"X20	G1/4"X19			27	19			
7JB-05-08G	1/2"X20	G1/2"X14			35	27			
7JB-06-04G	9/16"X18	G1/4"X19			28.5	19			
7JB-08-04G	3/4"X16	G1/4"X19			33	24			
7JB-10-04G	7/8"X14	G1/4"X19			35.5	27			
7JB-12-04G	1.1/16"X12	G1/4"X19			38	32			
7JB-16-04G	1.5/16"X12	G1/4"X19			44	41			
7JB-20-04G	1.5/8"X12	G1/4"X19			49	50			
7JB-24-04G	1.7/8"X12	G1/4"X19			55	60			


www.fitsch.cn



7JN

JIC 74° 内螺纹 / 布锥管内螺纹
JIC 74° FEMALE/NPT FEMALE

代 号 PART NO.	螺 纹 THREAD E	F				尺 寸 DIMENSIONS L	S1		
7JN-04	7/16"X20	Z1/4"X18				31	19		
7JN-05-04	1/2"X20	Z1/4"X18				31	19		
7JN-06-04	9/16"X18	Z1/4"X18				31.5	19		
7JN-06	9/16"X18	Z3/8"X18				31.5	22		
7JN-08-04	3/4"X16	Z1/4"X18				33	24		
7JN-08	3/4"X16	Z1/2"X14				37	30		
7JN-10-04	7/8"X14	Z1/4"X18				35	27		
7JN-10-08	7/8"X14	Z1/2"X14				40	30		
7JN-12-04	1.1/16"X12	Z1/4"X18				36	32		
7JN-12-08	1.1/16"X12	Z1/2"X14				41	32		




7NJ9-S

90° 美制锥管内螺纹 /JIC 内螺纹 74° 内锥
90° NPT FEMALE/JIC FEMALE 74°

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E	F			A	B	S1	S2	
7NJ9-04S	Z1/4"X18	7/16"X20			22.5	9	19	15	
7NJ9-04-06S	Z1/4"X18	9/16"X18			22.5	10.5	19	19	
7NJ9-06-04S	Z3/8"X18	7/16"X20			27	9	24	15	
7NJ9-06S	Z3/8"X18	9/16"X18			27	10.5	24	19	
7NJ9-06-08S	Z3/8"X18	3/4"X16			27	10.5	24	24	
7NJ9-08-06S	Z1/2"X14	9/16"X18			31.2	10.5	30	19	
7NJ9-08S	Z1/2"X14	3/4"X16			31.2	10.5	30	24	
7NJ9-08-10S	Z1/2"X14	7/8"X14			31.2	12	30	27	
7NJ9-12S	Z3/4"X14	1.1/16"X12			34.5	15	33	32	
7NJ9-12-16S	Z3/4"X14	1.5/16"X12			34.5	16	33	41	
7NJ9-16-12S	Z1"X11.5	1.1/16"X12			43	15	41	32	
7NJ9-16S	Z1"X11.5	1.5/16"X12			43	16	41	41	
7NJ9-20S	Z1.1/4"X11.5	1.5/8"X12			43.2	17	50	50	
7NJ9-24S	Z1.1/2"X11.5	1.7/8"X12			52.8	20	63	60	


www.fitsch.cn



7NJ-S

布锥管内螺纹 /JIC 内螺纹 74° 内锥
NPT FEMALE/JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS			
PART NO.	E	F				B	L	S1	S2
7NJ-04S	Z1/4"X18	7/16"X20				9	29	19	15
7NJ-04-06S	Z1/4"X18	9/16"X18				10.5	28	19	19
7NJ-06-04S	Z3/8"X18	7/16"X20				9	29.5	22	15
7NJ-06S	Z3/8"X18	9/16"X18				10.5	30	24	19
7NJ-06-08S	Z3/8"X18	3/4"X16				11	32	24	24
7NJ-08S	Z1/2"X14	3/4"X16				11	37.5	30	24
7NJ-08-10S	Z1/2"X14	7/8"X14				14	38	30	27
7NJ-08-12S	Z1/2"X14	1.1/16"X12				15	39.5	30	32
7NJ-12S	Z3/4"X14	1.1/16"X12				15	40.5	36	32
7NJ-12-16S	Z3/4"X14	1.5/16"X12				16	40.5	36	41
7NJ-16-12S	Z1"X11.5	1.1/16"X12				15	47.5	41	32
7NJ-16S	Z1"X11.5	1.5/16"X12				16	47.5	41	41
7NJ-20S	Z1.1/4"X11.5	1.5/8"X12				16.1	53	50	50
7NJ-24S	Z1.1/2"X11.5	1.7/8"X12				20	53.5	60	55




7TJ-S

英锥管内螺纹 / 美制 JIC 内螺纹 74° 内锥
BSPT FEMALE/JIC FEMALE 74° SEAT

代 号 PART NO.	螺 纹 THREAD				尺 寸 DIMENSIONS				
	E	F			B	L	S1	S2	
7TJ-04S	R1/4"X19	7/16"X20			9	29.5	19	17	
7TJ-04-05S	Rc1/4"X19	1/2"X20			9.5	30	19	17	
7TJ-06S	Rc3/8"X19	9/16"X18			10.5	32.5	22	19	
7TJ-08S	Rc1/2"X14	3/4"X16			11	39.5	27	24	
7TJ-08-10S	Rc1/2"X14	7/8"X14			13	40	27	27	
7TJ-12S	Rc3/4"X14	1.1/16"X12			15	43	36	32	
7TJ-16S	Rc1"X11	1.5/16"X12			16	47.5	41	41	

www.fitsch.cn




8J

美制 JIC 螺纹锁母
JIC LOCKNUT

代 号 PART NO.	螺 纹 THREAD E				尺 寸 DIMENSIONS A	S1			
8J-04	7/16"X20				7	17			
8J-05	1/2"X20				7	19			
8J-06	9/16"X18				7	22			
8J-08	3/4"X16				8	24			
8J-10	7/8"X14				9	30			
8J-12	1.1/16"X12				10.5	36			
8J-14	1.3/16"X12				10.5	38			
8J-16	1.5/16"X12				10.5	41			
8J-20	1.5/8"X12				10.5	50			
8J-24	1.7/8"X12				10.5	55			
8J-32	2.1/2"X12				10.5	70			

www.fitsch.cn




8O

美制 SAE O-RING 用锁母
LOCKNUT FOR SAE O-RING BOSS

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E				A	S1			
8J-03OG	3/8"X24				7.2	14			
8J-05OG	1/2"X20				7	17			
8J-06OG	9/16"X18				7	19			
8J-10OG	7/8"X14				9	27			
8J-12OG	1.1/16"X12				10.5	32			
8J-14OG	1.3/16"X12				10.5	36			
注：其它规格与8J系列相同。another standard is the same as 8J.									

www.fitsch.cn




9J

美制 JIC 内螺纹 74° 内锥堵头
JIC FEMALE 74° SEAT PLUG

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E				A	L	S2		
9J-03	3/8"X24				8	10.5	14		
9J-04	7/16"X20				9	10.5	15		
9J-05	1/2"X20				9.5	11	17		
9J-06	9/16"X18				10.5	11	19		
9J-08	3/4"X16				11	13	24		
9J-10	7/8"X14				13	13.5	27		
9J-12	1.1/16"X12				15	15	32		
9J-14	1.3/16"X12				15	15	36		
9J-16	1.5/16"X12				16	15.5	41		
9J-20	1.5/8"X12				17	18.5	50		
9J-24	1.7/8"X12				20	19	55		
9J-32	2.1/2"X12				23.5	20.5	75		

www.fitsch.cn




9J-CAP


JIC 74° 内螺纹堵头
JIC 74° FEMALE PLUG

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E				L	S1			
9J-04CAP	7/16"X20				15.1	15			
9J-10CAP	7/8"X14				21.4	27			
9J-05CAP	1/2"X20				15.5	17			
9J-06CAP	9/16"X18				15.9	19			
9J-08CAP	3/4"X16				19	24			
9J-12CAP	1.1/16"X12				23	32			
9J-20CAP	1.5/8"X12				27	50			
9J-24CAP	1.7/8"X12				30.2	60			
9J-32CAP	2.1/2"X12				36.5	75			
9J-16CAP	1.5/16"X12				25.8	41			

www.fitsch.cn

JIC Hydraulic Tube Fittings SAE J514 ISO 8434-2







美制 JIC 外螺纹 74° 外锥
JIC MALE 74° CONE


代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	
AJ-02	5/16"X24	5/16"X24	5/16"X24			21	21	21	11	
AJ-03	3/8"X24	3/8"X24	3/8"X24			22	22	22	11	
AJ-04	7/16"X20	7/16"X20	7/16"X20			24.5	24.5	24.5	11	
AJ-04-06-04	7/16"X20	9/16"X18	7/16"X20			26.6	26.9	26.6	14	
AJ-05-04-05	1/2"X20	7/16"X20	1/2"X20			26	26.6	26	14	
AJ-05	1/2"X20	1/2"X20	1/2"X20			26	26	26	14	
AJ-06-04-06	9/16"X18	7/16"X20	9/16"X18			26.9	26.6	26.9	14	
AJ-06	9/16"X18	9/16"X18	9/16"X18			26.9	26.9	26.9	14	
AJ-06-08-06	9/16"X18	3/4"X16	9/16"X18			30	32	30	19	
AJ-08	3/4"X16	3/4"X16	3/4"X16			32	32	32	19	
AJ-08-06-06	3/4"X16	9/16"X18	9/16"X18			32	30	30	19	
AJ-08-06-08	3/4"X16	9/16"X18	3/4"X16			32	30	32	19	
AJ-08-10-08	3/4"X16	7/8"X14	3/4"X16			34.8	37.8	34.8	22	
AJ-08-12-08	3/4"X16	1.1/16"X12	3/4"X16			37.9	44.2	37.9	27	
AJ-10	7/8"X14	7/8"X14	7/8"X14			37.8	37.8	37.8	22	
AJ-10-08-08	7/8"X14	3/4"X16	3/4"X16			37.8	34.8	34.8	22	
AJ-10-08-10	7/8"X14	3/4"X16	7/8"X14			37.8	34.8	37.8	22	
AJ-10-12-10	7/8"X14	1.1/16"X12	7/8"X14			41	44.2	41	27	
AJ-12	1.1/16"X12	1.1/16"X12	1.1/16"X12			44.2	44.2	44.2	27	
AJ-12-08-12	1.1/16"X12	3/4"X16	1.1/16"X12			44.2	37.9	44.2	27	
AJ-12-10-12	1.1/16"X12	7/8"X14	1.1/16"X12			44.2	41	44.2	27	
AJ-12-16-12	1.1/16"X12	1.5/16"X12	1.1/16"X12			48	49	48	33	
AJ-14	1.3/16"X12	1.3/16"X12	1.3/16"X12			47.5	47.5	47.5	30	
AJ-16	1.5/16"X12	1.5/16"X12	1.5/16"X12			49	49	49	33	
AJ-16-12-16	1.5/16"X12	1.1/16"X12	1.5/16"X12			49	48	49	33	
AJ-20	1.5/8"X12	1.5/8"X12	1.5/8"X12			56.5	56.5	56.5	41	
AJ-20-16-20	1.5/8"X12	1.5/16"X12	1.5/8"X12			56.5	54	56.5	41	
AJ-24	1.7/8"X12	1.7/8"X12	1.7/8"X12			63	63	63	48	
AJ-32	2.1/2"X12	2.1/2"X12	2.1/2"X12			78	78	78	63	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn







AJ6JJ **AJ6JJ-LN**


JIC 外螺纹 74° 外锥
JIC MALE 74° CONE


代 号 PART NO.	螺 纹 THREAD					尺 寸 DIMENSIONS				
	E	F	G			A	B	C	S1	S2
AJ6JJ-04	7/16"X20	7/16"X20	7/16"X20			24.5	40.4	24.5	11	17
AJ6JJ-04-06-04	7/16"X20	9/16"X18	7/16"X20			26.4	46	26.4	14	22
AJ6JJ-05	1/2"X20	1/2"X20	1/2"X20			26.6	43.7	26.6	14	19
AJ6JJ-06	9/16"X18	9/16"X18	9/16"X18			26.9	46	26.9	14	22
AJ6JJ-08	3/4"X16	3/4"X16	3/4"X16			32	53.5	32	19	24
AJ6JJ-10	7/8"X14	7/8"X14	7/8"X14			37.8	60.7	37.8	22	30
AJ6JJ-12	1.1/16"X12	1.1/16"X12	1.1/16"X12			44.2	67.8	44.2	27	36
AJ6JJ-14	1.3/16"X12	1.3/16"X12	1.3/16"X12			46.2	71	46.2	30	38
AJ6JJ-16	1.5/16"X12	1.5/16"X12	1.5/16"X12			49	71	49	33	41
AJ6JJ-20	1.5/8"X12	1.5/8"X12	1.5/8"X12			55.3	79.2	55.3	41	50
AJ6JJ-24	1.7/8"X12	1.7/8"X12	1.7/8"X12			63.5	86.9	63.5	48	55

注：如需带锁母订货，则请在代号后加“LN”, 如 AJ6JJ-12LN。螺母及衬套需另行订货，管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。

Note：In case if you are interested to order the adapter with lock nut,please insert suffix "LN" after our partno ，for example AJ6JJ-12LN。Nut and sleeve should be ordered separately，The nut NB200 and sleeve NB500 issuitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






AJGJ-OG


JIC 外螺纹 / 英管外螺纹 O 形圈 /JIC 外螺纹
JIC MALE/ BSP MALE O-RING/JIC MALE

代 号 PART NO.	螺 纹 THREAD			O形圈 O-RING		尺 寸 DIMENSIONS				
	E	F	G		F端	A	B	C	S1	S2
AJGJ-04OG	7/16"X20	G1/4"X19	7/16"X20		10.77X2.62	26.6	31.8	26.6	14	19
AJGJ-04-02-04OG	7/16"X20	G1/8"X28	7/16"X20		10.77X2.62	24.5	26.2	24.5	11	19
AJGJ-05-02-05OG	1/2"X20	G1/8"X28	1/2"X20		10.77X2.62	26.6	29	26.6	14	19
AJGJ-05-04-05OG	1/2"X20	G1/4"X19	1/2"X20		10.77X2.62	26.6	31.8	26.6	14	19
AJGJ-06-04-06OG	9/16"X18	G1/4"X19	9/16"X18		10.77X2.62	37	31	27	14	19
AJGJ-06OG	9/16"X18	G3/8"X19	9/16"X18		13.94X2.62	28.5	36.8	28.5	16	22
AJGJ-08-06-08OG	3/4"X16	G3/8"X19	3/4"X16		13.94X2.62	33	37	33	19	22
AJGJ-08OG	3/4"X16	G1/2"X14	3/4"X16		17.12X2.62	35	43.2	35	22	27
AJGJ-10-08-10OG	7/8"X14	G1/2"X14	7/8"X14		17.12X2.62	37.8	43.5	37.8	22	27
AJGJ-12OG	1.1/16"X12	G3/4"X14	1.1/16"X12		23.47X2.62	44.2	51	44.2	27	32
AJGJ-16OG	1.5/16"X12	G1"X11	1.5/16"X12		29.74X3.53	48.8	53	48.8	33	41

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






AJHJ-OG

JIC 外螺纹 / 公制外螺纹 O 形圈 /JIC 外螺纹
JIC MALE/METRIC MAIL O-RING/JIC MALE


代 号	螺 纹 THREAD			O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	G		F 端	A	B	C	S1	S2
AJHJ-04-10-04OG	7/16"X20	M10X1	7/16"X20		8.1X1.6	24.5	26.5	24.5	11	14
AJHJ-04-12-04OG	7/16"X20	M12X1.5	7/16"X20		9.3X2.4	26.6	32	26.6	14	17
AJHJ-05-10-05OG	1/2"X20	M10X1	1/2"X20		8.1X1.6	26.6	28.8	26.6	14	14
AJHJ-05-12-05OG	1/2"X20	M12X1.5	1/2"X20		9.3X2.4	26.6	32	26.6	14	17
AJHJ-05-14-05OG	1/2"X20	M14X1.5	1/2"X20		11.3X2.4	26.6	32	26.6	14	19
AJHJ-06-14-06OG	9/16"X18	M14X1.5	9/16"X18		11.3X2.4	26.9	32	26.9	14	19
AJHJ-06-16-06OG	9/16"X18	M16X1.5	9/16"X18		13.3X2.4	28.5	34.8	28.5	16	22
AJHJ-08-16-08OG	3/4"X16	M16X1.5	3/4"X16		13.3X2.4	32	36	32	19	22
AJHJ-08-18-08OG	3/4"X16	M18X1.5	3/4"X16		15.3X2.4	32	37	32	19	24
AJHJ-10-18-10OG	7/8"X14	M18X1.5	7/8"X14		15.3X2.4	37.8	39.5	37.8	22	24
AJHJ-10-22-10OG	7/8"X14	M22X1.5	7/8"X14		19.3X2.4	37.8	40.2	37.8	22	27
AJHJ-12-22-12OG	1.1/16"X12	M22X1.5	1.1/16"X12		19.3X2.4	44.2	43.5	44.2	27	27
AJHJ-12-27-12OG	1.1/16"X12	M27X2	1.1/16"X12		23.5X3	44.2	48.5	44.2	27	32
AJHJ-16-27-16OG	1.5/16"X12	M27X2	1.5/16"X12		23.5X3	49	52	49	33	32
AJHJ-16-33-16OG	1.5/16"X12	M33X2	1.5/16"X12		29.2X3	49	52.5	49	33	41
AJHJ-20-42-20OG	1.5/8"X12	M42X2	1.5/8"X12		38.5X3	55.5	57.2	55.5	41	50
AJHJ-24-48-24OG	1.7/8"X12	M48X2	1.7/8"X12		44.5X3	62.5	62.7	62.5	48	55


注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn



AJJ6J






AJJ6J-LN


JIC 外螺纹 74° 外锥
JIC MALE 74° CONE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	S2
AJJ6J-04	7/16"X20	7/16"X20	7/16"X20			24.5	24.5	40.4	11	17
AJJ6J-05	1/2"X20	1/2"X20	1/2"X20			26.6	26.6	43.7	14	19
AJJ6J-06	9/16"X18	9/16"X18	9/16"X18			26.9	26.9	46	14	22
AJJ6J-08	3/4"X16	3/4"X16	3/4"X16			32	32	53.5	19	24
AJJ6J-10	7/8"X14	7/8"X14	7/8"X14			37.8	37.8	60.7	22	30
AJJ6J-12	1.1/16"X12	1.1/16"X12	1.1/16"X12			44.2	44.2	67.8	27	36
AJJ6J-16	1.5/16"X12	1.5/16"X12	1.5/16"X12			49	49	71	33	41
AJJ6J-20	1.5/8"X12	1.5/8"X12	1.5/8"X12			55.3	55.3	79.2	41	50
AJJ6J-24	1.7/8"X12	1.7/8"X12	1.7/8"X12			63.5	63.5	86.9	48	55

注：如需带锁母订货，则请在代号后加“LN”, 如 AJJ6J-12LN。螺母及衬套需另行订货，管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。
Note：In case if you are interested to order the adapter with lock nut,please insert suffix "LN" after our part no ，for example AJJ6J-12LN。Nut and sleeve should be ordered separately，The nut NB200 and sleeveNB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






AJJG-OG


JIC 外螺纹 /JIC 外螺纹 / 英管外螺纹 O 形圈
JIC MALE/JIC MALE/BSP MALE O-RING

代 号 PART NO.	螺 纹 THREAD			O 形圈 O-RING	尺 寸 DIMENSIONS				
	E	F	G	G 端	A	B	C	S1	S2
AJJG-04OG	7/16"X20	7/16"X20	G1/4"X19	10.77X2.62	26.6	26.5	31.9	14	19
AJJG-05-05-04OG	1/2"X20	1/2"X20	G1/4"X19	10.77X2.62	26.6	26.6	31.3	14	19
AJJG-05-06-04OG	1/2"X20	9/16"X18	G1/4"X19	10.77X2.62	26.6	26.9	31.3	14	19
AJJG-06OG	9/16"X18	9/16"X18	G3/8"X19	13.94X2.62	28.5	28.5	36.8	16	22
AJJG-06-06-04OG	9/16"X18	9/16"X18	G1/4"X19	10.77X2.62	26.9	26.9	31.3	14	19
AJJG-08-08-06OG	3/4"X16	3/4"X16	G3/8"X19	13.94X2.62	32	32	36.8	19	22
AJJG-08OG	3/4"X16	3/4"X16	G1/2"X14	17.12X2.62	35	35	43.2	22	27
AJJG-10-10-08OG	7/8"X14	7/8"X14	G1/2"X14	17.12X2.62	37.8	37.8	44	22	27
AJJG-12OG	1.1/16"X12	1.1/16"X12	G3/4"X14	23.47X2.62	44	44	49.5	27	32
AJJG-16OG	1.5/16"X12	1.5/16"X12	G1"X11	29.74X3.53	48.8	48.8	53	33	41

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 issuitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






AJJH-OG


JIC 外螺纹 /JIC 外螺纹 / 公制外螺纹 O 形圈
JIC MALE/JIC MALE/METRIC MAIL O-RING

代 号 PART NO.	螺 纹 THREAD			O 形圈 O-RING		尺 寸 DIMENSIONS				
	E	F	G		G 端	A	B	C	S1	S2
AJJH-04-04-10OG	7/16"X20	7/16"X20	M10X1		8.1X1.6	24.5	24.5	26.5	11	14
AJJH-04-04-12OG	7/16"X20	7/16"X20	M12X1.5		9.3X2.4	26.6	26.6	32	14	17
AJJH-05-05-10OG	1/2"X20	1/2"X20	M10X1		8.1X1.6	26.6	26.6	28.8	14	14
AJJH-05-05-12OG	1/2"X20	1/2"X20	M12X1.5		9.3X2.4	26.5	26.5	32	14	17
AJJH-05-05-14OG	1/2"X20	1/2"X20	M14X1.5		11.3X2.4	26.6	26.6	32	14	19
AJJH-06-06-14OG	9/16"X18	9/16"X18	M14X1.5		11.3X2.4	26.9	26.9	32	14	19
AJJH-06-06-16OG	9/16"X18	9/16"X18	M16X1.5		13.3X2.4	28.5	28.5	34.8	16	22
AJJH-08-08-16OG	3/4"X16	3/4"X16	M16X1.5		13.3X2.4	32	32	36	19	22
AJJH-08-08-18OG	3/4"X16	3/4"X16	M18X1.5		15.3X2.4	32	32	37	19	24
AJJH-10-10-18OG	7/8"X14	7/8"X14	M18X1.5		15.3X2.4	37.8	37.8	39.5	22	24
AJJH-10-10-22OG	7/8"X14	7/8"X14	M22X1.5		19.3X2.4	37.8	37.8	40.2	22	27
AJJH-12-12-22OG	1.1/16"X12	1.1/16"X12	M22X1.5		19.3X2.4	44.2	44.2	43.5	27	27
AJJH-12-12-27OG	1.1/16"X12	1.1/16"X12	M27X2		23.5X3	44.2	44.2	48.5	27	32
AJJH-16-16-27OG	1.5/16"X12	1.5/16"X12	M27X2		23.5X3	49	49	52	33	32
AJJH-16-16-33OG	1.5/16"X12	1.5/16"X12	M33X2		29.2X3	49	49	52.5	33	41
AJJH-20-20-42OG	1.5/8"X12	1.5/8"X12	M42X2		38.5X3	55.5	55.5	57.2	41	50
AJJH-24-24-48OG	1.7/8"X12	1.7/8"X12	M48X2		44.5X3	62.5	62.5	62.7	48	55

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






AJJN


JIC 外螺纹 /JIC 外螺纹 / 布锥管外螺纹
JIC MALE/JIC MALE/NPT MALE

代 号 PART NO.	螺 纹 THREAD					尺 寸 DIMENSIONS				
	E	F	G			A	B	C	S1	
AJJN-02	5/16"X24	5/16"X24	Z1/8"X27			21	21	21	11	
AJJN-03-03-02	3/8"X24	3/8"X24	Z1/8"X27			22	22	21	11	
AJJN-04	7/16"X20	7/16"X20	Z1/4"X18			26.6	26.6	25.5	14	
AJJN-04-04-02	7/16"X20	7/16"X20	Z1/8"X27			24.5	24.5	21	11	
AJJN-05-05-02	1/2"X20	1/2"X20	Z1/8"X27			26.6	26.6	23.5	14	
AJJN-05-05-04	1/2"X20	1/2"X20	Z1/4"X18			26.6	26.6	25.5	14	
AJJN-06	9/16"X18	9/16"X18	Z3/8"X18			30	30	31	19	
AJJN-06-04-06	9/16"X18	7/16"X20	Z3/8"X18			30	29.5	31	19	
AJJN-06-06-04	9/16"X18	9/16"X18	Z1/4"X18			26.9	26.9	25.5	14	
AJJN-06-06-08	9/16"X18	9/16"X18	Z1/2"X14			32	32	36.7	22	
AJJN-08	3/4"X16	3/4"X16	Z1/2"X14			34.8	34.8	36.7	22	
AJJN-08-08-06	3/4"X16	3/4"X16	Z3/8"X18			32	32	31	19	
AJJN-08-08-12	3/4"X16	3/4"X16	Z3/4"X14			37.9	37.9	44	27	
AJJN-10-10-08	7/8"X14	7/8"X14	Z1/2"X14			37.8	37.8	36.7	22	
AJJN-10-10-12	7/8"X14	7/8"X14	Z3/4"X14			41	41	44	27	
AJJN-12-12-08	1.1/16"X12	1.1/16"X12	Z1/2"X14			44.2	44.2	37.9	27	
AJJN-12	1.1/16"X12	1.1/16"X12	Z3/4"X14			44.2	44.2	44	27	
AJJN-14-14-12	1.3/16"X12	1.3/16"X12	Z3/4"X14			47.5	47.5	45	30	
AJJN-16-16-12	1.5/16"X12	1.5/16"X12	Z3/4"X14			49	49	46.5	33	
AJJN-16	1.5/16"X12	1.5/16"X12	Z1"X11.5			49	49	50	33	
AJJN-20-20-16	1.5/8"X12	1.5/8"X12	Z1"X11.5			55.5	55.5	54.5	41	
AJJN-20	1.5/8"X12	1.5/8"X12	Z1.1/4"X11.5			55.5	55.5	54.5	41	
AJJN-24	1.7/8"X12	1.7/8"X12	Z1.1/2"X11.5			62.5	62.5	60	48	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






AJJO-OG


JIC 外螺纹 /JIC 外螺纹 /SAE 外螺纹 O 形圈
JIC MALE/JIC MALE/SAE O-RING BOSS

代 号	螺 纹 THREAD			O 形圈 O-RING	尺 寸 DIMENSIONS				
PART NO.	E	F	G	G 端	A	B	C	S1	S2
AJJO-02OG	5/16"X24	5/16"X24	5/16"X24	6.07X1.63	23	21	21	11	12
AJJO-03OG	3/8"X24	3/8"X24	3/8"X24	7.65X1.63	23	22	22	11	14
AJJO-04OG	7/16"X20	7/16"X20	7/16"X20	8.92X1.83	24.5	24.5	27.2	11	17
AJJO-04-04-06OG	7/16"X20	7/16"X20	9/16"X18	11.89X1.98	26.6	26.6	31.8	14	19
AJJO-05OG	1/2"X20	1/2"X20	1/2"X20	10.52X1.83	26.6	26.6	29	14	17
AJJO-05-05-04OG	1/2"X20	1/2"X20	7/16"X20	8.92X1.83	26.6	26.6	30	14	17
AJJO-06OG	9/16"X18	9/16"X18	9/16"X18	11.89X1.98	26.9	26.9	31.8	14	19
AJJO-06-06-04OG	9/16"X18	9/16"X18	7/16"X20	8.92X1.83	26.9	26.9	30	14	17
AJJO-06-06-05OG	9/16"X18	9/16"X18	1/2"X20	10.52X1.83	26.9	26.9	30	14	17
AJJO-06-06-08OG	9/16"X18	9/16"X18	3/4"X16	16.36X2.21	30	30	37.5	19	24
AJJO-08OG	3/4"X16	3/4"X16	3/4"X16	16.36X2.21	33	33	36.8	19	24
AJJO-08-08-06OG	3/4"X16	3/4"X16	9/16"X18	11.89X1.98	32	32	33.5	19	19
AJJO-08-08-10OG	3/4"X16	3/4"X16	7/8"X14	19.18X2.46	34.8	34.8	44	22	27
AJJO-10OG	7/8"X14	7/8"X14	7/8"X14	19.18X2.46	37.8	37.8	44	22	27
AJJO-10-10-08OG	7/8"X14	7/8"X14	3/4"X16	16.36X2.21	37.8	37.8	39.5	22	24
AJJO-12OG	1.1/16"X12	1.1/16"X12	1.1/16"X12	23.47X2.95	44.2	44.2	51	27	32
AJJO-12-12-08OG	1.1/16"X12	1.1/16"X12	3/4"X16	16.36X2.21	44.2	44.2	43	27	24
AJJO-12-12-10OG	1.1/16"X12	1.1/16"X12	7/8"X14	19.18X2.46	44.2	44.2	49	27	27
AJJO-14OG	1.3/16"X12	1.3/16"X12	1.3/16"X12	26.62X2.95	47.5	47.5	53	30	36
AJJO-16OG	1.5/16"X12	1.5/16"X12	1.5/16"X12	29.74X2.95	48.8	48.8	54.5	33	41
AJJO-16-16-12OG	1.5/16"X12	1.5/16"X12	1.1/16"X12	23.47X2.95	48.8	48.8	53.5	33	32
AJJO-20OG	1.5/8"X12	1.5/8"X12	1.5/8"X12	37.46X3.00	55.3	55.3	59	41	50
AJJO-24OG	1.7/8"X12	1.7/8"X12	1.7/8"X12	43.69X3.00	62.5	62.5	63	48	55
AJJO-32OG	2.1/2"X12	2.1/2"X12	2.1/2"X12	59.36X3.00	78	78	79	63	70

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






JIC 外螺纹 /JIC 外螺纹 / 英锥管外螺纹
JIC MALE/JIC MALE/BSPT MALE


AJJT-SP

代 号 PART NO.	螺 纹 THREAD					尺 寸 DIMENSIONS				
	E	F	G			A	B	C	S1	
AJJT-04-04-02SP	7/16"X20	7/16"X20	R1/8"X28			24.5	24.5	21	11	
AJJT-04SP	7/16"X20	7/16"X20	R1/4"X19			26.6	26.6	25.5	14	
AJJT-04-04-06SP	7/16"X20	7/16"X20	R3/8"X19			27.5	27.5	28	16	
AJJT-06-06-04SP	9/16"X18	9/16"X18	R1/4"X19			26.9	26.9	25.5	14	
AJJT-06SP	9/16"X18	9/16"X18	R3/8"X19			28.5	28.5	28.5	16	
AJJT-08-08-06SP	3/4"X16	3/4"X16	R3/8"X19			32	32	30.5	19	
AJJT-08SP	3/4"X16	3/4"X16	R1/2"X14			34.8	34.8	36	22	
AJJT-10-10-08SP	7/8"X14	7/8"X14	R1/2"X14			37.8	37.8	36	22	
AJJT-12SP	1.1/16"X12	1.1/16"X12	R3/4"X14			44.2	44.2	43.5	27	
AJJT-16SP	1.5/16"X12	1.5/16"X12	R1"X11			49	49	50	33	
AJJT-20SP	1.5/8"X12	1.5/8"X12	R1.1/4"X11			55.5	55.5	56.5	41	
AJJT-24SP	1.7/8"X12	1.7/8"X12	R1.1/2"X11			62.5	62.5	62.5	48	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






AJNJ


JIC 外螺纹 / 布锥管外螺纹 /JIC 外螺纹
JIC MALE/NPT MALE/JIC MALE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	
AJNJ-02	5/16"X24	Z1/8"X27	5/16"X24			21	21	21	11	
AJNJ-03-02-03	3/8"X24	Z1/8"X27	3/8"X24			22	21	22	11	
AJNJ-04	7/16"X20	Z1/4"X18	7/16"X20			26.6	25.5	26.6	14	
AJNJ-04-02-04	7/16"X20	Z1/8"X27	7/16"X20			24.5	21	24.5	11	
AJNJ-05-02-05	1/2"X20	Z1/8"X27	1/2"X20			26.6	23.5	26.6	14	
AJNJ-05-04-05	1/2"X20	Z1/4"X18	1/2"X20			26.6	25.5	26.6	14	
AJNJ-06	9/16"X18	Z3/8"X18	9/16"X18			30	31	30	19	
AJNJ-06-04-06	9/16"X18	Z1/4"X18	9/16"X18			26.9	25.5	26.9	14	
AJNJ-06-08-06	9/16"X18	Z1/2"X14	9/16"X18			32	36.7	32	22	
AJNJ-08	3/4"X16	Z1/2"X14	3/4"X16			34.8	37.3	34.8	22	
AJNJ-08-06-08	3/4"X16	Z3/8"X18	3/4"X16			32	31	32	19	
AJNJ-10-08-10	7/8"X14	Z1/2"X14	7/8"X14			37.8	36.7	37.8	22	
AJNJ-12	1.1/16"X12	Z3/4"X14	1.1/16"X12			44.2	44	44.2	27	
AJNJ-16	1.5/16"X12	Z1"X11.5	1.5/16"X12			49	50	49	33	
AJNJ-20	1.5/8"X12	Z1.1/4"X11.5	1.5/8"X12			55.5	54.5	55.5	41	
AJNJ-24	1.7/8"X12	Z1.1/2"X11.5	1.7/8"X12			62.5	63	62.5	48	

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeveNB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






AJOJ-OG


JIC 外螺纹 /SAE 外螺纹 O 形圈 /JIC 外螺纹
JIC MALE/SAE O-RING BOSS/JIC MALE

代 号	螺 纹 THREAD			O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	G		F 端	A	B	C	S1	S2
AJOJ-02OG	5/16"X24	5/16"X24	5/16"X24		6.07X1.63	21	23	21	11	12
AJOJ-03OG	3/8"X24	3/8"X24	3/8"X24		7.65X1.63	22	23	22	11	14
AJOJ-04OG	7/16"X20	7/16"X20	7/16"X20		8.92X1.83	24.5	27.2	24.5	11	17
AJOJ-05-04-05OG	1/2"X20	7/16"X20	1/2"X20		8.92X1.83	26.6	30	26.6	14	17
AJOJ-05OG	1/2"X20	1/2"X20	1/2"X20		10.52X1.83	26.6	29	26.6	14	17
AJOJ-06-04-06OG	9/16"X18	7/16"X20	9/16"X18		8.92X1.83	26.9	30	26.9	14	17
AJOJ-06-05-06OG	9/16"X18	1/2"X20	9/16"X18		10.52X1.83	26.9	30	26.9	14	17
AJOJ-06OG	9/16"X18	9/16"X18	9/16"X18		11.89X1.98	26.9	31.8	26.9	14	19
AJOJ-06-08-06OG	9/16"X18	3/4"X16	9/16"X18		16.36X2.21	30	37.5	30	19	24
AJOJ-08-06-08OG	3/4"X16	9/16"X18	3/4"X16		11.89X1.98	32	33.5	32	19	19
AJOJ-08OG	3/4"X16	3/4"X16	3/4"X16		16.36X2.21	33	36.8	33	19	24
AJOJ-10-08-10OG	7/8"X14	3/4"X16	7/8"X14		16.36X2.21	37.8	39.5	37.8	22	24
AJOJ-10OG	7/8"X14	7/8"X14	7/8"X14		19.18X2.46	37.8	44	37.8	22	27
AJOJ-12-08-12OG	1.1/16"X12	3/4"X16	1.1/16"X12		16.36X2.21	44.2	43	44.2	27	24
AJOJ-12-10-12OG	1.1/16"X12	7/8"X14	1.1/16"X12		19.18X2.46	44.2	49	44.2	27	27
AJOJ-12OG	1.1/16"X12	1.1/16"X12	1.1/16"X12		23.47X2.95	44.2	51	44.2	27	32
AJOJ-14OG	1.3/16"X12	1.3/16"X12	1.3/16"X12		26.62X2.95	48.5	56	48.5	33	38
AJOJ-16-14-16OG	1.5/16"X12	1.3/16"X12	1.5/16"X12		26.62X2.95	49	56	49	33	38
AJOJ-16OG	1.5/16"X12	1.5/16"X12	1.5/16"X12		29.74X2.95	48.8	54.5	48.8	33	41
AJOJ-16-20-16OG	1.5/16"X12	1.5/8"X12	1.5/16"X12		37.46X3.00	54	59.5	54	41	50
AJOJ-20-16-20OG	1.5/8"X12	1.5/16"X12	1.5/8"X12		29.74X2.95	55.5	59.5	55.5	41	41
AJOJ-20OG	1.5/8"X12	1.5/8"X12	1.5/8"X12		37.46X3.00	55.3	59	55.3	41	50
AJOJ-24OG	1.7/8"X12	1.7/8"X12	1.7/8"X12		43.69X3.00	62.5	63	62.5	48	55

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,thenut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






AJTJ-SP


JIC 外螺纹 / 英锥管外螺纹 /JIC 外螺纹
JIC MALE/BSPT MALE/JIC MALE

代 号 PART NO.	螺 纹 THREAD					尺 寸 DIMENSIONS				
	E	F	G			A	B	C	S1	
AJTJ-04SP	7/16"X20	R1/4"X19	7/16"X20			26.6	25.5	26.6	14	
AJTJ-04-02-04SP	7/16"X20	R1/8"X28	7/16"X20			24.5	21	24.5	11	
AJTJ-06SP	9/16"X18	R3/8"X19	9/16"X18			28.5	28.5	28.5	16	
AJTJ-06-04-06SP	9/16"X18	R1/4"X19	9/16"X18			26.9	25.5	26.9	14	
AJTJ-08SP	3/4"X16	R1/2"X14	3/4"X16			34.8	36	34.8	22	
AJTJ-08-06-08SP	3/4"X16	R3/8"X19	3/4"X16			32	30.5	32	19	
AJTJ-10-08-10SP	7/8"X14	R1/2"X14	7/8"X14			37.8	36	37.8	22	
AJTJ-12SP	1.1/16"X12	R3/4"X14	1.1/16"X12			44.2	43.5	44.2	27	
AJTJ-16SP	1.5/16"X12	R1"X11	1.5/16"X12			49	50	49	33	
AJTJ-20SP	1.5/8"X12	R1.1/4"X11	1.5/8"X12			55.5	56.5	55.5	41	
AJTJ-24SP	1.7/8"X12	R1.1/2"X11	1.7/8"X12			62.5	62.5	62.5	48	

注：螺母及衬套需另行订货。管子直径 D1 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






BJ


美制 JIC 外螺纹 / 美制 JIC 内螺纹 / 美制 JIC 外螺纹
JIC MALE /JIC FEMALE/JIC MALE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	S2
BJ-04	7/16"X20	7/16"X20	7/16"X20			24.5	9	24.5	11	15
BJ-05	1/2"X20	1/2"X20	1/2"X20			26.5	9.5	26.5	14	17
BJ-06	9/16"X18	9/16"X18	9/16"X18			26.9	10.5	26.9	14	19
BJ-08	3/4"X16	3/4"X16	3/4"X16			32	11	32	19	24
BJ-10	7/8"X14	7/8"X14	7/8"X14			37.8	14	37.8	22	27
BJ-12	1.1/16"X12	1.1/16"X12	1.1/16"X12			44.2	15	44.2	27	32
BJ-14	1.3/16"X12	1.3/16"X12	1.3/16"X12			47.5	15	47.5	30	36
BJ-16	1.5/16"X12	1.5/16"X12	1.5/16"X12			49	16	49	33	41
BJ-20	1.5/8"X12	1.5/8"X12	1.5/8"X12			56	17	56	41	50
BJ-24	1.7/8"X12	1.7/8"X12	1.7/8"X12			63.5	20	63.5	48	55
BJ-32	2.1/2"X12	2.1/2"X12	2.1/2"X12			78	24.5	78	63	75

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






CJ

美制 JIC 外螺纹 / 美制 JIC 外螺纹 / 美制 JIC 内螺纹
JIC MALE/JIC MALE/JIC FEMALE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	S2
CJ-04	7/16"X20	7/16"X20	7/16"X20			24.5	24.5	9	11	15
CJ-05	1/2"X20	1/2"X20	1/2"X20			26.6	26.6	9.5	14	17
CJ-06	9/16"X18	9/16"X18	9/16"X18			26.9	26.9	10.5	14	19
CJ-08	3/4"X16	3/4"X16	3/4"X16			32	32	9.5	19	24
CJ-10	7/8"X14	7/8"X14	7/8"X14			37.8	37.8	13	22	27
CJ-10-08-10	7/8"X14	7/8"X14	7/8"X14			37.8	34.8	13	22	27
CJ-12	1.1/16"X12	1.1/16"X12	1.1/16"X12			44.2	44.2	15	27	32
CJ-12-08-12	1.1/16"X12	1.1/16"X12	1.1/16"X12			44.2	37.9	15	27	32
CJ-14	1.3/16"X12	1.3/16"X12	1.3/16"X12			47.5	47.5	15	30	36
CJ-16	1.5/16"X12	1.5/16"X12	1.5/16"X12			49	49	16	33	41
CJ-20	1.5/8"X12	1.5/8"X12	1.5/8"X12			55.5	55.5	17	41	50
CJ-24	1.7/8"X12	1.7/8"X12	1.7/8"X12			63	63	20	48	55
CJ-32	2.1/2"X12	2.1/2"X12	2.1/2"X12			78	78	24.5	63	75

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn





DJ

美制 JIC 内螺纹 74° 内锥
JIC FEMALE 74° SEAT

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A,B,C	S1	S2,S3,S4		
DJ-04	7/16"X20	7/16"X20	7/16"X20			9	11	15		
DJ-05	1/2"X20	1/2"X20	1/2"X20			9.5	11	17		
DJ-06	9/16"X18	9/16"X18	9/16"X18			10.5	14	19		
DJ-08	3/4"X16	3/4"X16	3/4"X16			11	16	24		
DJ-10	7/8"X14	7/8"X14	7/8"X14			13	22	27		
DJ-12	1.1/16"X12	1.1/16"X12	1.1/16"X12			15	24	32		
DJ-16	1.5/16"X12	1.5/16"X12	1.5/16"X12			16	33	41		

www.fitsch.cn






EJ

美制 JIC 内螺纹 / 美制 JIC 外螺纹 / 美制 JIC 内螺纹
JIC FEMALE/JIC MALE/JIC FEMALE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A，C	B	S1	S2,S4	
EJ-04	7/16"X20	7/16"X20	7/16"X20			9	24.5	11	15	
EJ-06	9/16"X18	9/16"X18	9/16"X18			10.5	26.9	14	19	
EJ-08	3/4"X16	3/4"X16	3/4"X16			11	32	19	24	
EJ-10	7/8"X14	7/8"X14	7/8"X14			13	37.8	22	27	
EJ-12	1.1/16"X12	1.1/16"X12	1.1/16"X12			15	44.2	24	32	
EJ-16	1.5/16"X12	1.5/16"X12	1.5/16"X12			16	49	33	41	
EJ-20	1.5/8"X12	1.5/8"X12	1.5/8"X12			17	56.5	41	50	
EJ-24	1.7/8"X12	1.7/8"X12	1.7/8"X12			20	63	48	55	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn





EJNJ

JIC 内螺纹 / 布锥管外螺纹 /JIC 内螺纹
JIC FEMALE/NPT MALE/JIC FEMMALE

代 号 PART NO.	螺 纹 THREAD					尺 寸 DIMENSIONS				
	E	F	G			A,C	B	S1	S2	S3
EJNJ-04	7/16 “X20	Z1/4"X18	7/16 “X20			9	25.5	14	17	17
EJNJ-05-04-05	1/2” X20	Z1/4"X18	1/2” X20			9	25.5	14	17	17
EJNJ-06	9/16 “X18	Z3/8"X18	9/16 “X18			10.5	29.5	16	19	19
EJNJ-06-04-06	9/16 “X18	Z1/4"X18	9/16 “X18			10.5	25.5	14	19	19
EJNJ-08	3/4” X16	Z1/2"X14	3/4” X16			10.5	36.7	22	24	24
EJNJ-08-06-08	3/4” X16	Z3/8"X18	3/4” X16			10.5	31	19	24	24
EJNJ-10-08-10	7/8"X14	Z1/2"X14	7/8"X14			12	36.7	22	27	27
EJNJ-12	1.1/16 “X12	Z3/4"X14	1.1/16 “X12			15	44	27	32	32
EJNJ-16	1.5/16"X12	Z1"X11.5	1.5/16"X12			16	50	33	41	41
EJNJ-20	1.5/8"X12	Z1.1/4"X11.5	1.5/8"X12			17	54.5	41	50	50
EJNJ-24	1.7/8"X12	Z1.1/2"X11.5	1.7/8"X12			20	63	48	60	60

www.fitsch.cn






FJ

JIC 内螺纹 /JIC 内螺纹 /JIC 外螺纹
JIC FEMALE/JIC FEMALE/JIC MALE


代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A,B	C	S1	S2	S3
FJ-04	7/16"X20	7/16"X20	7/16"X20			9	24.5	11	15	15
FJ-05	1/2"X20	1/2"X20	1/2"X20			9.5	26.5	14	17	17
FJ-06	9/16"X18	9/16"X18	9/16"X18			10.5	26.9	14	19	19
FJ-08	3/4"X16	3/4"X16	3/4"X16			11	32	19	24	24
FJ-10	7/8"X14	7/8"X14	7/8"X14			13	37.8	22	27	27
FJ-12	1.1/16"X12	1.1/16"X12	1.1/16"X12			15	44.2	30	32	32

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn



HNNJ




HNNJ-RN


布锥管内螺纹 / 布锥管内螺纹 /JIC 外螺纹
NPT FEMALE/NPT FEMALE/JIC MALE

代 号 PART NO.	螺 纹 THREAD					尺 寸 DIMENSIONS				
	E	F	G			A	B	C	S1	
HNNJ-04	Z1/4"X18	Z1/4"X18	7/16"X20			22.4	22.4	29.5	19	
HNNJ-04-04-05	Z1/4"X18	Z1/4"X18	1/2"X20			22.4	22.4	29.5	19	
HNNJ-04-04-06	Z1/4"X18	Z1/4"X18	9/16"X18			22.4	22.4	31.2	19	
HNNJ-06	Z3/8"X18	Z3/8"X18	9/16"X18			25.9	25.9	33.5	24	
HNNJ-06-06-08	Z3/8"X18	Z3/8"X18	3/4"X16			25.9	25.9	36	24	
HNNJ-08	Z1/2"X14	Z1/2"X14	3/4"X16			31.2	31.2	39.5	30	
HNNJ-08-08-10	Z1/2"X14	Z1/2"X14	7/8"X14			31.2	31.2	42.5	30	
HNNJ-12	Z3/4"X14	Z3/4"X14	1.1/16"X12			34.5	34.5	48	33	
HNNJ-16	Z1"X11.5	Z1"X11.5	1.5/16"X12			41.1	41.1	55.1	41	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






JNJN **JNJN-RN**

布锥管内螺纹 /JIC 外螺纹 / 布锥管内螺纹
NPT FEMALE/JIC MALE/NPT FEMALE

代 号 PART NO.	螺 纹 THREAD					尺 寸 DIMENSIONS				
	E	F	G			A	B	C	S1	
JNJN-02-04-02	Z1/8"X27	7/16"X20	Z1/8"X27			16.8	26.5	16.8	16	
JNJN-04	Z1/4"X18	7/16"X20	Z1/4"X18			22.4	29.5	22.4	19	
JNJN-04-06-04	Z1/4"X18	9/16"X18	Z1/4"X18			22.4	30	22.4	19	
JNJN-06	Z3/8"X18	9/16"X18	Z3/8"X18			25.9	33.5	25.9	24	
JNJN-08-06-08	Z1/2"X14	9/16"X18	Z1/2"X14			31.2	36.5	31.2	30	
JNJN-08	Z1/2"X14	3/4"X16	Z1/2"X14			31.2	39.5	31.2	30	
JNJN-08-10-08	Z1/2"X14	7/8"X14	Z1/2"X14			31.2	42.5	31.2	30	
JNJN-12	Z3/4"X14	1.1/16"X12	Z3/4"X14			34.5	48	34.5	33	
JNJN-16	Z1"X11.5	1.5/16"X12	Z1"X11.5			41.1	55.1	41.1	41	

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn





JO-OG

SAE 内螺纹 /SAE 外螺纹带 O 形圈 /SAE 内螺纹
SAE FEMALE/SAE O-RING BOSS/SAE FEMALE

代 号	螺 纹 THREAD			O 形圈 O-RING		尺 寸 DIMENSIONS				
PART NO.	E	F	G	F 端		A	B	C	S1	S2
JO-04OG	7/16"X20	7/16"X20	7/16"X20	8.92X1.83		16	33	16	19	17
JO-06OG	9/16"X18	9/16"X18	9/16"X18	11.89X1.98		24.5	34.5	24.5	22	19
JO-08-10-08OG	3/4"X16	7/8"X14	3/4"X16	19.18X2.46		23.5	49	23.5	27	27
JO-08OG	3/4"X16	3/4"X16	3/4"X16	16.36X2.21		22.3	43	22.3	27	24
JO-10OG	7/8"X14	7/8"X14	7/8"X14	19.18X2.46		26	49	26	27	27
JO-12OG	1.1/16"X12	1.1/16"X12	1.1/16"X12	23.47X2.95		30.7	54.5	30.7	33	32
JO-16OG	1.5/16"X12	1.5/16"X12	1.5/16"X12	29.74X2.95		33.8	59.5	33.8	41	41

www.fitsch.cn






KJNJ

JIC 外螺纹 / 布锥管内螺纹 /JIC 外螺纹
JIC MALE/NPT FEMALE/JIC MALE


代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	
KJNJ-04	7/16"X20	Z1/4"X18	7/16"X20			29.5	22.4	29.5	19	
KJNJ-04-02-04	7/16"X20	Z1/8"X27	7/16"X20			26.5	16.8	26.5	16	
KJNJ-05-02-05	1/2"X20	Z1/8"X27	1/2"X20			27.5	16.8	27.5	16	
KJNJ-05-04-05	1/2"X20	Z1/4"X18	1/2"X20			29.5	22.4	29.5	19	
KJNJ-06	9/16"X18	Z3/8"X18	9/16"X18			33.5	25.9	33.5	24	
KJNJ-06-04-06	9/16"X18	Z1/4"X18	9/16"X18			30	22.4	30	19	
KJNJ-08	3/4"X16	Z1/2"X14	3/4"X16			39.5	31.2	39.5	30	
KJNJ-08-04-08	3/4"X16	Z1/4"X18	3/4"X16			31.6	22.4	32	19	
KJNJ-08-06-08	3/4"X16	Z3/8"X18	3/4"X16			36	25.9	36	24	
KJNJ-10-08-10	7/8"X14	Z1/2"X14	7/8"X14			42.5	31.2	42.5	30	
KJNJ-10-12-10	7/8"X14	Z3/4"X14	7/8"X14			44.5	34.5	44.5	33	
KJNJ-12	1.1/16"X12	Z3/4"X14	1.1/16"X12			48	34.5	48	33	
KJNJ-12-08-12	1.1/16"X12	Z1/2"X14	1.1/16"X12			46	31.2	46	30	
KJNJ-14-12-14	1.3/16"X12	Z3/4"X14	1.3/16"X12			48.5	34.5	48.5	33	
KJNJ-16	1.5/16"X12	Z1"X11.5	1.5/16"X12			54	41.1	54	41	
KJNJ-16-12-16	1.5/16"X12	Z3/4"X14	1.5/16"X12			49	34.5	49	33	
KJNJ-20	1.5/8"X12	Z1.1/4"X11.5	1.5/8"X12			59.4	43.2	59.4	48	
KJNJ-24	1.7/8"X12	Z1.1/2"X11.5	1.7/8"X12			73.4	52.8	73.4	63	

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn



KJNN




KJNN-RN


JIC外螺纹/布锥管内螺纹/布锥管外螺纹
JIC MALE/NPT FEMALE/NPT MALE

代 号 PART NO.	螺 纹 THREAD					尺 寸 DIMENSIONS				
	E	F	G			A	B	C	S1	
KJNN-04-02-02	7/16"X20	Z1/8"X27	Z1/8"X27			26.5	16.8	24.5	16	
KJNN-04	7/16"X20	Z1/4"X18	Z1/4"X18			29.5	22.4	28	19	
KJNN-06-04-04	9/16"X18	Z1/4"X18	Z1/4"X18			30	22.4	28	19	
KJNN-06	9/16"X18	Z3/8"X18	Z3/8"X18			33.5	25.9	33.5	24	
KJNN-08-06-06	3/4"X16	Z3/8"X18	Z3/8"X18			36	25.9	33.5	24	
KJNN-08	3/4"X16	Z1/2"X14	Z1/2"X14			39.5	31.2	41.2	30	
KJNN-10-08-08	7/8"X14	Z1/2"X14	Z1/2"X14			42.5	31.2	41.2	30	
KJNN-12	1.1/16"X12	Z3/4"X14	Z3/4"X14			48	34.5	45.2	33	
KJNN-14-12-12	1.3/16"X12	Z3/4"X14	Z3/4"X14			48.5	34.5	45.2	33	
KJNN-16	1.5/16"X12	Z1"X11.5	Z1"X11.5			55.1	41.1	54.5	41	

注：螺母及衬套需另行订货。管子直径D为公制时，配用螺母及衬套分别选用NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






KJTJ


JIC 外螺纹 / 英锥管内螺纹 /JIC 外螺纹
JIC MALE/BSPT FEMALE/JIC MALE

代 号 PART NO.	螺 纹 THREAD					尺 寸 DIMENSIONS				
	E	F	G			A	B	C	S1	
KJTJ-04	7/16"X20	Rc1/4"X18	7/16"X20			30.9	25	30.9	19	
KJTJ-06	9/16"X18	Rc3/8"X18	9/16"X18			33.2	27	33.2	22	
KJTJ-08	3/4"X16	Rc1/2"X14	3/4"X16			38	31.5	38	27	
KJTJ-12	1.1/16"X12	Rc3/4"X14	1.1/16"X12			48	35	48	33	
KJTJ-16	1.5/16"X12	Rc1"X11.5	1.5/16"X12			55.1	40.5	55.1	41	

注：螺母及衬套需另行订货。管子直径 D1 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn






LJJN


美制 JIC 外螺纹 / 美制 JIC 外螺纹 / 布锥管内螺纹
JIC MALE/JIC MALE/NPT FEMALE

代 号	螺 纹 THREAD					尺 寸 DIMENSIONS				
PART NO.	E	F	G			A	B	C	S1	
LJJN-04	7/16"X20	7/16"X20	Z1/4"X18			30.9	30.9	25.1	19	
LJJN-04-04-02	7/16"X20	7/16"X20	Z1/8"X27			27.5	27.5	16.8	16	
LJJN-05-05-02	1/2"X20	1/2"X20	Z1/8"X27			27.5	27.5	16.8	16	
LJJN-05-05-04	1/2"X20	1/2"X20	Z1/4"X18			30.9	30.9	22.4	19	
LJJN-06	9/16"X18	9/16"X18	Z3/8"X18			33.5	33.5	26.8	24	
LJJN-06-06-04	9/16"X18	9/16"X18	Z1/4"X18			30	30	22.5	19	
LJJN-08	3/4"X16	3/4"X16	Z1/2"X14			39.5	39.5	33	30	
LJJN-08-08-06	3/4"X16	3/4"X16	Z3/8"X18			36	36	25.9	24	
LJJN-10-10-08	7/8"X14	7/8"X14	Z1/2"X14			42.5	42.5	31.2	30	
LJJN-12	1.1/16"X12	1.1/16"X12	Z3/4"X14			48	48	39	33	
LJJN-14-14-12	1.3/16"X12	1.3/16"X12	Z3/4"X14			48.5	48.5	34.5	33	
LJJN-16	1.5/16"X12	1.5/16"X12	Z1"X11.5			55.1	55.1	43.9	41	
LJJN-20	1.5/8"X12	1.5/8"X12	Z1.1/4"X11.5			59.2	59.2	43.3	48	
LJJN-24	1.7/8"X12	1.7/8"X12	Z1.1/2"X11.5			73.4	73.4	52.8	63	

www.fitsch.cn



LJNN




LJNN-RN

美制 JIC 外螺纹 / 布锥管外螺纹 / 布锥管内螺纹
JIC MALE/NPT MALE/NPT FEMALE

代 号 PART NO.	螺 纹 THREAD					尺 寸 DIMENSIONS			
	E	F	G			A	B	C	S1
LJNN-04	7/16"X20	Z1/4"X18	Z1/4"X18			29.5	28	22.4	19
LJNN-04-02-02	7/16"X20	Z1/8"X27	Z1/8"X27			27.5	24.5	16.8	16
LJNN-06	9/16"X18	Z3/8"X18	Z3/8"X18			33.5	33.5	25.9	24
LJNN-06-04-04	9/16"X18	Z1/4"X18	Z1/4"X18			31.2	28	22.4	19
LJNN-08	3/4"X16	Z1/2"X14	Z1/2"X14			39.5	41.2	31.2	30
LJNN-08-06-06	3/4"X16	Z3/8"X18	Z3/8"X18			36	33.5	25.9	24
LJNN-10-08-08	7/8"X14	Z1/2"X14	Z1/2"X14			42.5	41.2	31.2	30
LJNN-12	1.1/16"X12	Z3/4"X14	Z3/4"X14			48	45.2	34.5	33
LJNN-14-12-12	1.3/16"X12	Z3/4"X14	Z3/4"X14			48.5	45.2	34.5	33
LJNN-16	1.5/16"X12	Z1"X11.5	Z1"X11.5			55.1	54.5	41.1	41

注：螺母及衬套需另行订货。管子直径 D 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn




NB200

JIC 螺母
JIC TRIPLE LOCK NUT

代 号	螺 纹 THREAD		管子外径及配用管套 TUBE O.D.& SLEEVE				尺寸 DIMENSIONS		
PART NO.	E		In.	英制管套 INCH SLEEVE	mm	公制管套 METRIC SLEEVE	L	S2	
NB200-04	7/16"X20		1/4"	NB300-04	6	NB500-06	15.8	14	
NB200-05	1/2"X20		5/16"	NB300-05	8	NB500-08	17.3	17	
NB200-06	9/16"X18		3/8"	NB300-06	10	NB500-10	18.5	19	
NB200-08	3/4"X16		1/2"	NB300-08	12	NB500-12	21.6	24	
NB200-10	7/8"X14				14	NB500-14	24.9	27	
NB200-10	7/8"X14				15	NB500-15	24.9	27	
NB200-10	7/8"X14		5/8"	NB300-10	16	NB500-16	24.9	27	
NB200-12	1.1/16"X12		3/4"	NB300-12	18	NB500-18	26.2	32	
NB200-12A	1.1/16"X12				20	NB500-20A	26.2	32	
NB200-14	1.3/16"X12				20	NB500-20	27.7	36	
NB200-14	1.3/16"X12		7/8"	NB300-14	22	NB500-22	27.7	36	
NB200-16	1.5/16"X12		1"	NB300-16	25	NB500-25	28.7	38	
NB200-20	1.5/8"X12				28	NB500-28	31.2	50	
NB200-20	1.5/8"X12				30	NB500-30	31.2	50	
NB200-20	1.5/8"X12		1.1/4"	NB300-20	32	NB500-32	31.2	50	
NB200-24	1.7/8"X12				35	NB500-35	36.1	60	
NB200-24	1.7/8"X12		1.1/2"	NB300-24	38	NB500-38	36.1	60	
NB200-32	2.1/2"X12		2"	NB300-32	50	NB500-50	44.5	75	

www.fitsch.cn




NB300

JIC 英制管套
JICINCH SLEEVE

代 号 PART NO.	螺纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS				
			In.		D	L			
NB300-04	7/16"X20		1/4"		9.73	10.4			
NB300-05	1/2"X20		5/16"		11.3	11.2			
NB300-06	9/16"X18		3/8"		12.75	12.7			
NB300-08	3/4"X16		1/2"		17.32	14.2			
NB300-10	7/8"X14		5/8"		20.24	16.8			
NB300-12	1.1/16"X12		3/4"		24.69	17.3			
NB300-14	1.3/16"X12		7/8"		27.86	19.3			
NB300-16	1.5/16"X12		1"		31.04	19.8			
NB300-20	1.5/8"X12		1.1/4"		38.96	23.1			
NB300-24	1.7/8"X12		1.1/2"		45.31	28.4			
NB300-32	2.1/2"X12		2"		61.19	30.2			

www.fitsch.cn





NB500

JIC 公制管套
JICMETRIC SLEEVE

代 号 PART NO.	螺纹 THREAD		管子外径 TUBE O.D.		尺 寸 DIMENSIONS				
				mm	D	L			
NB500-06	7/16"X20			6	9.7	10.4			
NB500-08	1/2"X20			8	11.3	11.2			
NB500-10	9/16"X18			10	12.7	12.7			
NB500-12	3/4"X16			12	17.3	14.2			
NB500-14	7/8"X14			14	20.2	16.8			
NB500-15	7/8"X14			15	20.2	16.8			
NB500-16	7/8"X14			16	20.2	16.8			
NB500-18	1.1/16"X12			18	24.7	17.3			
NB500-20	1.3/16"X12			20	27.8	19.3			
NB500-22	1.3/16"X12			22	27.8	19.3			
NB500-25	1.5/16"X12			25	31	19.8			
NB500-28	1.5/8"X12			28	38.9	23.1			
NB500-30	1.5/8"X12			30	38.9	23.1			
NB500-32	1.5/8"X12			32	38.9	23.1			
NB500-35	1.7/8"X12			35	45.3	28.4			
NB500-38	1.7/8"X12			38	45.3	28.4			
NB500-50	2.1/2"X12			50	61.2	30.2			

www.fitsch.cn





美制 JIC 外螺纹 74° 外锥
JIC MALE 74° CONE

XJ

代 号	螺 纹 THREAD				尺 寸 DIMENSIONS				
PART NO.	E，F，G,H				A,B,C,D	S1			
XJ-04	7/16"X20				24.5	11			
XJ-05	1/2"X20				26.5	14			
XJ-06	9/16"X18				26.9	14			
XJ-08	3/4"X16				32	19			
XJ-10	7/8"X14				37.8	22			
XJ-12	1.1/16"X12				44.2	27			
XJ-16	1.5/16"X12				49	33			
XJ-20	1.5/8"X12				56.5	41			
XJ-24	1.7/8"X12				62.5	48			

注：螺母及衬套需另行订货。管子直径 D1 为公制时，配用螺母及衬套分别选用 NB200、NB500。管子直径为英制时，配用螺母及衬套分别选用 NB200、NB300。 Nut and sleeve should be ordered separately.The nut NB200 and sleeve NB500 is suitable for metric tube,the nut NB200 and sleeve NB300 is suitable for inch tube.

www.fitsch.cn