The Professional Supplier of Pneumatic Fittings Stainless Steel

Fitsch Ningbo International Trade Co.,Ltd / Changyi Pneumatic Co.,Ltd

No.133-3 Anjiexi Road, Sanqishi Town, Yuyao City 315412, China

Tel:+86-13777243045

www.fitsch.cn

info@fitsch.cn

FITSCH

Stainless Steel Pneumatic Push In Fittings




Connect to your business effectively and efficiently!

www.fitsch.cn

PC

螺纹直通






名称及规格	T	ΦD	ΦP	L	A	ΦC	E	H
PC4-M5	M5	Φ4	Φ9.7	21.2	4.4	Φ2.5	13.5	10
PC4-M6	M6	Φ4	Φ9.7	21.2	4.4	Φ2.5	13.5	10
PC4-01	1/8	Φ4	Φ9.7	2.12	6.5	Φ2.5	13.5	10
PC4-02	1/4	Φ4	Φ9.7	21.2	9	Φ3	13.5	14
PC6-M5	M5	Φ6	Φ11.7	24	4.4	Φ2.5	16	12
PC6-M6	M6	Φ6	Φ11.7	24	4.4	Φ3	16	12
PC6-01	1/8	Φ6	Φ11.7	23	6.5	Φ3	16	12
PC6-02	1/4	Φ6	Φ11.7	23.5	9	Φ4	16	14
PC6-03	3/8	Φ6	Φ11.7	25	10	Φ4.5	16	17
PC6-04	1/2	Φ6	Φ11.7	23	11	Φ5	16	22
PC8-M5	M5	Φ8	Φ13.7	26	4.4	Φ2.5	18.1	14
PC8-01	1/8	Φ8	Φ13.7	25	6.5	Φ5	17.2	14
PC8-02	1/4	Φ8	Φ13.7	23.4	9	Φ5	18.1	14
PC8-03	3/8	Φ8	Φ13.7	25.4	10	Φ5	18.1	17
PC8-04	1/2	Φ8	Φ13.7	25.4	11	Φ5	18.7	22
PC8-06	3/4	Φ8	Φ13.7	28.5	13	Φ6.5	18.1	27
PC10-01	1/8	Φ10	Φ15.7	25.4	6.5	Φ5	18	17
PC10-02	1/4	Φ10	Φ15.7	27.2	9	Φ7	18	17
PC10-03	3/8	Φ10	Φ15.7	24.7	10	Φ7	18	17
PC10-04	1/2	Φ10	Φ15.7	26.2	11	Φ7	18	22
PC10-06	3/4	Φ10	Φ15.7	28.5	13	Φ8	19	27
PC12-01	1/8	Φ12	Φ18	27.7	6.5	Φ5	19.1	19
PC12-02	1/4	Φ12	Φ18	29.7	9	Φ7.5	19.1	19
PC12-03	3/8	Φ12	Φ18	28.7	10	Φ8.8	19.1	19
PC12-04	1/2	Φ12	Φ18	26.7	11	Φ8.8	19.1	22
PC12-06	3/4	Φ12	Φ18	28.7	13	Φ10	19.1	27
PC14-02	1/4	Φ14	Φ20	30.5	9	Φ8	19.4	22
PC14-03	3/8	Φ14	Φ20	31.5	10	Φ10	19.4	22
PC14-04	1/2	Φ14	Φ20	26.5	11	Φ12	19.4	22
PC14-06	3/4	Φ14	Φ20	28.5	13	Φ13	19.4	27
PC16-02	1/4	Φ16	Φ21.7	30.7	9	Φ8	19.7	22
PC16-03	3/8	Φ16	Φ21.7	31.7	10	Φ10	19.7	22
PC16-04	1/2	Φ16	Φ21.7	26.7	11	Φ14	19.7	22
PC16-06	3/4	Φ16	Φ21.7	28.7	13	Φ14	19.7	27
PC16-08	1″	Φ16	Φ21.7	29.7	14	Φ14	19.7	34

PC-G

螺纹直通






名称及规格	T	ΦD	ΦP	L	A	ΦC	E	H
PC4-G01	1/8	Φ4	Φ9.7	18.7	5	Φ3	13.2	12
PC4-G02	1/4	Φ4	Φ9.7	19.7	6	Φ3	13.5	14
PC6-G01	1/8	Φ6	Φ11.7	19	5	Φ3.5	16	12
PC6-G02	1/4	Φ6	Φ11.7	20	6	Φ4	16	14
PC6-G03	3/8	Φ6	Φ11.7	20	6	Φ4.5	16	19
PC6-G04	1/2	Φ6	Φ11.7	21.5	8	Φ5	16	22
PC8-G01	1/8	Φ8	Φ13.7	25.4	5	Φ5	18.1	14
PC8-G02	1/4	Φ8	Φ13.7	22.9	6	Φ5	18.1	14
PC8-G03	3/8	Φ8	Φ13.7	20.9	6	Φ5	18.1	19
PC8-G04	1/2	Φ8	Φ13.7	24.9	8	Φ5	18.1	22
PC10-G01	1/8	Φ10	Φ15.7	25.7	5	Φ5	18	17
PC10-G02	1/4	Φ10	Φ15.7	26.2	6	Φ7	18	17
PC10-G03	3/8	Φ10	Φ15.7	21.7	6	Φ7	18	17
PC10-G04	1/2	Φ10	Φ15.7	25.2	8	Φ7	18	22
PC12-G01	1/8	Φ12	Φ18	25.7	5	Φ5	19.1	19
PC12-G02	1/4	Φ12	Φ18	27.7	6	Φ7.5	19.1	19
PC12-G03	3/8	Φ12	Φ18	27.7	6	Φ8.8	19.1	19
PC12-G04	1/2	Φ12	Φ18	25.7	8	Φ8.8	19.1	22
PC14-G02	1/4	Φ14	Φ20	27.5	6	Φ8	19.4	22
PC14-G03	3/8	Φ14	Φ20	27.5	6	Φ10	19.4	22
PC14-G04	1/2	Φ14	Φ20	24	8	Φ12	19.4	22
PC16-G02	1/4	Φ16	Φ21.7	27.7	6	Φ8	19.7	22
PC16-G03	3/8	Φ16	Φ21.7	27.7	6	Φ10	19.7	22
PC16-G04	1/2	Φ16	Φ21.7	25.7	8	Φ14	19.7	22

PL

L型螺纹弯通






名称及规格	T	ΦD	ΦP	L1	L2	A	ΦC	E	H
PL4-M5	M5	Φ4	Φ9.7	19.7	22	4.1	Φ2.5	13.5	12
PL4-M6	M6	Φ4	Φ9.7		22	4.1	Φ3	13.5	12
PL4-01	1/8	Φ4	Φ9.7		22	6.5	Φ3	13.5	12
PL4-02	1/4	Φ4	Φ9.7		24.5	9	Φ3	13.5	14
PL6-M5	M5	Φ6	Φ11.7	20.5	23.3	4.1	Φ2.5	16	12
PL6-M6	M6	Φ6	Φ11.7		23.3	4.1	Φ3	16	12
PL6-01	1/8	Φ6	Φ11.7		23.3	6.5	Φ4.2	16	14
PL6-02	1/4	Φ6	Φ11.7		25.8	9	Φ4.2	16	14
PL6-03	3/8	Φ6	Φ11.7		26.8	10	Φ4.2	16	17
PL6-04	1/2	Φ6	Φ11.7		27.8	11	Φ4.2	16	22
PL8-M5	M5	Φ8	Φ13.7	24.4	26.5	4.1	Φ2.5	18.1	14
PL8-01	1/8	Φ8	Φ13.7		26.5	6.5	Φ5	18.1	14
PL8-02	1/4	Φ8	Φ13.7		29	9	Φ6.5	18.1	14
PL8-03	3/8	Φ8	Φ13.7		30	10	Φ6.5	18.1	17
PL8-04	1/2	Φ8	Φ13.7		31	11	Φ6.5	18.1	22
PL10-01	1/8	Φ10	Φ15.7	25.2	27	6.5	Φ5	18.5	14
PL10-02	1/4	Φ10	Φ15.7		29.5	9	Φ6.5	18.5	14
PL10-03	3/8	Φ10	Φ15.7		30.5	10	Φ6.5	18.5	17
PL10-04	1/2	Φ10	Φ15.7		31.5	11	Φ6.5	18.5	22
PL12-01	1/8	Φ12	Φ18	26.7	28	6.5	Φ5	19.7	17
PL12-02	1/4	Φ12	Φ18		30.5	9	Φ8	19.7	17
PL12-03	3/8	Φ12	Φ18		31.5	10	Φ8.8	19.7	17
PL12-04	1/2	Φ12	Φ18		32.5	11	Φ8.8	19.7	22
PL14-02	1/4	Φ14	Φ20	28.2	31.5	9	Φ8	19.3	22
PL14-03	3/8	Φ14	Φ20		32.5	10	Φ10	19.3	22
PL14-04	1/2	Φ14	Φ20		33.5	11	Φ10	19.3	22
PL16-02	1/4	Φ16	Φ21.7	30	32.8	9	Φ8	19.7	22
PL16-03	3/8	Φ16	Φ21.7		33.8	10	Φ12	19.7	22
PL16-04	1/2	Φ16	Φ21.7		34.8	11	Φ12	19.7	22

PL-G

L型螺纹弯通





名称及规格	T	ΦD	ΦP	L1	L2	A	ΦC	E	H
PL4-G01	1/8	Φ4	Φ9.7	19.7	21.5	5	Φ3	13.2	12
PL4-G02	1/4	Φ4	Φ9.7		22.5	6	Φ3	13.2	14
PL6-G01	1/8	Φ6	Φ11.7	20.5	22.8	5	Φ4.2	16	14
PL6-G02	1/4	Φ6	Φ11.7		23.8	6	Φ4.2	16	14
PL6-G03	3/8	Φ6	Φ11.7		23.8	6	Φ4.2	16	17
PL6-G04	1/2	Φ6	Φ11.7		25.8	8	Φ4.2	16	22
PL8-G01	1/8	Φ8	Φ13.7	24.4	26	5	Φ5	18.1	14
PL8-G02	1/4	Φ8	Φ13.7		27	6	Φ6.5	18.1	14
PL8-G03	3/8	Φ8	Φ13.7		27	6	Φ6.5	18.1	17
PL8-G04	1/2	Φ8	Φ13.7		29	8	Φ6.5	18.1	22
PL10-G01	1/8	Φ10	Φ15.7	25.2	26.5	5	Φ5	18.5	14
PL10-G02	1/4	Φ10	Φ15.7		27.5	6	Φ6.5	18.5	14
PL10-G03	3/8	Φ10	Φ15.7		27.5	6	Φ6.5	18.5	17
PL10-G04	1/2	Φ10	Φ15.7		29.5	8	Φ6.5	18.5	22
PL12-G01	1/8	Φ12	Φ18	26.7	27.5	5	Φ5	19.7	17
PL12-G02	1/4	Φ12	Φ18		28.5	6	Φ8	19.7	17
PL12-G03	3/8	Φ12	Φ18		28.5	6	Φ8.8	19.7	17
PL12-G04	1/2	Φ12	Φ18		30.5	8	Φ8.8	19.7	22
PL14-G02	1/4	Φ14	Φ20	28.2	29.5	6	Φ8	19.3	22
PL14-G03	3/8	Φ14	Φ20		29.5	6	Φ10	19.3	22
PL14-G04	1/2	Φ14	Φ20		31.5	8	Φ10	19.3	22
PL16-G02	1/4	Φ16	Φ21.7	30	30.8	6	Φ8	19.7	22
PL16-G03	3/8	Φ16	Φ21.7		30.8	6	Φ12	19.7	22
PL16-G04	1/2	Φ16	Φ21.7		32.8	8	Φ12	19.7	22

PU

直通



名称及规格	L	ΦD	ΦP	E
PU4	24.4	Φ4	Φ9.7	11.7
PU6	31	Φ6	Φ11.7	15
PU8	34.1	Φ8	Φ13.7	16.6
PU10	35.8	Φ10	Φ15.7	17.4
PU12	37.4	Φ12	Φ18	18.2
PU14	37	Φ14	Φ20	18
PU16	37.4	Φ16	Φ21.7	18.2

PG

直通变径



名称及规格	L	ΦD1	ΦP1	E1	ΦD2	ΦP2	E2
PG6-4	27.7	Φ4	Φ9.7	11.9	Φ6	Φ11.7	15.2
PG8-4	29.3	Φ4	Φ9.7	11.9	Φ8	Φ13.7	16.8
PG8-6	32.6	Φ6	Φ11.7	15.2	Φ8	Φ13.7	16.8
PG10-6	33.4	Φ6	Φ11.7	15.2	Φ10	Φ15.7	17.6
PG10-8	35	Φ8	Φ13.7	16.8	Φ10	Φ15.7	17.6
PG12-8	35.8	Φ8	Φ13.7	16.8	Φ12	Φ18	18.2
PG12-10	36.6	Φ10	Φ15.7	17.6	Φ12	Φ18	18.2
PG16-12	37.4	Φ12	Φ18	18.2	Φ16	Φ21.7	18.2

PM

隔板直通




名称及规格	L	ΦD	ΦP	E	T	H
PM4	24.4	Φ4	Φ9.7	11.7	M11X1	14
PM6	31	Φ6	Φ11.7	15	M13X1	17
PM8	34.1	Φ8	Φ13.7	16.6	M15X1	19
PM10	35.8	Φ10	Φ15.7	17.4	M17X1	22
PM12	37.4	Φ12	Φ18	18.2	M20X1	24
PM14	37	Φ14	Φ20	18	M22X1	27
PM16	37.4	Φ16	Φ21.7	18.2	M24X1	27

PE

T型三通






名称及规格	L	L1	Q	ΦD	ΦP	E	ΦN	ΦO
PE4	17.2	25.7	5.5	Φ4	Φ9.7	13.2	Φ3.1	Φ6
PE6	21	30.5	6.5	Φ6	Φ11.7	16	Φ3.1	Φ6
PE8	23.9	35.6	7.8	Φ8	Φ13.7	18.1	Φ4.2	Φ8
PE10	25.2	38.9	8.5	Φ10	Φ15.7	18.5	Φ4.2	Φ8
PE12	29.7	43.7	10	Φ12	Φ18	19.7	Φ4.2	Φ8
PE14	29.5	43.5	10	Φ14	Φ20	19.3	Φ4.2	Φ8
PE16	31.7	47.2	11.5	Φ16	Φ21.7	19.7	Φ4.2	Φ8

PEG

T型三通变径






名称及规格	L	L1	L2	Q	ΦD	ΦP	E	ΦD1	ΦP1	E1	ΦN	ΦO
PEG6-4	21	30.2	20.7	6.5	Φ6	Φ11.7	16	Φ4	Φ9.7	13.2	Φ3.1	Φ6
PEG8-4	23.9	35	23.2	7.8	Φ8	Φ13.7	18.1	Φ4	Φ9.7	13.2	Φ4.2	Φ8
PEG8-6	23.9	35.3	23.5	7.8	Φ8	Φ13.7	18.1	Φ6	Φ11.7	16	Φ4.2	Φ8
PEG10-6	25.2	37.5	25	8.5	Φ10	Φ15.7	18.5	Φ6	Φ11.7	16	Φ4.2	Φ8
PEG10-8	25.2	37.9	25.4	8.5	Φ10	Φ15.7	18.5	Φ8	Φ13.7	18.1	Φ4.2	Φ8
PEG12-8	29.7	43.4	29.4	10	Φ12	Φ18	19.7	Φ8	Φ13.7	18.1	Φ4.2	Φ8
PEG12-10	29.7	43.2	29.2	10	Φ12	Φ18	19.7	Φ10	Φ15.7	18.5	Φ4.2	Φ8
PEG14-10	29.5	43.2	29.2	10	Φ14	Φ20	19.3	Φ10	Φ15.7	18.5	Φ4.2	Φ8
PEG14-12	29.5	43.7	29.7	10	Φ14	Φ20	19.3	Φ12	Φ18	19.7	Φ4.2	Φ8
PEG16-12	31.7	47.2	31.7	11.5	Φ16	Φ21.7	19.7	Φ12	Φ18	19.7	Φ4.2	Φ8
PEG16-14	31.7	47	31.5	11.5	Φ16	Φ21.7	19.7	Φ14	Φ20	19.3	Φ4.2	Φ8

PB

T型螺纹三通






名称及规格	L	L1	ΦD	ΦP	E	ΦC	A	T	H
PB4-M5	17.2	30.5	Φ4	Φ9.7	13.2	Φ2.5	4.1	M5	12
PB4-01	17.2	30.5	Φ4	Φ9.7	13.2	Φ3	6.5	1/8	12
PB4-02	17.2	33	Φ4	Φ9.7	13.2	Φ3	9	1/4	14
PB6-M5	21	35	Φ6	Φ11.7	16	Φ2.5	4.1	M5	12
PB6-01	21	35	Φ6	Φ11.7	16	Φ4.2	6.5	1/8	14
PB6-02	21	37.5	Φ6	Φ11.7	16	Φ4.2	9	1/4	14
PB6-03	21	38.5	Φ6	Φ11.7	16	Φ4.2	10	3/8	17
PB6-04	21	39.5	Φ6	Φ11.7	16	Φ4.2	11	1/2	22
PB8-M5	23.9	39.8	Φ8	Φ13.7	18.1	Φ2.5	4.1	M5	14
PB8-01	23.9	39.8	Φ8	Φ13.7	18.1	Φ5	6.5	1/8	14
PB8-02	23.9	42.3	Φ8	Φ13.7	18.1	Φ6.5	9	1/4	14
PB8-03	23.9	43.3	Φ8	Φ13.7	18.1	Φ6.5	10	3/8	17
PB8-04	23.9	44.3	Φ8	Φ13.7	18.1	Φ6.5	11	1/2	22
PB10-01	25.2	42	Φ10	Φ15.7	18.5	Φ5	6.5	1/8	14
PB10-02	25.2	44.5	Φ10	Φ15.7	18.5	Φ6.5	9	1/4	14
PB10-03	25.2	45.5	Φ10	Φ15.7	18.5	Φ6.5	10	3/8	17
PB10-04	25.2	46.5	Φ10	Φ15.7	18.5	Φ6.5	11	1/2	22
PB12-01	29.7	47.5	Φ12	Φ18	19.7	Φ5	6.5	1/8	17
PB12-02	29.7	50	Φ12	Φ18	19.7	Φ8	9	1/4	17
PB12-03	29.7	51	Φ12	Φ18	19.7	Φ8.8	10	3/8	17
PB12-04	29.7	52	Φ12	Φ18	19.7	Φ8.8	11	1/2	22
PB14-02	29.5	50	Φ14	Φ20	19.3	Φ8	9	1/4	22
PB14-03	29.5	51	Φ14	Φ20	19.3	Φ10	10	3/8	22
PB14-04	29.5	52	Φ14	Φ20	19.3	Φ10	11	1/2	22
PB16-02	31.7	53.5	Φ16	Φ21.7	19.7	Φ8	9	1/4	22
PB16-03	31.7	54.5	Φ16	Φ21.7	19.7	Φ12	10	3/8	22
PB16-04	31.7	55.5	Φ16	Φ21.7	19.7	Φ12	11	1/2	22

PY

Y型三通




名称及规格	L	W	U	M	ΦD	ΦP	E	ΦN	ΦO
PY4	35.4	20.5	10.5	9.5	Φ4	Φ9.7	13.2	Φ3.1	Φ6
PY6	42	25	13	12.5	Φ6	Φ11.7	16	Φ3.1	Φ6
PY8	45.7	29	15	13	Φ8	Φ13.7	18.1	Φ4.2	Φ8
PY10	48.4	33	17	14	Φ10	Φ15.7	18.5	Φ4.2	Φ8
PY12	51.4	39.5	20.5	13.5	Φ12	Φ18	19.7	Φ4.2	Φ8
PY14	55	45.5	23.5	14.5	Φ14	Φ20	19.3	Φ4.2	Φ8
PY16	55.4	45.5	23.5	14.5	Φ16	Φ21.7	19.7	Φ4.2	Φ8

PV

L型弯通






名称及规格	L	L1	Q	ΦD	ΦP	E	ΦN	ΦO
PV4	26.6	19.7	3.9	Φ4	Φ9.7	13.2	Φ3.1	Φ6
PV6	28.9	20.8	5	Φ6	Φ11.7	16	Φ3.1	Φ6
PV8	34.3	24.4	5.9	Φ8	Φ13.7	18.1	Φ4.2	Φ8
PV10	36.1	25.2	6.9	Φ10	Φ15.7	18.5	Φ4.2	Φ8
PV12	37.2	26.7	6.5	Φ12	Φ18	19.7	Φ4.2	Φ8
PV14	41.5	30	7.5	Φ14	Φ20	19.3	Φ4.2	Φ8
PV16	41.7	30.2	7.5	Φ16	Φ21.7	19.7	Φ4.2	Φ8

SL

L型弯通








名称及规格	T	ΦD	ΦP	L	L1	A	E	H
SL4-M5	M5	Φ4	Φ9.7	23.2	9	4	13.2	8
SL4-01	1/8	Φ4	Φ9.7	27.7	16	8	13.2	12
SL4-02	1/4	Φ4	Φ9.7	31.2	17.5	9.9	13.2	15
SL6-M5	M5	Φ6	Φ11.7	25	9	4	16	8
SL6-01	1/8	Φ6	Φ11.7	30	16	8	16	12
SL6-02	1/4	Φ6	Φ11.7	33.5	17.5	9.9	16	15
SL6-03	3/8	Φ6	Φ11.7	40	20.5	10	16	21
SL6-04	1/2	Φ6	Φ11.7	49	22.2	10	16	24
SL8-01	1/8	Φ8	Φ13.7	32.4	16	8	18.1	12
SL8-02	1/4	Φ8	Φ13.7	35.9	17.5	9.9	18.1	15
SL8-03	3/8	Φ8	Φ13.7	37.2	21.3	10	18.1	19
SL8-04	1/2	Φ8	Φ13.7	47.5	22.5	10	18.1	24
SL10-01	1/8	Φ10	Φ15.7	42.5	16.8	7.3	17.4	14
SL10-02	1/4	Φ10	Φ15.7	41.5	19	10	17.4	14
SL10-03	3/8	Φ10	Φ15.7	43	21.3	10	17.4	19
SL10-04	1/2	Φ10	Φ15.7	42.5	26.9	10	17.4	24
SL12-01	1/8	Φ12	Φ18	31.3	16.8	10	18.2	15
SL12-02	1/4	Φ12	Φ18	37.2	18.1	10	18.2	15
SL12-03	3/8	Φ12	Φ18	41.5	20.8	10	18.2	19
SL12-04	1/2	Φ12	Φ18	51.5	21	10.2	18.2	24

PCF

内螺纹直通






名称及规格	T	ΦD	ΦP	L	A	E	H
PCF4-M5	M5	Φ4	Φ9.7	18.7	5.5	11.7	11
PCF4-01	1/8	Φ4	Φ9.7	19.7	7	11.7	12
PCF4-02	1/4	Φ4	Φ9.7	22.7	10	11.7	17
PCF6-M5	M5	Φ6	Φ11.7	20.5	5.5	15	12
PCF6-01	1/8	Φ6	Φ11.7	23	7	15	12
PCF6-02	1/4	Φ6	Φ11.7	26	10	15	17
PCF6-03	3/8	Φ6	Φ11.7	27	11	15	19
PCF6-04	1/2	Φ6	Φ11.7	28.5	12.5	15	24
PCF8-M5	M5	Φ8	Φ13.7	22.1	5.5	16.6	14
PCF8-01	1/8	Φ8	Φ13.7	25.4	7	16.6	14
PCF8-02	1/4	Φ8	Φ13.7	27.6	10	16.6	17
PCF8-03	3/8	Φ8	Φ13.7	28.6	11	16.6	19
PCF8-04	1/2	Φ8	Φ13.7	30.1	12.5	16.6	24
PCF8-06	3/4	Φ8	Φ13.7	30.1	12.5	16.6	30
PCF10-01	1/8	Φ10	Φ15.7	24.4	7	17.4	17
PCF10-02	1/4	Φ10	Φ15.7	28.4	10	17.4	17
PCF10-03	3/8	Φ10	Φ15.7	29.4	11	17.4	17
PCF10-04	1/2	Φ10	Φ15.7	30.9	12.5	17.4	24
PCF10-06	3/4	Φ10	Φ15.7	30.9	12.5	17.4	30
PCF12-01	1/8	Φ12	Φ18	25.2	7	18.2	19
PCF12-02	1/4	Φ12	Φ18	29.2	10	18.2	19
PCF12-03	3/8	Φ12	Φ18	30.2	11	18.2	19
PCF12-04	1/2	Φ12	Φ18	31.7	12.5	18.2	24
PCF12-06	3/4	Φ12	Φ18	31.7	12.5	18.2	30
PCF14-02	1/4	Φ14	Φ20	28	10	18	22
PCF14-03	3/8	Φ14	Φ20	30	11	18	22
PCF14-04	1/2	Φ14	Φ20	31.5	12.5	18	24
PCF14-06	3/4	Φ14	Φ20	31.5	12.5	18	30
PCF16-02	1/4	Φ16	Φ21.7	28.2	10	18.2	22
PCF16-03	3/8	Φ16	Φ21.7	30.2	11	18.2	22
PCF16-04	1/2	Φ16	Φ21.7	31.7	12.5	18.2	24
PCF16-06	3/4	Φ16	Φ21.7	31.7	12.5	18.2	30
PCF16-08	1"	Φ16	Φ21.7	35.2	16	18.2	38

PCN

快拧直通






名称及规格	T	Φd	ΦD	L	A	E	H	H1
PCN4-M5	M5	Φ2.5	Φ4	19	4.4	4.5	8	8
PCN4-01	1/8	Φ2.5	Φ4	20	6.5	4.5	10	8
PCN4-02	1/4	Φ2.5	Φ4	22.5	9	4.5	14	8
PCN6-M5	M5	Φ4	Φ6	20.5	4.4	5	10	10
PCN6-01	1/8	Φ4	Φ6	21.5	6.5	5	10	10
PCN6-02	1/4	Φ4	Φ6	24	9	5	14	10
PCN6-03	3/8	Φ4	Φ6	25.5	10	5	17	10
PCN6-04	1/2	Φ4	Φ6	26.5	11	5	22	10
PCN8-01	1/8	Φ5	Φ8	23.5	6.5	6.5	14	14
PCN8-02	1/4	Φ5	Φ8	26	9	6.5	14	14
PCN8-03	3/8	Φ5	Φ8	27.5	10	6.5	17	14
PCN8-04	1/2	Φ5	Φ8	28.5	11	6.5	22	14
PCN10-01	1/8	Φ6.5	Φ10	24.5	6.5	7	14	15
PCN10-02	1/4	Φ6.5	Φ10	27	9	7	14	15
PCN10-03	3/8	Φ6.5	Φ10	28.5	10	7	17	15
PCN10-04	1/2	Φ6.5	Φ10	29.5	11	7	22	15
PCN12-01	1/8	Φ7.8	Φ12	26.5	6.5	8	17	17
PCN12-02	1/4	Φ7.8	Φ12	29	9	8	17	17
PCN12-03	3/8	Φ7.8	Φ12	30	10	8	17	17
PCN12-04	1/2	Φ7.8	Φ12	31	11	8	22	17
PCN14-02	1/4	Φ9.5	Φ14	31	9	10	19	22
PCN14-03	3/8	Φ9.5	Φ14	32	10	10	19	22
PCN14-04	1/2	Φ9.5	Φ14	33	11	10	22	22
PCN14-06	3/4	Φ9.5	Φ14	35	13	10	27	22
PCN16-02	1/4	Φ11.5	Φ16	31	9	10	22	22
PCN16-03	3/8	Φ11.5	Φ16	32	10	10	22	22
PCN16-04	1/2	Φ11.5	Φ16	33	11	10	22	22
PCN16-06	3/4	Φ11.5	Φ16	35	13	10	27	22

PCFN

快拧直通






名称及规格	T	Φd	ΦD	L	A	E	H	H1
PCFN4-M5	M5	Φ2.5	Φ4	16	5.5	4.5	8	8
PCFN4-01	1/8	Φ2.5	Φ4	17	7	4.5	12	8
PCFN4-02	1/4	Φ2.5	Φ4	20	10	4.5	17	8
PCFN6-M5	M5	Φ4	Φ6	17.5	5.5	5	10	10
PCFN6-01	1/8	Φ4	Φ6	18.5	7	5	12	10
PCFN6-02	1/4	Φ4	Φ6	21.5	10	5	17	10
PCFN6-03	3/8	Φ4	Φ6	22.5	11	5	19	10
PCFN6-04	1/2	Φ4	Φ6	24	12.5	5	24	10
PCFN8-01	1/8	Φ5	Φ8	20.5	7	6.5	14	14
PCFN8-02	1/4	Φ5	Φ8	23.5	10	6.5	17	14
PCFN8-03	3/8	Φ5	Φ8	24.5	11	6.5	19	14
PCFN8-04	1/2	Φ5	Φ8	26	12.5	6.5	24	14
PCFN10-01	1/8	Φ6.5	Φ10	21.5	7	7	14	15
PCFN10-02	1/4	Φ6.5	Φ10	24.5	10	7	17	15
PCFN10-03	3/8	Φ6.5	Φ10	25.5	11	7	19	15
PCFN10-04	1/2	Φ6.5	Φ10	27	12.5	7	24	15
PCFN12-01	1/8	Φ7.8	Φ12	22	7	8	17	17
PCFN12-02	1/4	Φ7.8	Φ12	26	10	8	17	17
PCFN12-03	3/8	Φ7.8	Φ12	27	11	8	19	17
PCFN12-04	1/2	Φ7.8	Φ12	28.5	12.5	8	24	17
PCFN12-06	3/4	Φ7.8	Φ12	29	12.5	8	30	17
PCFN14-02	1/4	Φ9.5	Φ14	23.7	10	10	19	22
PCFN14-03	3/8	Φ9.5	Φ14	28.7	11	10	19	22
PCFN14-04	1/2	Φ9.5	Φ14	30.2	12.5	10	24	22
PCFN14-06	3/4	Φ9.5	Φ14	30.7	12.5	10	30	22
PCFN16-02	1/4	Φ11.5	Φ16	23.7	10	10	22	22
PCFN16-03	3/8	Φ11.5	Φ16	28.7	11	10	22	22
PCFN16-04	1/2	Φ11.5	Φ16	30.2	12.5	10	24	22
PCFN16-06	3/4	Φ11.5	Φ16	30.7	12.5	10	30	22

PUN

快拧直通






名称及规格	Φd	ΦD	L	E	H	H1
PUN4	Φ2.5	Φ4	23	4.5	8	8
PUN6	Φ4	Φ6	26	5	10	10
PUN8	Φ5	Φ8	30	6.5	14	14
PUN10	Φ6.5	Φ10	32	7	14	15
PUN12	Φ7.8	Φ12	35	8	17	17
PUN14	Φ9.5	Φ14	40	10	19	22
PUN16	Φ11.5	Φ16	40	10	22	22

PEN

快拧三通






名称及规格	Φd	ΦD	L	E	H
PEN4	Φ2.5	Φ4	14.5	4.5	8
PEN6	Φ4	Φ6	17.5	5	10
PEN8	Φ5	Φ8	22.5	6.5	14
PEN10	Φ6.5	Φ10	24.5	7	15
PEN12	Φ7.8	Φ12	27.5	8	17
PEN14	Φ9.5	Φ14	33	10	22
PEN16	Φ11.5	Φ16	33	10	22

PLN

快拧弯通






名称及规格	T	Φd	ΦD	L	L1	A	E	H	H1
PLN4-M5	M5	Φ2.5	Φ4	17.5	25	4.4	4.5	10	8
PLN4-01	1/8	Φ2.5	Φ4	17.5	25	6.5	4.5	12	8
PLN4-02	1/4	Φ2.5	Φ4	17.5	27.5	9	4.5	14	8
PLN6-M5	M5	Φ4	Φ6	17.5	25	4.4	5	10	10
PLN6-01	1/8	Φ4	Φ6	17.5	25	6.5	5	12	10
PLN6-02	1/4	Φ4	Φ6	17.5	27.5	9	5	14	10
PLN6-03	3/8	Φ4	Φ6	17.5	28.5	10	5	17	10
PLN6-04	1/2	Φ4	Φ6	17.5	29.5	11	5	22	10
PLN8-M5	M5	Φ5	Φ8	21	24.5	6.5	6.5	12	14
PLN8-01	1/8	Φ5	Φ8	21	24.5	6.5	6.5	12	14
PLN8-02	1/4	Φ5	Φ8	21	27	9	6.5	14	14
PLN8-03	3/8	Φ5	Φ8	21	28	10	6.5	17	14
PLN8-04	1/2	Φ5	Φ8	21	29	11	6.5	22	14
PLN10-01	1/8	Φ6.5	Φ10	22.5	25.8	6.5	7	12	15
PLN10-02	1/4	Φ6.5	Φ10	22.5	28.3	9	7	14	15
PLN10-03	3/8	Φ6.5	Φ10	22.5	29.3	10	7	17	15
PLN10-04	1/2	Φ6.5	Φ10	22.5	30.3	11	7	22	15
PLN12-01	1/8	Φ7.8	Φ12	26.5	28.2	6.5	8	14	17
PLN12-02	1/4	Φ7.8	Φ12	26.5	30.7	9	8	14	17
PLN12-03	3/8	Φ7.8	Φ12	26.5	31.7	10	8	17	17
PLN12-04	1/2	Φ7.8	Φ12	26.5	32.7	11	8	22	17
PLN14-02	1/4	Φ9.5	Φ14	32.5	32.8	9	10	17	22
PLN14-03	3/8	Φ9.5	Φ14	32.5	33.8	10	10	17	22
PLN14-04	1/2	Φ9.5	Φ14	32.5	34.8	11	10	22	22
PLN16-02	1/4	Φ11.5	Φ16	32.5	34.8	9	10	17	22
PLN16-03	3/8	Φ11.5	Φ16	32.5	34.8	10	10	17	22
PLN16-04	1/2	Φ11.5	Φ16	32.5	34.8	11	10	22	22

BSL

尖头消声器






名称及规格	T	L	A	H
BSL-01	1/8	27.5	6.5	12
BSL-02	1/4	34	9	17
BSL-03	3/8	43	10	19
BSL-04	1/2	47	11	22
BSL-06	3/4	54	13	27
BSL-08	1"	62.5	16.5	34
BSL-1"1/2	1" 1/2	84.5	20	50

BSLM

平头消声器





名称及规格	T	L	A	H
BSLM-01	1/8	12.8	6.5	12
BSLM-02	1/4	15.8	9	17
BSLM-03	3/8	17.2	10	19
BSLM-04	1/2	19.5	11	22
BSLM-06	3/4	22	13	27
BSLM-08	1"	26.5	16.5	34